

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23										Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES										MISSED APPROACH									
FROM			TO			COURSE AND DISTANCE				ALTITUDE		MAP: 3.56 NM AFTER MFD VORTAC OR AT MFD 3.56 DME							
												CLIMB TO 1700 THEN CLIMBING LEFT TURN TO 3000 ON MFD VORTAC R-101 TO READS/MFD 20.70 DME AND HOLD.							
												ADDITIONAL FLIGHT DATA: HOLD W, LT, 100.89 INBOUND. CHART FAS OBST: 1389 TREE 404935N/0823208W 1421 AAO 405206N/0823527W CHART: ASR. CHART VDP AT 2.46 DME DISTANCE VDP TO THLD 1.10 NM. CHART CIRCLING ICON. MFD VORTAC TO RW14: 3.21/42.							
1. PT <u>L</u> SIDE OF COURSE <u>309.74</u> OUTBOUND <u>2900</u> FT WITHIN <u>10</u> MILES OF <u>MFD VORTAC</u> (IAF)										MAG VAR: 3W EPOCH YEAR: 1965									
2.																			
3. FAC <u>129.74</u> FAF <u>MFD VORTAC</u> DIST FAF TO MAP <u>3.56</u> THLD <u>3.56</u>																			
4. MIN. ALT <u>MFD VORTAC 2500</u>																			
8. MSA FROM: <u>MFD VORTAC 3000</u>																			
MINIMUMS																			
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @							
CATEGORY =====>		A			B			C			D			E					
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA				
S-14	1640	1	364	1640	1	364	1640	1	364	1640	1	364							
CIRCLING	1760	1	463	1760	1	463	2000	2	703	2000	2 1/4	703							
NOTES:																			
CHART NOTE: DME REQUIRED. @ CAT D 800-2 1/4																			
CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}).																			
QUALITY 16 CHECKED																			
CITY AND STATE MANSFIELD, OH		ELEVATION: 1297 TDZE: 1276 AIRPORT NAME: MANSFIELD LAHM RGNL		FACILITY IDENTIFIER: MFD		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR RWY 14, AMDT 16 25 MAY 2017					SUP AMDT 15A DATE 04/02/2015								

**VOR STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.23**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

QUALITY
16
CHECKED

CITY AND STATE

MANSFIELD, OH**ELEVATION: 1297****TDZE: 1276**

AIRPORT NAME:

MANSFIELD LAHM RGNLFACILITY
IDENTIFIER:**MFD**

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

VOR RWY 14, AMDT 16

25 MAY 2017

SUP:

AMDT: **15A**DATED: **04/02/2015**