

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW23
TEDDS	LEFSO (FB)	089.74 / 9.26	4200	CLIMBING RIGHT TURN TO 4000 DIRECT TEDDS AND HOLD.
LEFSO (IAF)	RUBIC (FB)	152.45 / 4.78	3900	
MGW VORTAC (IAF)	RUBIC (FB)	298.26 / 7.74	3900	ADDITIONAL FLIGHT DATA: HOLD NW, LT, 113.41 INBOUND. FAS OBST: 1539 AAO 393004N/0800705W CHART CLARKSBURG ASOS BICKE TO RW23: 3.04/40.
RUBIC (IF)	NOPPO (FB)	226.42 / 4.20	2900	
NOPPO	BICKE (FB)	226.39 / 1.90	2700	

1. PT NA SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
2. PROFILE STARTS AT RUBIC
3. FAC: 226.37 FAF: BICKE DIST FAF TO MAP: 5.10 THLD: 5.10
4. MIN. ALT: RUBIC 3900, NOPPO 2900, BICKE 2700
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
6. MIN GS INCPT: GS ALT AT: OM: MM: IM:
7. GS ANGLE: TCH: 34:1 IS NOT CLEAR
8. MSA FROM: RW23 4500

MAG VAR: 9W

EPOCH YEAR: 2010

MINIMUMS

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	X											
CATEGORY =====>	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA	1840	1	811	1840	1 1/4	811	1840	2 1/2	811		NA					
CIRCLING	1840	1	811	1840	1 1/4	811	1840	2 1/2	811		NA					

NOTES:
CHART NOTE: CIRCLING TO RWY 05 NA AT NIGHT.
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
CHART NOTE: USE CLARKSBURG ALTIMETER SETTING; WHEN NOT RECEIVED, USE MORGANTOWN ALTIMETER SETTING
SEE 8260-10

QUALITY
6
CHECKED

CITY AND STATE FAIRMONT, WV	ELEVATION: 1029 TDZE: 1029 AIRPORT NAME: FAIRMONT MUNI-FRANKMAN FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 23, AMDT 1 03 JUN 2010	SUP: RNAV (GPS) RWY 22 AMDT: ORIG DATED 03/15/2007
---------------------------------------	--	-------------------------------------	--	---

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.**AND INCREASE ALL MDA 20 FEET.****CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON MGW VORTAC AIRWAY RADIALS 231 CW 270.**

CITY AND STATE

FAIRMONT, WV

ELEVATION: 1029 TDZE: 1029

AIRPORT NAME:

FAIRMONT MUNI-FRANKMAN FIELD

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 23, AMDT 1

03 JUN 2010

SUP: **RNAV (GPS) RWY 22**AMDT: **ORIG**DATED: **03/15/2007**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY
6
CHECKED

CITY AND STATE FAIRMONT, WV	ELEVATION: 1029 TDZE: 1029 AIRPORT NAME: FAIRMONT MUNI-FRANKMAN FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 23, AMDT 1 03 JUN 2010	SUP: RNAV (GPS) RWY 22
				AMDT: ORIG
				DATED: 03/15/2007

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

	1	2	3	4	5	6	7	8	9	0	1	2	3
RUNWAY	1234567890123456789012345678901234567890123456789012345678901234567890123456789012												

SUSAP 4G7 K6GRW23	0031942263	N39270279W	J80095203+0700	+0276301013023040075R									

MSA	1234567890123456789012345678901234567890123456789012345678901234567890123456789012												

SUSAP 4G7 K6SRW23 K6PG	0			18018004525									M

QUALITY
6
CHECKED

CITY AND STATE FAIRMONT, WV	ELEVATION: 1029 TDZE: 1029 AIRPORT NAME: FAIRMONT MUNI-FRANKMAN FIELD	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 23, AMDT 1 03 JUN 2010	SUP. RNAV (GPS) RWY 23
				AMDT: ORIG
				DATED: 03/15/2007