

**Federal Aviation  
Administration**

**Transmittal Letter 16-16**

**June 17, 2016**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows: .....EFFECTIVE UPON PUBLICATION						
AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DAT	SUBJECT
21-Jul-16	MA	Beverly	Beverly Muni	6/8851	6/8/16	RNAV (GPS) RWY 16, Amdt 1C

**AIRAC Date: 21 JULY 2016**

FDC 6/8851 BVY IAP BEVERLY MUNI, BEVERLY, MA. RNAV (GPS) RWY 16, AMDT 1C... CHANGE: AIRPORT NAME TO BEVERLY RGNL. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LAWRENCE ALTIMETER SETTING AND INCREASE ALL DA 34 FT AND ALL MDA 40 FT. CHART NOTE: BARO-VNAV NA WHEN USING LAWRENCE ALTIMETER SETTING. THIS IS RNAV (GPS) RWY 16, AMDT 1D. 1605041602-PERM