

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>						<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
JORJO						FOUR	JORJO4.JORJO	THREE	06/25/2015	7 DEC 2017
<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>					
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>					

DP ROUTE DESCRIPTION:
CHICAGO EXECUTIVE:

TAKEOFF RWY 6: CLIMB HEADING 066.39 OR AS ASSIGNED BY ATC TO AT OR ABOVE 1160, FOR VECTORS TO JILYN. THENCE...
TAKEOFF RWY 12: CLIMB HEADING 120.97 OR AS ASSIGNED BY ATC TO AT OR ABOVE 1160, FOR VECTORS TO JILYN. THENCE...
TAKEOFF RWY 16: CLIMB HEADING 161.60 OR AS ASSIGNED BY ATC TO AT OR ABOVE 1160, FOR VECTORS TO JILYN. THENCE...
TAKEOFF RWY 24: CLIMB HEADING 246.42 OR AS ASSIGNED BY ATC TO AT OR ABOVE 1160, FOR VECTORS TO JILYN. THENCE...
TAKEOFF RWY 30: CLIMB HEADING 300.97 OR AS ASSIGNED BY ATC TO AT OR ABOVE 1160, FOR VECTORS TO JILYN. THENCE...
TAKEOFF RWY 34: CLIMB HEADING 341.61 OR AS ASSIGNED BY ATC TO AT OR ABOVE 1160, FOR VECTORS TO JILYN. THENCE...

... ON TRACK 183.90 TO JORJO, THEN ON (TRANSITION), MAINTAIN 3000, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE.

WAUKEGAN NATIONAL:

TAKEOFF RWY 5: CLIMB HEADING 051.45 OR AS ASSIGNED BY ATC TO AT OR ABOVE 1240, FOR VECTORS TO JILYN. THENCE...
TAKEOFF RWY 14: CLIMB HEADING 147.19 OR AS ASSIGNED BY ATC TO AT OR ABOVE 1230, FOR VECTORS TO JILYN. THENCE...
TAKEOFF RWY 23: CLIMB HEADING 231.46 OR AS ASSIGNED BY ATC TO AT OR ABOVE 1230, FOR VECTORS TO JILYN. THENCE...
TAKEOFF RWY 32: CLIMB HEADING 327.20 OR AS ASSIGNED BY ATC TO AT OR ABOVE 1240, FOR VECTORS TO JILYN. THENCE...

... ON TRACK 183.90 TO JORJO, THEN ON (TRANSITION), MAINTAIN 3000, EXPECT FILED ALTITUDE TEN MINUTES AFTER DEPARTURE.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
JORJO	FOUR	JORJO4.JORJO	THREE	06/25/2015	7 DEC 2017

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
AKMIE	JORJO4.AKMIE	JORJO	AHLOU	TRACK 206.58	15.28	4000	2300	
		AHLOU	ACITO	TRACK 192.97	15.36	4000	2100	
		ACITO	ADELL	TRACK 201.67	9.42	4000	2100	
		ADELL	AKMIE	TRACK 201.81	34.12	4000	2300	
ARLYN	JORJO4.ARLYN	JORJO	AHLOU	TRACK 206.58	15.28	4000	2300	
		AHLOU	ACITO	TRACK 192.97	15.36	4000	2100	
		ACITO	ADELL	TRACK 201.67	9.42	4000	2100	
		ADELL	AKMIE	TRACK 201.81	34.12	4000	2300	
		AKMIE	ARLYN	TRACK 201.83	24.96	4000	2400	
BEKKI	JORJO4.BEKKI	JORJO	BRBIE	TRACK 189.27	14.10	4000	2300	
		BRBIE	BACEN	TRACK 184.23	14.65	4000	2200	
		BACEN	BLOKR	TRACK 197.46	9.72	4000	2000	
		BLOKR	BEKKI	TRACK 195.27	57.24	4000	2500	
ROBERTS	JORJO4.RBS	JORJO	BRBIE	TRACK 189.27	14.10	4000	2300	
		BRBIE	BACEN	TRACK 184.23	14.65	4000	2200	
		BACEN	BLOKR	TRACK 197.46	9.72	4000	2000	
		BLOKR	RBS VOR/DME	TRACK 188.28	40.23	4000	2200	

QUALITY
8
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
JORJO	FOUR	JORJO4.JORJO	THREE	06/25/2015	7 DEC 2017

PROCEDURAL DATA NOTES:

NOTE: RNAV 1

NOTE: RADAR REQUIRED

NOTE: DME/DME/IRU OR GPS REQUIRED

NOTE: TURBOJET DEPARTURES MAINTAIN 250 KNOTS UNTIL ADVISED BY ATC

NOTE: AKMIE TRANSITION: FOR AIRCRAFT INBOUND TO BMI, SPI, OR PIA, OR AS ASSIGNED BY ATC

NOTE: ROBERTS TRANSITION: FOR AIRCRAFT INBOUND TO CMI OR STL, OR AS ASSIGNED BY ATC

TAKEOFF MINIMUMS:

CHICAGO EXECUTIVE RWYS 6, 12, 16, 24, 30, 34: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 1160

WAUKEGAN NATIONAL RWYS 5, 32: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 1240; RWYS 14,23: STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 1230

TAKEOFF OBSTACLES NOTES:

CHICAGO EXECUTIVE:

NOTE: RWY 6: TREES BEGINNING 10 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/764 FT MSL. VEHICLES ON ROAD BEGINNING 102 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 17 FT AGL/661 FT MSL.

NOTE: RWY 12: VEHICLES ON ROADS BEGINNING 6 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 17 FT AGL/661 FT MSL. TREES BEGINNING 34 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/764 FT MSL. MULTIPLE ANTENNAS, BUILDINGS AND POLES BEGINNING 164 FT FROM DER, RIGHT AND LEFT OF CENTERLINE, UP TO 174 FT AGL/834 FT MSL.

NOTE: RWY 16: MULTIPLE ANTENNAS, BUILDINGS, AND POLES BEGINNING 91 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 30 FT AGL/675 FT MSL. VEHICLES ON ROAD BEGINNING 288 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 17 FT AGL/658 FT MSL. TREES BEGINNING 442 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 68 FT AGL/712 FT MSL.

NOTE: RWY 24: VEHICLES ON ROADS BEGINNING 1 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 17 FT AGL/666 FT MSL. MULTIPLE BUILDINGS, POLES AND TOWER BEGINNING 63 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 130 FT AGL/783 FT MSL. TREES BEGINNING 842 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 48 FT AGL/693 FT MSL.

NOTE: RWY 30: VEHICLES ON ROAD BEGINNING 4 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 17 FT AGL/666 FT MSL. FENCE 63 FT FROM DER, 24 FT RIGHT OF CENTERLINE, 12 FT AGL/652 FT MSL. MULTIPLE BUILDINGS, POLES AND TRANSMISSION TOWERS BEGINNING 70 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 128 FT AGL/778 FT MSL. TREES BEGINNING 77 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 100 FT AGL/759 FT MSL. ANTENNA 5087 FT FROM DER, 759 FT RIGHT OF CENTERLINE, 152 FT AGL/802 FT MSL.

NOTE: RWY 34: TREES BEGINNING 116 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 85 FT AGL/725 FT MSL. BLDG 718 FT FROM DER, 541 FT RIGHT OF CENTERLINE, 53 FT AGL/693 FT MSL.

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
JORJO	FOUR	JORJO4.JORJO	THREE	06/25/2015	7 DEC 2017

WAUKEGAN NATIONAL:

NOTE: RWY 5, TREES BEGINNING 328 FT FROM DER, 493 FT LEFT OF CENTERLINE, UP TO 58 FT AGL/759 FT MSL.

NOTE: RWY 14, HANGAR 196 FT FROM DER, 453 FT LEFT OF CENTERLINE, 30 FT AGL/749 FT MSL. BUSH 362 FT FROM DER, 130 FT LEFT OF CENTERLINE, 17 FT AGL/728 FT MSL. BUSH 371 FT FROM DER, 161 FT RIGHT OF CENTERLINE, 14 FT AGL/725 FT MSL. HANGAR 920 FT FROM DER, 452 FT RIGHT OF CENTERLINE, 30 FT AGL/749 FT MSL.

NOTE: RWY 23, TREES BEGINNING 89 FT FROM DER, 344 FT RIGHT OF CENTERLINE, UP TO 59 FT AGL/780 FT MSL. TREES BEGINNING 212 FT FROM DER, 372 FT LEFT OF CENTERLINE, UP TO 44 FT AGL/758 FT MSL. TREES BEGINNING 925 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 73 FT AGL/797 FT MSL.

NOTE: RWY 32, TERRAIN BEGINNING 7 FT FROM DER, 112 FT LEFT OF CENTERLINE, UP TO 738 FT MSL. TERRAIN 122 FT FROM DER, 249 FT RIGHT OF CENTERLINE, 734 FT MSL. VEHICLE ON ROAD 232 FT FROM DER, 124 FT RIGHT OF CENTERLINE, UP TO 15 FT AGL/752 FT MSL. TREES, BUSH, AND WINDVANE ON BUILDING BEGINNING 246 FT FROM DER, LEFT AND RIGHT OF CENTERLINE, UP TO 54 FT AGL/784 FT MSL. TREE 1560 FT FROM DER, 259 FT RIGHT OF CENTERLINE, 70 FT AGL/801 FT MSL.

CONTROLLING OBSTACLES:

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

CHART: TOP ALTITUDE: 3000

REFERENCE MAG VARS: KUGN 3W EPOCH YEAR: 2000

DME/DME ASSESSMENT: SAT (RNP 2.0)

CHART: MEA/MOCA FROM JILYN TO JORJO, 4000/2600

PILOT NAVIGATION AREA:

7 NM ARC CENTERED ON JILYN (IF), CW.

FROM: POINT A (BEARING 139 DEGREES TO JILYN)

TO: POINT B (BEARING 229 DEGREES TO JILYN)

MINIMUM ALTITUDE – 4000

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
CHICAGO EXECUTIVE	CHICAGO/PROSPECT HEIGHTS/WHEELING	IL
WAUKEGAN NATIONAL	CHICAGO/WAUKEGAN	IL

COMMUNICATIONS:

PWK ATIS, UGN ATIS, PWK GND CON, UGN GND CON, PWK TWR, UGN TWR, DEP CON

FIXES AND/OR NAVAIDS:



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
JORJO	FOUR	JORJO4.JORJO	THREE	06/25/2015	7 DEC 2017

REMARKS:

PER ATC – INITIAL CLIMB TO 3000 NECESSARY FOR SEPARATION. AIRCRAFT WILL BE AT/ABOVE 4000 BY JILYN.

FLIGHT INSPECTED BY:

PROCESSED IAW FLIGHT INSPECTION TEAM (AJW-333) MEMO, MAY 30, 2017, SUBJECT: FLIGHT INSPECTION REVIEW NOT REQUIRED.

OFFICE SYMBOL:

DATE: Digitally signed by

ALLAN WILL

Sep 07, 2017

DEVELOPED BY: Digitally signed by

MIKE MELSEN **MIKE MELSEN**

Aug 23, 2017

OFFICE SYMBOL:

DATE:

AJV-5412

04/26/2017

APPROVED BY: Digitally signed by

GEORGE DAVIS **ALLAN WILL**

Sep 07, 2017

OFFICE SYMBOL:

DATE:

AJV-5410

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

A4A **ALPA** **AOPA** **APA** **HAI** **NBAA**

☐ ☒ ☒ ☐ ☐ ☒

OTHER:

ZAU ARTCC, PWK ATCT, UGN ATCT

CHANGES - REASONS:

1. CHANGED KUGN AIRPORT NAME FROM WAUKEGAN RGNL TO WAUKEGAN NATIONAL - AIRPORT REQUEST.
2. CHANGED TAKEOFF RWY 24 FROM CLIMB HEADING 246.39 TO 246.42 IN DP ROUTE DESCRIPTION - NEW AIRNAV RECORD.
3. CHANGED TAKEOFF RWY 30 FROM CLIMB HEADING 300.96 TO 300.97 IN DP ROUTE DESCRIPTION - NEW AIRNAV RECORD.
4. CHANGED FROM "EXPECT VECTORS TO JILYN" TO "FOR VECTORS TO JILYN" IN DP ROUTE DESCRIPTION FOR TAKEOFF ALL RUNWAYS AT CHICAGO EXECUTIVE AND WAUKEGAN NATIONAL - IAW 8260.46F APPENDIX E SECTION 1 PARA 3(E).



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME							NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
JORJO							FOUR	JORJO4.JORJO	THREE	06/25/2015	7 DEC 2017
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED		REMARKS	
CHICAGO EXECUTIVE (KPWK)											
RW06 (AER)*	420639.36N/0875418.78W*	N	-	-	-	-				*DISPL THLD (372.0 FT)	
1160 MSL		-	-	VA	063.39	-				CG 500 FT PER NM TO 1160	
		-	-	VM	063.39	-					
JILYN	415934.26N/0875910.55W	Y	FB	DF	-	-					
RW12 (AER)*	420654.05N/0875422.35W*	N	-	-	-	-				*DISPL THLD (295.0 FT)	
1160 MSL		-	-	VA	117.97	-				CG 500 FT PER NM TO 1160	
		-	-	VM	117.97	-					
JILYN	415934.26N/0875910.55W	Y	FB	DF	-	-					
RW16 (AER)	420723.99N/0875425.66W	N	-	-	-	-					
1160 MSL		-	-	VA	158.60	-				CG 500 FT PER NM TO 1160	
		-	-	VM	158.60	-					
JILYN	415934.26N/0875910.55W	Y	FB	DF	-	-					
RW24 (AER)*	420648.45N/0875354.39W*	N	-	-	-	-				*DISPL THLD (1249.0 FT)	
1160 MSL		-	-	VA	243.42	-				CG 500 FT PER NM TO 1160	
		-	-	VM	243.42	-					
JILYN	415934.26N/0875910.55W	Y	FB	DF	-	-					

QUALITY
8
CHECKED

QUALITY
8
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME				NUMBER		DP COMPUTER CODE		SUPERSEDED NUMBER		DATED		EFFECTIVE DATE	
JORJO				FOUR		JORJO4.JORJO		THREE		06/25/2015		7 DEC 2017	
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS				
RW30 (AER)*	420636.96N/0875339.15W*	N	-	-	-	-			*DISPL THLD (432.0 FT)				
1160 MSL		-	-	VA	297.97	-			CG 500 FT PER NM TO 1160				
		-	-	VM	297.97	-							
JILYN	415934.26N/0875910.55W	Y	FB	DF	-	-							
RW34 (AER)	420637.99N/0875401.46W	N	-	-	-	-							
1160 MSL		-	-	VA	338.61	-			CG 500 FT PER NM TO 1160				
		-	-	VM	338.61	-							
JILYN	415934.26N/0875910.55W	Y	FB	DF	-	-							
WAUKEGAN NATIONAL						(KUGN)							
RW05 (AER)	422457.07N/0875232.19W	N	-	-	-	-							
1240 MSL		-	-	VA	048.45	-			CG 500 FT PER NM TO 1240				
		-		VM	048.46	-							
JILYN	415934.26N/0875910.55W		FB	DF									
RW14 (AER)*	422535.58N/0875218.85W*	N	-	-	-	-			*DISPL THLD (500.0 FT)				
1230 MSL		-	-	VA	144.19	-			CG 500 FT PER NM TO 1230				
		-	-	VM	144.20	-							
JILYN	415934.26N/0875910.55W	Y	FB	DF	-	-							
RW23 (AER)	422536.37N/0875132.33W	N	-	-	-	-							

QUALITY

8

QUALITY
8
CHECKED

[illegible]

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME							NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
JORJO							FOUR	JORJO4.JORJO	THREE	06/25/2015	7 DEC 2017
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED		REMARKS	
JILYN	415934.26N/0875910.55W	Y	-	IF	-	-					
JORJO	415304.14N/0875918.78W	Y	FB	TF	180.90	6.50					
JORJO	415304.14N/0875918.78W	Y	-	IF	-	-			JORJO4.AKMIE		
AHLOU	413903.00N/0880728.03W	Y	FB	TF	203.58	15.28					
ACITO	412355.00N/0881100.00W	Y	FB	TF	189.97	15.36					
ADELL	411459.00N/0881500.00W	Y	FB	TF	198.67	9.42					
AKMIE	404238.77N/0882928.05W	Y	FB	TF	198.81	34.12					
JORJO	415304.14N/0875918.78W	Y	-	IF	-	-			JORJO4.ARLYN		
AHLOU	413903.00N/0880728.03W	Y	FB	TF	203.58	15.28					
ACITO	412355.00N/0881100.00W	Y	FB	TF	189.97	15.36					
ADELL	411459.00N/0881500.00W	Y	FB	TF	198.67	9.42					
AKMIE	404238.77N/0882928.05W	Y	FB	TF	198.81	34.12					
ARLYN	401900.00N/0884000.00W	Y	FB	TF	198.83	24.96					
JORJO	415304.14N/0875918.78W	Y	-	IF	-	-			JORJO4.BEKKI		
BRBIE	413903.00N/0880121.94W	Y	FB	TF	186.27	14.10					
BACEN	412424.00N/0880147.00W	Y	FB	TF	181.23	14.65					
BLOKR	411459.00N/0880500.00W	Y	FB	TF	194.46	9.72					
BEKKI	401900.00N/0882054.00W	Y	FB	TF	192.27	57.24					

QUALITY
8
CHECKED

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)

<u>DP NAME</u>		<u>NUMBER</u>		<u>DP COMPUTER CODE</u>		<u>SUPERSEDED NUMBER</u>		<u>DATED</u>	<u>EFFECTIVE DATE</u>
JORJO		FOUR		JORJO4.JORJO		THREE		06/25/2015	7 DEC 2017
<u>FIX/NAVAID</u>	<u>LAT/LONG</u>	<u>C</u>	<u>FO/FB</u>	<u>LEG TYPE</u>	<u>TC</u>	<u>DIST (NM)</u>	<u>ALTITUDE</u>	<u>SPEED</u>	<u>REMARKS</u>
JORJO	415304.14N/0875918.78W	T	-	IF	-	-			JORJO4.RBS
BRBIE	413903.00N/0880121.94W	Y	FB	TF	186.27	14.10			
BACEN	412424.00N/0880147.00W	Y	FB	TF	181.23	14.65			
BLOKR	411459.00N/0880500.00W	Y	FB	TF	194.46	9.72			
RBS VOR/DME	403454.13N/0880951.36W	Y	FB	TF	185.28	40.23			

QUALITY
8
CHECKED