

**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
<b>FOWEE</b>	<b>NINE</b>	<b>FOWEE.FOWEE9</b>	<b>EIGHT</b>	<b>05/25/2015</b>	<b>07 DEC 2017</b>

**TRANSITION ROUTES:**

Transition Name	Transition Computer Code	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitude/Fixes
FREEPORT	ZFP.FOWEE9	ZFP VOR/DME	ZFP VOR/DME						
			LUCSS	180.00 (ZFP R-180)	95.02	14500			
			FOWEE	273.19 (ZQA R273)	32.00	12000			
HODGY	HODGY.FOWEE9	HODGY	HODGY						
			TINKY	315.30 (ZBV R-135)	73.40	16500			
			FOWEE	273.19 (ZQA R-273)	43.63	12000			
NASSAU	ZQA.FOWEE9	ZQA VOR/DME	ZQA VOR/DME						
			FOWEE	273.19 (ZQA R-273)	95.33	12000			
URSUS	URSUS.FOWEE9	URSUS	URSUS						
			FOWEE	357.09 (ZBV R-177)	56.44	10000			

**ARRIVAL ROUTE DESCRIPTION:**

....From over FOWEE via VKZ R-137 to JUNUR, then via DHP R-130 to DHP VORTAC. Expect radar vectors to final approach course after LUVLY.

**PROCEDURAL DATA NOTES:**

NOTE: TURBOJET VERTICAL NAVIGATION PLANNING INFORMATION:

JUNUR: Miami Intl landing East: Expect clearance to cross at 12000 and at or below 280

KIAS. Miami Intl landing West: Expect clearance to cross at 10000 and at or below 250 KIAS.

NOTE: DME required.

NOTE: Aircraft equipped with RNAV or other certified equipment may expect direct JUNUR.



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
<b>FOWEE</b>	<b>NINE</b>	<b>FOWEE.FOWEE9</b>	<b>EIGHT</b>	<b>05/25/2015</b>	<b>07 DEC 2017</b>

NOTE: Chart not to scale.

NOTE: RADAR required.

**FIXES AND/OR HOLDING PATTERNS:**

CHART HOLDING AT FOWEE: SE, LT, 317.00 INBOUND.

CHART HOLDING AT JUNUR: SE, LT, 316.78 INBOUND.

CHART LUVLY.

CHART DME AT: ZFP to LUCSS; ZQA to FOWEE; ZBV to HODGY, FOWEE, URSUS; VKZ to JUNUR, FOWEE; DHP to JUNUR.

**COMMUNICATIONS:**

MIAMI APP CONTROL; MIAMI INTL ATIS; HOMESTEAD ARB ATIS

**AIRPORTS SERVED:**

AIRPORT NAME	CITY	STATE
MIAMI INTL	MIAMI	FL
MIAMI EXECUTIVE	MIAMI	FL
MIAMI HOMESTEAD GENERAL AVIATION	HOMESTEAD	FL
HOMESTEAD ARB	HOMESTEAD	FL
OCEAN REEF CLUB (PRIVATE)	KEY LARGO	FL

**LOST COMMUNICATIONS PREFERENCES:**

**REMARKS:**

THIS AMENDMENT DOES NOT QUALIFY AS A PERIODIC REVIEW.

**ADDITIONAL FLIGHT DATA:**

CHART: ZQA R-183 AT HODGY; ZBV R-135 AT TINKY, R-177 AT FOWEE, R-235 AT JUNUR; DHP R-151 AT URSUS; VKZ R-175 AT LUVLY, VKZ R-137 AT JUNUR AND FOWEE.



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
<b>FOWEE</b>	<b>NINE</b>	<b>FOWEE.FOWEE9</b>	<b>EIGHT</b>	<b>05/25/2015</b>	<b>07 DEC 2017</b>

CHART HOLDING LEG LENGTHS FOR JUNUR AND FOWEE. CHART VKZ DME FOR END OF HOLDING LEG LENGTHS JUNUR/42, FOWEE/78  
CHART MEA: FOWEE-JUNUR 6000; JUNUR-LUVLY 2000.

**FLIGHT INSPECTED BY:**

FLIGHT INSPECTION NOT REQUIRED, MANAGER ROBERT STUCKERT

**ORGANIZATION:**

AJW-331

**DATE:**

Flight Inspected Signature: *Digitally signed by*  
**CASIMIR L TABAKA**  
Sep 22, 2017

**DEVELOPED BY:**

KISSY MAXFIELD

*Digitally signed by*  
**KISSY MAXFIELD**  
Aug 18, 2017

AJV-5412

8/18/17

Developed By Signature:

**APPROVED BY:**

GEORGE DAVIS

AJV-5410

Approved By Signature: *Digitally signed by*  
**CASIMIR L TABAKA**  
Sep 22, 2017

**CHANGES:**

1. CHANGED AIRPORT NAME FROM HOMESTEAD GENERAL AVIATION TO MIAMI HOMESTEAD GENERAL AVIATION.

**REASONS:**

1. TO MATCH AIRNAV.



**FEDERAL AVIATION ADMINISTRATION  
FLIGHT STANDARDS SERVICE  
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.  
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
<b>FOWEE</b>	<b>NINE</b>	<b>FOWEE.FOWEE9</b>	<b>EIGHT</b>	<b>05/25/2015</b>	<b>07 DEC 2017</b>

**Title:**

