

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> KOTLIK	<u>AIRPORT ID</u> PFKO	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 2	<u>ORIGINAL/AMENDMENT</u> ORIG-E	<u>CITY</u> KOTLIK	<u>STATE</u> AK
<u>AIRPORT ELEVATION</u> 14	<u>TDZE</u> 13	<u>SUPERSEDED</u> RNAV (GPS) RWY 2	<u>ORIGINAL/AMENDMENT</u> ORIG-D	<u>DATED</u> 01/03/2019	<u>MAG VAR</u> 15E
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 25 APRIL 2019	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>	<u>EPOCH YEAR</u> 2005

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
ENM VOR/DME	IAF	JADEV		TF	FB	1.00	060.06	20.86	2500
GOYWI	IAF	JADEV		TF	FB	1.00	307.49	11.34	2500
PICNI	IAF	JADEV		TF	FB	1.00	106.98	7.69	2500
JADEV	IF	IYOKO		TF	FB	1.00	017.23	6.00	1600
IYOKO	FAF	RW02	MAP	TF	FO	0.30	017.33	5.00	
RW02	MAP	414 MSL		CA			017.33		
414 MSL		KEGEY		DF	FO	1.00			3500

MISSED APPROACH

MAP:

LNAV: RW02

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 3500 DIRECT KEGEY AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF (IAF)

2. PROFILE STARTS AT JADEV

3. FAC: 017.33

FAF: IYOKO

DIST FAF TO MAP: 5.00

DIST FAF TO THLD: 5.00

4. MIN ALT: JADEV 2500, IYOKO 1600

5. DIST TO THLD FROM OM:

MM:

IM:

150 HAT:

GS ANT:

6. MIN GP INCPT:

GP ALT AT FAF :

OM:

MM:

IM:

7. GP ANGLE:

34:1: IS NOT CLEAR

20:1: IS CLEAR

TCH:

8. MSA FROM: RW02 3100

PBN REQUIREMENTS NOTE:

RNP APCH

NOTES:

CHART NOTE: CIRCLING RWY 20 NA AT NIGHT.
CHART NOTE: RWY 2 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT PICNI ON V385 SOUTHWEST BOUND.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT GOYWI ON V488 SOUTHWEST BOUND AND V506 SOUTHEAST BOUND.
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON ENM VOR/DME AIRWAY RADIALS 335 CW 133.

ADDITIONAL FLIGHT DATA:

CHART EMMONAK AWOS-3 135.35
IYOKO TO RW02: 2.91/40.
CHART FAS OBST: 39 TOWER 630155N/1633318W.
HOLD NE, RT, 223.75 INBOUND

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☒

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LNAV MDA	500	1	487	500	1	487		NA			NA				
CIRCLING	560	1	546	560	1	546		NA			NA				

CHANGES - REASONS

1. CHART "PROFILE" NOTE: PROCEDURE NA FOR ARRIVALS AT PICNI ON V385 SOUTHWEST BOUND. CHANGED TO CHART "PLANVIEW" NOTE: PROCEDURE NA FOR ARRIVALS AT PICNI ON V385 SOUTHWEST BOUND. - THIS IS A PLANVIEW NOTE.
2. CHART "PROFILE" NOTE: PROCEDURE NA FOR ARRIVALS AT GOYWI ON V488 SOUTHWEST BOUND AND V506 SOUTHEAST BOUND. CHANGED TO CHART "PLANVIEW" NOTE: PROCEDURE NA FOR ARRIVALS AT GOYWI ON V488 SOUTHWEST BOUND AND V506 SOUTHEAST BOUND. - THIS IS A PLANVIEW NOTE.
3. CHART "PROFILE" NOTE: PROCEDURE NA FOR ARRIVAL ON ENM VOR/DME AIRWAY RADIALS 335 CW 133. CHANGED TO CHART "PLANVIEW" NOTE: PROCEDURE NA FOR ARRIVAL ON ENM VOR/DME AIRWAY RADIALS 335 CW 133. - THIS IS A PLANVIEW NOTE.



COORDINATED WITH:

A4A ☐ **ALPA** ☐ **AOPA** ☒ **APA** ☐ **HAI** ☐ **NBAA** ☒ **OTHER:** ZAN, ENA FSS

FLIGHT CHECKED BY

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJW-33) MEMO, OCTOBER 3, 2018, SUBJECT:
FLIGHT INSPECTION REVIEW NOT REQUIRED

OFFICE

DATE

Digitally signed by
MARK D ADAMS

DEVELOPED BY

COLTON CROWDER

Digitally signed by

COLTON CROWDER

OFFICE

AJV-A412

DATE

12/20/2018

Jan 08, 2019

APPROVED BY

LONNIE EVERHART

Dec 20, 2018

OFFICE

AJV-A41

DATE

Digitally signed by
MARK D ADAMS
Jan 08, 2019

TITLE
MANAGER