

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.													
TERMINAL ROUTES										MISSED APPROACH							
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LP: RW11 LNAV: RW11 CLIMB TO 2000 DIRECT VUTUC AND HOLD. ADDITIONAL FLIGHT DATA: HOLD E, RT, 291.46 INBOUND. CHART FAS OBST: 321 TANK 310259N/0855336W CHART FAS OBST: 279 TREE 310335N/0855343W CHART CAIRNS AAF AWOS-3 WAAS CHANNEL # 70735 REFERENCE PATH ID: W11A CHART CIRCLING ICON. RURAE TO RW11: 3.50/47. LTP HAE: 1.5 M							
SOVRE (IF/IAF)		RURAE (TF) (FB) (RNP 1.00)		111.24 / 6.85				1800									
RURAE (FAF)		QASQO/2.10 NM TO RW11 (TF) (FB) (RNP 0.30)		111.31 / 2.36													
QASQO/2.10 NM TO RW11		RW11 (MAP) (TF) (FO) (RNP 0.30)		111.31 / 2.10													
RW11 (MAP)		500 MSL		111.31				2000									
500 MSL		VUTUC (DF) (FO) (RNP 1.00)															
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD W SOVRE, RT, 111.24 INBOUND, 2000 FT. IN LIEU OF PT (IAF) 3. FAC: 111.31 FAF: RURAE DIST FAF TO MAP: 4.46 THLD: 4.46 4. MIN. ALT: SOVRE 2000, RURAE 1800, QASQO/2.10 NM TO RW11 920 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR 8. MSA FROM: _____										MAG VAR: 4W		EPOCH YEAR: 2015					
MINIMUMS																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		<input checked="" type="checkbox"/>					
CATEGORY ==>		A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA		
LP MDA	600	1	500	600	1	500	600	1 3/8	500		NA						
LNAV MDA	640	1	540	640	1	540	640	1 1/2	540		NA						
CIRCLING	700	1	600	720	1	620	900	2 1/4	800		NA						
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: PROCEDURE NA AT NIGHT. CHART NOTE: RWY 11 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED CHART NOTE: USE CAIRNS AAF ALTIMETER SETTING, WHEN NOT RECIEVED USE DOTHAN ALTIMETER SETTING AND (CONTINUED ON PAGE 2)																	
CITY AND STATE		ELEVATION: 100 TDZE: 100				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:					
GENEVA, AL		AIRPORT NAME: GENEVA MUNI						RNAV (GPS) RWY 11, ORIG-A				AMDT: ORIG					
								2 FEBRUARY 2017				DATED 07/24/2014					



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

INCREASE ALL MDA 40 FEET, INCREASE LP AND LNAV CAT C VISIBILITY 1/8 SM AND CIRCLING CAT C VISIBILITY 1/4 SM.

TAA

	FROM	TO	ALT
1.	021/30 CW 201/30 (NOPT)	021/15 CW 201/15	2500
	021/15 CW 201/15	SOVRE (IF/IAF) (FB)	2000
2.	201/30 CW 021/30	201/15 CW 021/15	3100
	201/15 CW 021/15	SOVRE (IF/IAF) (FO)	2100

QUALITY
16
CHECKED

CITY AND STATE
GENEVA, AL

ELEVATION: 100 **TDZE: 100**
AIRPORT NAME:
GENEVA MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 11, ORIG-A
2 FEBRUARY 2017

SUP:
AMDT: **ORIG**
DATED: **07/24/2014**

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	33J
RUNWAY	RW11
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W11A
LTP/FTP LATITUDE	310315.3500N
LTP/FTP LONGITUDE	0855230.1300W
LTP/FTP ELLIPSOIDAL HEIGHT	+00015
FPAP LATITUDE	310248.7100N
FPAP LONGITUDE	0855051.1300W
THRESHOLD CROSSING HEIGHT (TCH)	00047.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.50
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1528
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER

85F65D1B

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+00288
FPAP ORTHOMETRIC HEIGHT	+00288

QUALITY
16
CHECKED

CITY AND STATE GENEVA, AL	ELEVATION: 100 AIRPORT NAME: GENEVA MUNI	TDZE: 100 RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 11, ORIG-A 2 FEBRUARY 2017	SUP:
				AMDT: ORIG
				DATED: 07/24/2014