

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION				RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.							
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LP: RW05 LNAV: RW05					
TRV VORTAC		JEKOL (TF) (FO) (RNP 2.00)		279.59 / 7.90				2000		CLIMB TO 2000 DIRECT POKME AND ON TRACK 090.12 TO HASUP AND HOLD.					
BAIRN		HODSO (TF) (FB) (RNP 2.00)		129.35 / 23.37				2000							
HODSO (IAF)		JEKOL (NOPT) (TF) (FB) (RNP 1.00)		121.04 / 6.50				2000							
CUSMO (IAF)		JEKOL (NOPT) (TF) (FB) (RNP 1.00)		023.99 / 14.01				2000							
JEKOL (IF/IAF) (SEE FORM 8260-10)		NAMHO (TF) (FB) (RNP 1.00)		051.02 / 5.50				1600		ADDITIONAL FLIGHT DATA: HOLD SE, RT, 301.05 INBOUND. CHART FAS OBST: 124 TREE 274824N/0803003W CHART FAS OBST: 134 TREE 274819N/0802958W CHART W-497B. WAAS CHANNEL # 90427 REFERENCE PATH ID: W05A NAMHO TO RW04: 3.00/40. LTP HAE: -22.3 M					
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)															
2. HOLD SW JEKOL, RT, 051.02 INBOUND, 2000 FT. IN LIEU OF PT (IAF)															
3. FAC: 051.06 FAF: NAMHO DIST FAF TO MAP: 4.84 THLD: 4.84															
4. MIN. ALT: JEKOL 2000, NAMHO 1600, ZATOP/2.60 NM TO RW05 880										MAG VAR: 6W EPOCH YEAR: 2010					
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____															
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____															
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR															
8. MSA FROM: RW05 1600															
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A X											
CATEGORY ==>		A		B		C		D		E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LP MDA	380	1	359	380	1	359	380	1	359		NA				
LNAV MDA	400	1	379	400	1	379	400	1	379		NA				
CIRCLING	520	1	498	520	1	498	520	1 1/2	498		NA				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT BAIRN ON V267 NORTHBOUND AND V531 NORTHWEST BOUND. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON TRV VORTAC AIRWAY RADIALS 200 CW 350. (CONTINUED ON PAGE 2)															
CITY AND STATE SEBASTIAN, FL		ELEVATION: 22 TDZE: 21 AIRPORT NAME: SEBASTIAN MUNI				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 5, ORIG-C 2 FEBRUARY 2017				SUP: AMDT: ORIG-B DATED 01/10/2013			

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

<u>FROM</u>	<u>TO</u>	<u>COURSE AND DISTANCE</u>	<u>ALTITUDE</u>
NAMHO (FAF)	ZATOP/2.60 NM TO RW05 (TF) (FB) (RNP 0.30)	051.06 / 2.24	
ZATOP/2.60 NM TO RW05	RW05 (MAP) (TF) (FO) (RNP 0.30)	051.06 / 2.60	
RW05 (MAP)	380 MSL	051.06	
380 MSL	POKME (DF) (FB) (RNP 1.00)		
POKME	HASUP (TF) (FO) (RNP 1.00)	090.12 / 9.70	2000

NOTES, (CONT.):

CHART NOTE: PROCEDURE NA AT NIGHT.

CHART NOTE: RWY 05 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE VERO BEACH ALTIMETER SETTING AND INCREASE ALL MDA 40 FT, AND INCREASE LP AND LNAV CAT C VISIBILITY 1/8 SM.

QUALITY
16
CHECKED

CITY AND STATE SEBASTIAN, FL	ELEVATION: 22 TDZE: 21 AIRPORT NAME: SEBASTIAN MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 5, ORIG-C 2 FEBRUARY 2017	SUP:
				AMDT: ORIG-B
				DATED: 01/10/2013

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	X26
RUNWAY	RW05
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W05A
LTP/FTP LATITUDE	274831.2745N
LTP/FTP LONGITUDE	0803001.1100W
LTP/FTP ELLIPSOIDAL HEIGHT	-00223
FPAP LATITUDE	274934.3400N
FPAP LONGITUDE	0802849.9500W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1520
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER

479692C3

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+00056
FPAP ORTHOMETRIC HEIGHT	+00056

QUALITY
16
CHECKED

CITY AND STATE SEBASTIAN, FL	ELEVATION: 22 TDZE: 21 AIRPORT NAME: SEBASTIAN MUNI	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 5, ORIG-C 2 FEBRUARY 2017	SUP:
				AMDT: ORIG-B
				DATED: 01/10/2013