

FEDERAL AVIATION ADMINISTRATION

FLIGHT STANDARDS SERVICE

GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
PEVEE	FIVE	PEVEE5.PEVEE	FOUR	03/02/2017	17 AUG 2017
TYPE:	OBSTACLE	COPTER	SID	SPECIAL	RNAV
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 21: CLIMB ON HEADING 212.58 TO INTERCEPT COURSE 260.13 TO WRASH, THEN ON TRACK 254.63 TO PEEER, THEN ON TRACK 180.82 TO SPRRW, THEN ON TRACK 129.95 TO PEVEE, THENCE...

...ON ASSIGNED TRANSITION MAINTAIN 17000, EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

TRANSITION NAME	TRANSITION COMPUTER CODE	FROM FIX/NAVAID	TO FIX/NAVAID	COURSE	DISTANCE	MEA	MOCA	CROSSING ALTITUDE/FIXES
CLEEE	PEVEE5.CLEEE	PEVEE	HOLTZ	TRACK 097.46	9.45	9000		
		HOLTZ	DOTSS	TRACK 077.90	27.44	10000		DOTSS AT/ABOVE 15000
		DOTSS	EYEDL	TRACK 064.97	28.84	15000		
		EYEDL	HOMER	TRACK 079.33	13.00	15000		
		HOMER	CLEEE	TRACK 079.48	45.08	15000		
CNERY	PEVEE5.CNERY	PEVEE	HOLTZ	TRACK 097.46	9.45	9000		
		HOLTZ	DOTSS	TRACK 077.90	27.44	10000		DOTSS AT/ABOVE 15000
		DOTSS	WILD	TRACK 094.34	29.38	15000		
		WILD	BLCKD	TRACK 078.85	40.59	15000		
		BLCKD	CSTWY	TRACK 078.96	19.59	15000		
		CSTWY	CNERY	TRACK 058.68	23.99	15000		

QUALITY
4
CHECKED

FEDERAL AVIATION ADMINISTRATION

FLIGHT STANDARDS SERVICE

GRAPHIC DEPARTURE PROCEDURES (DP)

NFDD #122

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME			NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER		DATED	EFFECTIVE DATE
PEVEE			FIVE	PEVEE5.PEVEE	FOUR		03/02/2017	17 AUG 2017
OTAYY	PEVEE5.OTAYY	PEVEE	TANNN	TRACK 105.16	20.88	9000	TANNN AT/ABOVE 15000	
		TANNN	NNICE	TRACK 105.16	9.00	15000		
		NNICE	PNDAAH	TRACK 126.27	24.61	15000	PNDAAH AT/ABOVE FL200	
		PNDAAH	OTAYY	TRACK 124.83	40.67	15000		
TCATE	PEVEE5.TCATE	PEVEE	TANNN	TRACK 105.16	20.88	9000	TANNN AT/ABOVE 15000	
		TANNN	NNICE	TRACK 105.16	9.00	15000		
		NNICE	PNDAAH	TRACK 126.27	24.61	15000	PNDAAH AT/ABOVE FL200	
		PNDAAH	TCATE	TRACK 097.22	63.31	15000		

PROCEDURAL DATA NOTES:

- NOTE: RNAV 1.
- NOTE: DME/DME/IRU OR GPS REQUIRED.
- NOTE: RADAR REQUIRED.
- NOTE: TURBOJET AIRCRAFT ONLY.

NOTE: ALL AIRCRAFT EXPECT RADAR VECTORS TO PEEVE PRIOR TO PEEER.

TAKEOFF MINIMUMS:

RWY 3: NA-ATC.

RWY 21: STANDARD WITH A MINIMUM CLIMB OF 400 FT PER NM TO 700.

TAKEOFF OBSTACLES NOTES:

NOTE: RWY 21, SMO VOR/DME 106 FT FROM DER, 257 FT LEFT OF CENTERLINE, UP TO 18 FT AGL/122 FT MSL. TREE 145 FT FROM DER, 245 FT RIGHT OF CENTERLINE, 125 FT MSL. TREE 155 FT FROM DER, 306 FT RIGHT OF CENTERLINE, 130 FT MSL. ANT ON BLDG AND TREE BEGINNING 285 FT FROM DER, 260 FT RIGHT OF CENTERLINE, UP TO 150 FT MSL. TREE AND BLDG BEGINNING 470 FT FROM DER, 196 FT RIGHT OF CENTERLINE, UP TO 175 FT MSL. TREE 477 FT FROM DER, 51 FT LEFT OF CENTERLINE, 133 FT MSL. TREE, T-L TWR, AND POLE BEGINNING 688 FT FROM DER, 285 FT RIGHT OF CENTERLINE, UP TO 196 FT MSL.

CONTROLLING OBSTACLES:



FEDERAL AVIATION ADMINISTRATION

FLIGHT STANDARDS SERVICE

GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
PEVEE	FIVE	PEVEE5.PEVEE	FOUR	03/02/2017	17 AUG 2017

LOST COMMUNICATIONS PROCEDURES:
IN THE EVENT OF LOST COMMUNICATIONS, PROCEED VIA ASSIGNED TRANSITION.

ADDITIONAL FLIGHT DATA:
ADDITIONAL FLIGHT DATA:
CHART: TOP ALTITUDE: CLEEE AND CNERY TRANSITIONS: 17000,
OTAYY AND TCATE TRANSITIONS: FL200.

REFERENCE MAG VAR: KSMO 12E EPOCH YR: 2020

DME/DME ASSESSMENT SAT: RNP (2.0).

AIRPORTS SERVED:	AIRPORT NAME	CITY	STATE
	SANTA MONICA MUNI	SANTA MONICA	CA

COMMUNICATIONS:
KSMO ATCT, SOCAL DEP CON, CLNC DEL

FIXES AND/OR NAVAIDS:
LVELL, TTRUE, WURMO



FEDERAL AVIATION ADMINISTRATION

FLIGHT STANDARDS SERVICE

GRAPHIC DEPARTURE PROCEDURES (DP)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
PEVEE	FIVE	PEVEE5.PEVEE	FOUR	03/02/2017	17 AUG 2017

REMARKS:

FLIGHT INSPECTED BY:	Digitally signed by JOHNNIE BAKER Apr 24, 2017	OFFICE SYMBOL:	DATE:
MICHAEL S. MILLER		FICO	04/13/2017
DEVELOPED BY:	Digitally signed by JOHNNIE BAKER Mar 10, 2017	OFFICE SYMBOL:	DATE:
JOHNNIE BAKER		AJV-5441	03/10/2017
APPROVED BY:	Digitally signed by JOHNNIE BAKER Apr 24, 2017	OFFICE SYMBOL:	DATE:
MARLON ROBINSON		AJV-5440	
REQUIRED EFFECTIVE DATE:			
ROUTINE			

COORDINATED WITH:

A4A	ALPA	AOPA	APA	HAI	NBAA
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

OTHER:

- CHANGES - REASONS:
1. CHANGED TOP ALTITUDE FROM "AS ASSIGNED BY ATC" TO "17000." - ATC REQUEST
 2. DELETED AT OR ABOVE FL240 ALTITUDE FROM FIX HOMER. - ATC REQUEST
 3. ADDED AT OR ABOVE ALTITUDE 15000 TO FIX DOTSS. - ATC REQUEST



FEDERAL AVIATION ADMINISTRATION

FLIGHT STANDARDS SERVICE

DEPARTURE (DATA RECORD)

DP NAME		NUMBER		DP COMPUTER CODE		SUPERSEDED NUMBER		DATED	EFFECTIVE DATE
PEVEE		FIVE		PEVEE5.PEVEE		FOUR		03/02/2017	17 AUG 2017
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW21 (AER)	340114.48N/1182643.96W	N							
	335949.65N/1182824.32W			VI	224.58	1.98			CG 400 FT PER NM TO 700
WRASH	340002.48N/1183512.63W	Y	FB	CF	272.13	5.66			RECOMMENDED NAVAID TFD VORTAC
PEEER	335944.23N/1184122.04W	Y	FB	TF	266.63	5.13			
SPRRW	335414.75N/1184251.97W	Y	FB	TF	192.82	5.62			
PEVEE	334150.00N/1183115.00W	Y	FB	TF	141.95	15.72			
PEVEE	334150.00N/1183115.00W	Y		IF					PEVEE5.CLEEE
HOLTZ	333840.38N/1182034.79W	Y	FB	TF	109.46	9.45			
DOTSS	333838.78N/1174743.02W	Y	FB	TF	089.90	27.44	AT/ABOVE 15000		
EYEDL	334504.94N/1171401.10W	Y	FB	TF	076.97	28.84			
HOMER	334445.80N/1165825.95W	Y	FB	TF	091.33	13.00			
CLEEE	334324.18N/1160423.92W	Y	FB	TF	091.48	45.08			
PEVEE	334150.00N/1183115.00W	Y		IF					PEVEE5.CNERY
HOLTZ	333840.38N/1182034.79W	Y	FB	TF	109.46	9.45			
DOTSS	333838.78N/1174743.02W	Y	FB	TF	089.90	27.44	AT/ABOVE 15000		
WIILD	333017.34N/1171359.88W	Y	FB	TF	106.34	29.38			
BLCKD	332931.77N/1162528.14W	Y	FB	TF	090.85	40.59			
CSTWY	332909.77N/1160203.05W	Y	FB	TF	090.96	19.59			
CNERY	333703.75N/1153456.72W	Y	FO	TF	070.68	23.99			



FEDERAL AVIATION ADMINISTRATION

FLIGHT STANDARDS SERVICE

DEPARTURE (DATA RECORD)

DP NAME		NUMBER		DP COMPUTER CODE		SUPERSEDED NUMBER		DATED	EFFECTIVE DATE
PEVEE		FIVE		PEVEE5.PEVEE		FOUR		03/02/2017	17 AUG 2017
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
PEVEE	334150.00N/1183115.00W	Y		IF					PEVEE5.OTAYY
TANNN	333215.00N/1180901.23W	Y	FB	TF	117.16	20.88	AT/ABOVE 15000		
NNICE	332807.67N/1175926.89W	Y	FB	TF	117.16	9.00			
PNDAH	330942.00N/1173956.00W	Y	FB	TF	138.27	24.61	AT/ABOVE FL200		
OTAYY	323954.45N/1170658.45W	Y	FB	TF	136.83	40.67			
PEVEE	334150.00N/1183115.00W	Y		IF					PEVEE5.TCATE
TANNN	333215.00N/1180901.23W	Y	FB	TF	117.16	20.88	AT/ABOVE 15000		
NNICE	332807.67N/1175926.89W	Y	FB	TF	117.16	9.00			
PNDAH	330942.00N/1173956.00W	Y	FB	TF	138.27	24.61	AT/ABOVE FL200		
TCATE	324829.07N/1162859.88W	Y	FB	TF	109.22	63.31			

