

## U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

NDB

## STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICE - FAR PART 97. 27

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet. MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

## TERMINAL ROUTES

## MISSED APPROACH

FROM	TO	COURSE AND DISTANCE	ALTITUDE	MAP: AHX NDB
CQY VORTAC	AHX NDB	088.47 / 19.82	2500	CLIMBING RIGHT TURN TO 2500 IN AHX NDB HOLDING PATTERN.
				ADDITIONAL FLIGHT DATA: HOLD S, RT, 351 INBOUND. FAS OBST: 645 TWR 320923 / 955032 FAC 423L OF RWY C/L EXTENDED 3000 FROM THLD.

1. PT L SIDE OF COURSE 351.00 OUTBOUND 2500 FT WITHIN 10 MILES OF AHX NDB (IAF)2. 171.3. FAC 351.00 FAF \_\_\_\_\_ DIST FAF TO MAP \_\_\_\_\_ THLD \_\_\_\_\_

4. MIN ALT \_\_\_\_\_

8. MSA FROM: AHX NDB 045-135 3100, 135-045 2300

MAG VAR: 6 E

EPOCH YEAR: 90

## MINIMUMS

TAKEOFF: <input checked="" type="checkbox"/> STANDARD	SEE FAA FORM 8260-15 FOR THIS AIRPORT						ALTERNATE: <input type="checkbox"/> N <input checked="" type="checkbox"/> A <input checked="" type="checkbox"/> X								
CATEGORY =====>	A			B			C			D			E		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S - 35	1120	1	676	1120	1	676	1120	2	676		NA				
CIRCLING	1120	1	676	1120	1	676	1200	2	756		NA				

## GREGG COUNTY ALTIMETER SETTING MINIMUMS

S - 35	1200	1	756	1200	1 1/4	756	1200	2 1/4	756		NA				
CIRCLING	1200	1	756	1200	1 1/4	756	1200	2 1/4	756		NA				

## NOTES:

USE TYLER POUNDS ALTIMETER SETTING; WHEN NOT RECEIVED, USE GREGG COUNTY ALTIMETER SETTING.

CITY AND STATE	ELEVATION: 444 TDZE: 444	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP
ATHENS, TX	ATHENS MUNI	AHX	NDB RWY 35, AMDT. 4	AMDT 3
				DATE 21 SEP 89