

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
HIMEZ	FOUR	HIMEZ.HIMEZ4	THREE	13 NOV 2014	27 APR 2017

TRANSITION ROUTES:

Transition Name	Transition Computer Code	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitude/Fixes
KEELER	ELX.HIMEZ4	ELX VOR/DME	CRL VOR/DME	091.89 & 096.67 (ELX R-092 & CRL R-277)	119.18	FL180			
			SSUNN	100.19	40.89	7000			
			HIMEZ	118.50 (CXR R-299)	17.01	7000			
VICTORY	VIO.HIMEZ4	VIO VOR/DME	CRL VOR/DME	119.36	100.88	FL180			
			SSUNN	100.19	40.89	7000			
			HIMEZ	118.50 (CXR R-299)	17.01	7000			
SALEM	SVM.HIMEZ4	SVM VORTAC	MACCS	142.07	30.96	7000			
			SSUNN	100.19 (CRL R-100)	26.59	7000			
			HIMEZ	118.50 (CXR R-299)	17.01	7000			
CARLETON	CRL.HIMEZ4	CRL VOR/DME	SSUNN	100.19	40.89	7000			
			HIMEZ	118.50 (CXR R-299)	17.01	7000			

ARRIVAL ROUTE DESCRIPTION:

FROM OVER HIMEZ, ON HEADING 155.00. EXPECT RADAR VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

HIMEZ VERTICAL NAVIGATION PLANNING INFORMATION: TURBOJETS: EXPECT CLEARANCE TO CROSS AT 10000. PROPS: EXPECT CLEARANCE TO CROSS AT 9000.
NOTE: RADAR REQUIRED.

QUALITY
17
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
HIMEZ	FOUR	HIMEZ.HIMEZ4	THREE	13 NOV 2014	27 APR 2017

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT HIMEZ (HOLD NW, LT, 118.50 INBOUND)

COMMUNICATIONS:

CLEVELAND APPROACH CONTROL, CLEVELAND-HOPKINS ATIS

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
CLEVELAND-HOPKINS INTL	CLEVELAND	OH
ELYRIA	ELYRIA	OH
LORAIN COUNTY RGNL	LORAIN/ELYRIA	OH
MEDINA MUNI	MEDINA	OH

LOST COMMUNICATIONS PREFERENCES:**REMARKS:**

THIS AMENDMENT DOES NOT QUALIFY AS PERIODIC REVIEW.

ADDITIONAL FLIGHT DATA:

QUALITY
17
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
HIMEZ	FOUR	HIMEZ.HIMEZ4	THREE	13 NOV 2014	27 APR 2017

FLIGHT INSPECTED BY:

FLIGHT INSPECTION NOT REQUIRED: MANAGER ROBERT STUCKERT

ORGANIZATION:

AJW-331

DATE:

12/9/2016

Flight Inspected Signature:

*Digitally signed by***DANIEL D OLSON**

Dec 09, 2016

DEVELOPED BY:

JULIE MORGAN (LUCAS MCCLOUD)

AJV-5422

11/21/2016

Developed By Signature:

*Digitally signed by***DANIEL D OLSON**

Dec 09, 2016

APPROVED BY:

JULIE MORGAN

AJV-5420

Approved By Signature:

*Digitally signed by***DANIEL D OLSON**

Dec 09, 2016

CHANGES:

1. CHANGED CRL VORTAC TO CRL VOR/DME
2. UPDATED FORMS FROM 7100-4 (7/02) TO 8260-17.1 (6/15)

REASONS:

1. TACR PROJECT - MINOR AMENDMENT
2. NEW FORMS IMPLEMENTED

QUALITY
17
CHECKED