

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23										Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.							
TERMINAL ROUTES										MISSED APPROACH							
FROM			TO			COURSE AND DISTANCE			ALTITUDE		MAP: 5.32 NM AFTER PTATO/BSV 28.00 DME OR AT BSV 22.68 DME						
BSV VOR/DME			PTATO/BSV 28.00 DME			294.92 / 28.00			2800		CLIMB TO 2800 DIRECT BSV VOR/DME AND HOLD.						
										ADDITIONAL FLIGHT DATA: HOLD SE, RT, 296.00 INBOUND. CHART FAS OBST: 1540 TOWER 405424N/0815912W. PTATO TO RW10: 2.92/40. CHART PLANVIEW NOTE: DME REQUIRED.							
1. PT <u>R</u> SIDE OF COURSE <u>294.92</u> OUTBOUND <u>2800</u> FT WITHIN <u>10</u> MILES OF <u>PTATO</u> (IAF)																	
2.																	
3. FAC <u>114.92</u> FAF <u>PTATO/BSV 28.00 DME</u> DIST FAF TO MAP <u>5.32</u> THLD <u>5.32</u>																	
4. MIN. ALT <u>PTATO/BSV 28.00 DME 2800</u>																	
8. MSA FROM: <u>BSV VOR/DME 3100 (30 NM)</u>										MAG VAR: <u>4W</u> EPOCH YEAR: <u>1965</u>							
MINIMUMS																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: <u>N A</u>		STANDARD @					
CATEGORY =====>		A			B			C			D			E			
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	
S-10		1840	1	727	1840	1 1/4	727	1840	2	727	1840	2 1/4	727				
CIRCLING		1840	1	704	1840	1 1/4	704	1840	2	704	1840	2 1/4	704				
NOTES: CHART NOTE: DME REQUIRED. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}). CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE AKRON-CANTON RGNL ALTIMETER SETTING AND INCREASE ALL MDA 60 FEET; INCREASE S-10 CAT C/D AND CIRCLING CAT C/D VISIBILITIES 1/4 MILE. CHART NOTE: RWY 10 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.																	
CITY AND STATE WOOSTER, OH		ELEVATION: 1136 TDZE: 1113 AIRPORT NAME: WAYNE COUNTY			FACILITY IDENTIFIER: BSV			PROCEDURE NO./AMDT NO./EFFECTIVE DATE: VOR RWY 10, AMDT 1B 1 FEBRUARY 2018					SUP AMDT 1A DATE 04/28/2016				

