

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.													
TERMINAL ROUTES										MISSED APPROACH							
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LNAV: RW10							
BEYLO		AZNAX (FB)		265.90 / 20.20				3000		CLIMB TO 3000 DIRECT LAXHE AND ON TRACK 012.83 TO BEYLO AND HOLD.							
GLOSS		AZNAX (FB)		182.82 / 9.90				3000									
AZNAX (IAF)		IBUDY (FB)		182.83 / 6.00				3000									
SINCA (IAF)		IBUDY (FB)		055.94 / 7.44				3000									
IBUDY (IF)		OZBRN (FB)		094.04 / 6.52				2200									
OZBRN (FAF)		RW10 (MAP) (FO)		095.93 / 5.48						ADDITIONAL FLIGHT DATA: HOLD NE, RT, 245.04 INBOUND. CHART FAS OBST: 690 TOWER 330930N/0831842W CHART VDP AT 1.62 NM TO RW10. OZBRN TO RW10: 3.04/45.							
RW10 (MAP)		785 MSL		095.93													
(SEE FORM 8260-10)																	
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																	
2. PROFILE STARTS AT IBUDY																	
3. FAC: 095.93 FAF: OZBRN DIST FAF TO MAP: 5.48 THLD: 5.48																	
4. MIN. ALT: IBUDY 3000, OZBRN 2200																	
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																	
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____																	
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR																	
8. MSA FROM: RW10 2500																	
MAG VAR: 4W EPOCH YEAR: 2000																	
MINIMUMS																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD @					
CATEGORY =====>		A			B			C			D			E			
		DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LNAV MDA		1000	1	615	1000	1	615		NA			NA					
CIRCLING		1000	1	615	1000	1	615		NA			NA					
NOTES: CHART NOTE: INOPERATIVE TABLE DOES NOT APPLY. CHART NOTE: RWY 10, 28 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: DME/DME RNP-0.3 NA. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE {ANGLE}/TCH {FEET}). (CONTINUED ON PAGE 2)																	
CITY AND STATE MILLEDGEVILLE, GA		ELEVATION: 385 TDZE: 385 AIRPORT NAME: BALDWIN COUNTY			FACILITY IDENTIFIER: RNAV			PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 10, AMDT 1A 22 JUNE 2017						SUP: AMDT: 1 DATED 07/29/2010			

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
785 MSL	LAXHE (FB)		
LAXHE	BEYLO (FO)	012.83 / 9.42	3000

NOTES, (CONT.):

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MIDDLE GEORGIA REGIONAL ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET.

QUALITY  
5  
CHECKED

CITY AND STATE

MILLEDGEVILLE, GA

ELEVATION: 385

TDZE: 385

AIRPORT NAME:

BALDWIN COUNTY

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 10, AMDT 1A

22 JUNE 2017

SUP:

AMDT: 1

DATED: 07/29/2010

<b>U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION</b> <b>RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE</b> <b>FLIGHT STANDARDS SERVICES - TITLE 14 CFR PART 97.33</b>												Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.		
ARINC SUMMARY - KMLJ														
ROUTES														
TRANSITION	WPT SEQ	WPT NAME	LEG TYPE	FB/FO	RNP	MAG CRS	REC NAV	ANGLE	TURN DIR	CENTER FIX	TURN RADIUS	ALTITUDE DESCRIPTION & VALUE	SPEED LIMIT DESCRIPTION & VALUE	WPT DESCRIPTION CODE
BEYLO	010	BEYLO	IF	FB										E
BEYLO	020	AZNAX	TF	FB	2.0	265.9						AA 03000		E A
BEYLO	030	IBUDY	TF	FB	1.0	182.8						AA 03000		EE B
GLOSS	010	GLOSS	IF	FB										E
GLOSS	020	AZNAX	TF	FB	2.0	182.8						AA 03000		E A
GLOSS	030	IBUDY	TF	FB	1.0	182.8						AA 03000		EE B
SINCA	010	SINCA	IF	FB										E A
SINCA	020	IBUDY	TF	FB	1.0	055.9						AA 03000		EE B
	010	IBUDY	IF	FB								AA 03000		E I
	020	OZBRN	TF	FB	1.0	094.0				RW10		AA 02200		E F
	030	RW10	TF	FO	0.3	095.9		3.04				AT 00430		GY M
	040		CA	FB		095.9						AA 00785		M
	050	LAXHE	DF	FB	1.0									E
	060	BEYLO	TF	FO	1.0	012.8						AA 03000		EY
	070	BEYLO	HM	FO		245.0			R			AA 03000		EE
POINTS														
POINT NAME			LATITUDE			LONGITUDE								
BEYLO			N331821.90			W0830536.33								
GLOSS			N332523.24			W0832942.06								
SINCA			N330452.28			W0833617.52								
AZNAX			N331528.52			W0832927.51								
IBUDY			N330927.91			W0832918.74								
LAXHE			N330902.43			W0830719.82								
OZBRN			N330927.42			W0832132.50								
RUNWAYS														
RUNWAY		THRESHOLD LATITUDE			THRESHOLD LONGITUDE			THRESHOLD ELEVATION			PROCEDURE TCH			
RW10		N330916.16			W0831501.43			00385			45			

QUALITY  
5  
CHECKED

CITY AND STATE <b>MILLEDGEVILLE, GA</b>	ELEVATION: <b>385</b> <b>TDZE: 385</b> AIRPORT NAME: <b>BALDWIN COUNTY</b>	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS) RWY 10, AMDT 1A</b>  22 JUNE 2017	SUP: <hr/> AMDT: <b>1</b> <hr/> DATED: <b>7/29/2010</b>
--	--	--	---	---