

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: SEQRY CLIMB TO 13000 DIRECT OMJIY AND ON TRACK 235.22 TO SAWOM AND ON TRACK 217.58 TO WOKPA AND HOLD, CONTINUE CLIMB-IN-HOLD TO 13000. ADDITIONAL FLIGHT DATA: HOLD N, RT, 184.40 INBOUND. FAS OBST: 6719 AAO 393211N/1073504W CHART VDP AT 3.65 MILES TO SEQRY. ANTEJ TO RWY 26: 3.58/58											
TRUEL (IAF) SIYDO LILXO (IAF) DOWNY (IF) TOBPU ANTEJ (FAF) (SEE FORM 8260-10)	SIYDO (FB) DOWNY (FB) DOWNY (FB) TOBPU (FB) ANTEJ (FB) JUTOB/5.30 NM TO SEQRY (FB)	166.23 / 4.19 166.26 / 5.00 259.07 / 10.71 258.73 / 7.48 258.63 / 2.74 258.59 / 3.96	12800 12200 12200 10100 9300												
THIS IS A CORRECTED COPY PREVIOUSLY PUBLISHED IN TL 10-22.															
1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. PROFILE STARTS AT DOWNY <u> </u> 3. FAC: <u>258.59</u> FAF: ANTEJ <u> </u> DIST FAF TO MAP: <u>9.26</u> THLD: <u>9.76</u> 4. MIN. ALT: DOWNY 12200, TOBPU 10100, ANTEJ 9300, JUTOB/5.30 NM TO SEQRY 7760 5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u> 6. MIN GS INCPT: <u> </u> GS ALT AT: <u> </u> OM: <u> </u> MM: <u> </u> IM: <u> </u> 7. GS ANGLE: <u> </u> TCH: 34:1 IS NOT CLEAR 8. MSA FROM: SEQRY 13600															
				MAG VAR: 10E EPOCH YEAR: 2010											
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A <u> </u> @ <u> </u>											
CATEGORY <u>=====</u>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	7180	1 1/4	1643	7180	1 1/2	1643	7180	3	1643		NA				
CIRCLING	7180	1 1/4	1643	7180	1 1/2	1643	7180	3	1643		NA				
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. @ CAT A, B 1700-2, CAT C 1700-3 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA. CHART NOTE: CIRCLING NOT AUTHORIZED AT NIGHT SOUTH OF RWY 8-26. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT TRUEL ON V8 NORTHEAST BOUND, AND ARRIVALS AT (SEE FORM 8260-10)															
CITY AND STATE RIFLE, CO		ELEVATION: 5537 TDZE: 5537 AIRPORT NAME: GARFIELD COUNTY RGNL		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) W RWY 26, AMDT 1, 11/18/2010				SUP: AMDT: ORIG DATED 09/25/2008					

QUALITY
 &
 CHECKED

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
JUTOB/5.30 NM TO SEQRY	SEQRY (MAP) (FO)	258.54 / 5.30	
SEQRY (MAP)	5937 MSL	258.54	
5937 MSL	OMJIY (FB)		
OMJIY	SAWOM (FB)	235.22 / 10.00	
SAWOM	WOKPA (FO)	217.58 / 8.97	13000

NOTES, (CONT.):

LILXO ON V591 NORTHBOUND.

CHART NOTE: INOPERATIVE TABLE DOES NOT APPLY.

QUALITY
CHECKED

CITY AND STATE

RIFLE, CO

ELEVATION: 5537

TDZE: 5537

AIRPORT NAME:

GARFIELD COUNTY RGNL

**FACILITY
IDENTIFIER:**
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) W RWY 26, AMDT 1, 11/18/2010

SUP:

AMDT: ORIG

DATED: 09/25/2008

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibility which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KRILK2FR26-W	ALILXO	010LILXOK2EA0E	A	IF					18000		B JS	G
SUSAP	KRILK2FR26-W	ALILXO	020DOWNYK2EA0EE	B	010TF		25910107	+	12200			B JS	G
SUSAP	KRILK2FR26-W	ATRUER	010TRUERL2EA0E	A	IF					18000		B JS	G
SUSAP	KRILK2FR26-W	ATRUER	020SIYDOK2EA0E		010TF		16620042	+	12800			B JS	G
SUSAP	KRILK2FR26-W	ATRUER	030DOWNYK2EA0EE	B	010TF		16630050	+	12200			B JS	G
SUSAP	KRILK2FR26-W	R	010DOWNYK2EA0E	I	IF			+	12200	18000		B JS	G
SUSAP	KRILK2FR26-W	R	011TOBPUR2EA0E	S	051TF		25870075	+	10100			B JS	G
SUSAP	KRILK2FR26-W	R	020ANTEJK2EA1E	F	051TF		25860027	+	09300		SEQRY K2EAB	JS	G
SUSAP	KRILK2FR26-W	R	020ANTEJK2EA2WN			N	ALNAV					JS	G
SUSAP	KRILK2FR26-W	R	021JUTOBK2EA0E	S	031TF		25860040	V	0776007833		-358	B JS	G
SUSAP	KRILK2FR26-W	R	030SEQRYK2EA0EY	M	031TF		25850053		05787		-358	B JS	G
SUSAP	KRILK2FR26-W	R	040		0 M 010CA		2585	+	05937			B JS	G
SUSAP	KRILK2FR26-W	R	050OMJIYK2EA0E		010DF							B JS	G
SUSAP	KRILK2FR26-W	R	060SAWOMK2EA0E		010TF		2352					B JS	G
SUSAP	KRILK2FR26-W	R	070WOKPAK2EA0EY		010TF		2176	+	13000			B JS	G
SUSAP	KRILK2FR26-W	R	080WOKPAK2EA0EE		R020HM		18440080	+	13000			B JS	G

QUALITY
9
CHECKED

CITY AND STATE RIFLE, CO	ELEVATION: 5537	TDZE: 5537	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) W RWY 26, AMDT 1, 11/18/2010	SUP:	
	AIRPORT NAME:				AMDT:	ORIG
	GARFIELD COUNTY RGNL				DATED:	09/25/2008

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY
4
CHECKED

ELEVATION: 5537 TDZE: 5537
AIRPORT NAME:
GARFIELD COUNTY RGNL

FACILITY IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
RNAV (GPS) W RWY 26, AMDT 1, 11/18/2010

SUP:	
AMDT:	ORIG
DATED:	09/25/2008