

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
RIVERS	FIVE	RIVRS.RIVRS5	FOUR	05/31/2012	17 AUG 2017

TRANSITION ROUTES:

Transition Name	Transition Computer Code	From FIX/NAVAID	To FIX/NAVAID	Course	Distance	MEA	MOCA	MAA	Crossing Altitude/Fixes
SPINNER	SPI.RIVRS5	SPI VORTAC	RIVRS INT	248.14	63.31	6000	2200		
CNOTA	CNOTA.RIVRS5	CNOTA INT	UIN VORTAC	145.21 (UIN R-325)	110.03	10000	2700		
		UIN VORTAC	RIVRS INT	142.68	30.13	2600	2100		
KIRKSVILLE	IRK.RIVRS5	IRK VORTAC	RIVRS INT	112.56	87.84	7000	2400		

ARRIVAL ROUTE DESCRIPTION:

LANDING ALL RUNWAYS (STL): FROM OVER RIVRS INT VIA UIN R-142.68 TO LORLE INT, THEN VIA CSX R-326.21 TO MELVY INT, THENCE...

...EXPECT VECTORS TO FINAL APPROACH COURSE.

PROCEDURAL DATA NOTES:

TURBOJET VERTICAL NAVIGATION:

LANDING RWYS 6/11/12L/12R: EXPECT CLEARANCE TO CROSS LORLE INT AT 11000 FEET AND 250 KNOTS.

LANDING RWYS 24/29/30L/30R: EXPECT CLEARANCE TO CROSS LORLE INT AT 15000 FEET.

FIXES AND/OR HOLDING PATTERNS:

CHART HOLDING AT: UIN VORTAC, HOLD NW, RT, 145.21 INBOUND; RIVRS INT, HOLD NW, RT, 142.68 INBOUND; LORLE INT, HOLD NW, RT, 146.21 INBOUND.

COMMUNICATIONS:

STL ATIS, STL APP CON

AIRPORTS SERVED:

AIRPORT NAME

CITY

STATE

ST LOUIS LAMBERT INTL

ST LOUIS

MO

LOST COMMUNICATIONS PREFERENCES:

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
RIVERS	FIVE	RIVRS.RIVRS5	FOUR	05/31/2012	17 AUG 2017

REMARKS:**ADDITIONAL FLIGHT DATA:****FLIGHT INSPECTED BY:**

FLIGHT INSPECTION NOT REQUIRED, MANAGER ROBERT STUCKERT

ORGANIZATION:

AJW-331

DATE:

Flight Inspected Signature:

*Digitally signed by***DONALD H LANIER**

May 15, 2017

DEVELOPED BY:

ROBERT GRIM

AJV-5431

04/26/2017

Developed By Signature:

ROBERT E GRIM IIDigitally signed by ROBERT E GRIM II
Date: 2017.04.26 12:54:03 -05'00'**APPROVED BY:**

PATRICK MULQUEEN

AJV-5430

Approved By Signature:

*Digitally signed by***DONALD H LANIER**

May 15, 2017

CHANGES:

1. AIRPORT NAME CHANGED FROM LAMBERT ST LOUIS INTL TO ST LOUIS LAMBERT INTL.

REASONS:

1. PER FPT AND AIRNAV DATA.



FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
STANDARD TERMINAL ARRIVAL (STAR)

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>Arrival Name</u>	<u>Number</u>	<u>STAR Computer Code</u>	<u>Superseded Number</u>	<u>Dated</u>	<u>Effective Date</u>
RIVERS	FIVE	RIVRS.RIVRS5	FOUR	05/31/2012	17 AUG 2017

Title:

