

[illegible]

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES, (CONT.):**

FROM	TO	COURSE AND DISTANCE	ALTITUDE
1560 MSL	PETIC (FB)		
PETIC	BZM VOR/DME (FO)	045.35 / 8.17	4000

**NOTES, (CONT.):**

INCREASE ALL MDA 40 FEET; INCREASE LNAV AND LP CAT C/D AND CIRCLING CAT C VISIBILITY 1/8 MILE.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT GENOD ON V20-222 SOUTHWEST BOUND AND V605 SOUTHBOUND.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT ALDOH ON V133 NORTHEAST BOUND.

CHART NOTE: WHEN VGSI INOP, STRAIGHT-IN/CIRCLING RWY 6 PROCEDURE NA AT NIGHT.

CHART NOTE: WHEN VGSI INOP, CIRCLING RWY 1 AND 19 NA AT NIGHT.

QUALITY  
2  
CHECKED

CITY AND STATE  
HICKORY, NC

ELEVATION: 1190 THRE: 1136  
 AIRPORT NAME:  
 HICKORY RGNL

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
 RNAV (GPS) RWY 6, AMDT 1  
 25 AUG 2011

SUP:  
 AMDT: ORIG  
 DATED: 03/20/2003

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KHKY
RUNWAY	RW06
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W06A
LTP/FTP LATITUDE	354405.9665N
LTP/FTP LONGITUDE	0812350.2945W
LTP/FTP ELLIPSOIDAL HEIGHT	+03141
FPAP LATITUDE	354456.6700N
FPAP LONGITUDE	0812220.2200W
THRESHOLD CROSSING HEIGHT (TCH)	00050.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0800
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER

BFFC26E4

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K7
LTP ORTHOMETRIC HEIGHT	+03463
FPAP ORTHOMETRIC HEIGHT	+03463

QUALITY  
2  
CHECKED

CITY AND STATE

HICKORY, NC

ELEVATION: 1190

THRE: 1136

AIRPORT NAME:

HICKORY RGNL

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 6, AMDT 1

25 AUG 2011

SUP:

AMDT: ORIG

DATED: 03/20/2003

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KHKYK7FR06	AALDOH	010ALDOHK7EA0E		IF					18000		A JS	
SUSAP	KHKYK7FR06	AALDOH	020ZOMARK7EA0EY	020TF			25460174	+ 04800				A JS	
SUSAP	KHKYK7FR06	AALDOH	030ZOMARK7EA0EE	AR	HF		06120050	+ 04800				A JS	
SUSAP	KHKYK7FR06	AGENOD	010GENODK7EA0E	A	IF					18000		A JS	
SUSAP	KHKYK7FR06	AGENOD	020ZOMARK7EA0EE	B	010TF		08470159	+ 04800				A JS	
SUSAP	KHKYK7FR06	R	010ZOMARK7EA0E	I	IF			+ 04800		18000		A JS	
SUSAP	KHKYK7FR06	R	020KUVREK7EA1E	F	051TF		06120060	+ 03700			RW06	K7PGA	JS
SUSAP	KHKYK7FR06	R	020KUVREK7EA2WALP			N	ALNAV						JS
SUSAP	KHKYK7FR06	R	021JAKTOK7EA0E	S	031TF		06130048	V	0216002173		-300		A JS
SUSAP	KHKYK7FR06	R	030RW06	K7PGOGY	M	031TF	06130031		01186		-300		A JS
SUSAP	KHKYK7FR06	R	040		0 M	CA	0613	+ 01560					A JS
SUSAP	KHKYK7FR06	R	050PETICK7EA0E		DF								A JS
SUSAP	KHKYK7FR06	R	060BZM	K7D	OVY	010TF	0454	+ 04000					A JS
SUSAP	KHKYK7FR06	R	070BZM	K7D	OVE	L	HM	18300050	+ 04000				A JS

QUALITY  
6  
CHECKED

CITY AND STATE HICKORY, NC	ELEVATION: 1190	THRE: 1136	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 6, AMDT 1  25 AUG 2011	SUP:	
	AIRPORT NAME:				AMDT:	ORIG
	HICKORY RGNL				DATED:	03/20/2003

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SUSAP KHKYK7GRW06 0064000614 N35440597W081235029+0800 +0314101136000050150R

[illegible]

SUSAP KHKYK7PR06	RW06 001 0000W06A0N3544059665W08123502945+031410300N3544566700W08122202200106750800000500F400000BFFC26E4
SUSAP KHKYK7PR06	RW06 002E +03463+03463LP 82623

[illegible]

SUSAP KHKYK7SRW06 K7PG 0 18018006125 M

QUALITY  
6  
CHECKED

ELEVATION: 1190                  THRE: 1136  
AIRPORT NAME:  
  
HICKORY RGNL

**FACILITY  
IDENTIFIER:**  
**RNAV**

**PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:**  
**RNAV (GPS) RWY 6, AMDT 1**  
 25 AUG 2011

SUP:	
AMDT:	ORIG
DATED:	03/20/2003