

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES								MISSED APPROACH							
FROM		TO		COURSE AND DISTANCE		ALTITUDE		LNAV: RW04 CLIMB TO 3000 DIRECT PURVE AND ON TRACK 326.82 TO JOGOS AND HOLD. ADDITIONAL FLIGHT DATA: HOLD N, RT, 169.54 INBOUND. FAS OBST: 309 AAO 304658N/0831716W 319 AAO 304456N/0831759W.							
IFM VOR		JOXEL (FB)		201.19 / 32.72		3000									
JOXEL		KUJLI (FB)		151.26 / 16.41		1900									
TAY VORTAC		JAVBU (FB)		281.41 / 40.65		1900									
GEF VORTAC (IAF)		AZAHE (NOPT) (FB)		081.69 / 19.79		1900									
KUJLI (IAF)		AZAHE (NOPT) (FB)		130.72 / 5.00		1900									
JAVBU (IAF)		AZAHE (NOPT) (FB)		310.80 / 5.00		1900									
AZAHE (IF/IAF)		CIMSA (FB)		040.76 / 6.36		1900		(SEE FORM 8260-10)							
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD SW AZAHE, RT, 040.76 INBOUND, 1900 FT. IN LIEU OF PT (IAF) 3. FAC: 040.79 FAF: CIMSA DIST FAF TO MAP: 4.78 THLD: 4.78 4. MIN. ALT: AZAHE 1900, CIMSA 1900, WOPEL/1.80 NM TO RW04 860 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR 8. MSA FROM: RW04 2200								MAG VAR: 5W EPOCH YEAR: 2010							
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A		STANDARD @							
CATEGORY =====>		A		B		C		D		E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	560	1	361	560	1	361	560	1	361	560	1	361			
CIRCLING	640	1	437	660	1	457	660	1 1/2	457	780	2	577			
NOTES: CHART NOTE: DME/DME RNP-0.3 NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON GEF VORTAC AIRWAY RADIALS 357 CW 145. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MOULTRIE ALTIMETER SETTING AND INCREASE ALL MDA 100 FEET AND LNAV CAT C AND D VISIBILITY 3/8 MILE, CIRCLING CAT D 1/4 MILE. (SEE FORM 8260-10)															
CITY AND STATE		ELEVATION: 203 THRE: 199		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:					
VALDOSTA, GA		AIRPORT NAME: VALDOSTA RGNL		RNAV		RNAV (GPS) RWY 4, AMDT 1A 24 JULY 2014				AMDT: 1					
										DATED 10/17/2013					

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES, (CONT.):

FROM	TO	COURSE AND DISTANCE	ALTITUDE
CIMSA (FAF)	WOPEL/1.80 NM TO RW04 (FB)	040.79 / 2.98	
WOPEL/1.80 NM TO RW04	RW04 (MAP)	040.79 / 1.80	
RW04 (MAP)	560 MSL	040.79	
560 MSL	PURVE (FB)		
PURVE	JOGOS (FO)	326.82 / 10.39	3000

NOTES, (CONT.):

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

CHART NOTE: RWY 4 STRAIGHT-IN AND CIRCLING AND CIRCLING RWY 13/31 NA AT NIGHT.

CHART PROFILE NOTE: DESCENT ANGLE NA.



CITY AND STATE VALDOSTA, GA	ELEVATION: 203	THRE: 199	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 4, AMDT 1A 24 JULY 2014	SUP:
	AIRPORT NAME:				AMDT: 1
	VALDOSTA RGNL				DATED: 10/17/2013

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KVL	DK7	FR04	AAZAHE	010AZAHEK7EA0EE	AR	HF					B	JS
SUSAP	KVL	DK7	FR04	AGEF	010GEF	K7D	0V	A	IF			B	JS
SUSAP	KVL	DK7	FR04	AGEF	020AZAHEK7EA0EE	B	010TF					B	JS
SUSAP	KVL	DK7	FR04	AIFM	010IFM	K7D	0V		IF			B	JS
SUSAP	KVL	DK7	FR04	AIFM	020JOKELK7EA0E		020TF					B	JS
SUSAP	KVL	DK7	FR04	AIFM	030KUJLIK7EA0E	A	020TF					B	JS
SUSAP	KVL	DK7	FR04	AIFM	040AZAHEK7EA0EE	B	010TF					B	JS
SUSAP	KVL	DK7	FR04	ATAY	010TAY	K7D	0V		IF			B	JS
SUSAP	KVL	DK7	FR04	ATAY	020JAVBUK7EA0E	A	020TF					B	JS
SUSAP	KVL	DK7	FR04	ATAY	030AZAHEK7EA0EE	B	010TF					B	JS
SUSAP	KVL	DK7	FR04	R	010AZAHEK7EA0E	I	IF					B	JS
SUSAP	KVL	DK7	FR04	R	020CIMS	AK7EA1E	F	051TF				B	JS
SUSAP	KVL	DK7	FR04	R	020CIMS	AK7EA2WN						B	JS
SUSAP	KVL	DK7	FR04	R	021WOPEL	K7EA0E	S	031TF				B	JS
SUSAP	KVL	DK7	FR04	R	030RW04	K7PGOG	M	031TF				B	JS
SUSAP	KVL	DK7	FR04	R	040		0	M	CA			B	JS
SUSAP	KVL	DK7	FR04	R	050PURVEK	7EA0E		DF				B	JS

CITY AND STATE
VALDOSTA, GA

ELEVATION: 203	THRE: 199
AIRPORT NAME: VALDOSTA RGNL	

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 4, AMDT 1A
 24 JULY 2014

SUP:	
AMDT:	1
DATED:	10/17/2013

RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

SUSAP KVLDK7FR04 R 060JOGOSK7EA0EY 010TF
SUSAP KVLDK7FR04 R 070JOGOSK7EA0EE R HM

```

3268      + 03000
16950040  + 03000

```

B JS
B JS

[illegible]

SUSAP KVLDK7GRW04 0055980408 N30464039W083170662-0100 +0032700199000000100R

[illegible]

SUSAP KVLDK7SRW04 K7PG 0 18018002225

M

CITY AND STATE
VALDOSTA, GA

ELEVATION: 203	THRE: 199
AIRPORT NAME: VALDOSTA RGNL	

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:
RNAV (GPS) RWY 4, AMDT 1A
 24 JULY 2014

SUP:	
AMDT:	1
DATED:	10/17/2013

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	AZAHE	AZAHE	010	IAF	HF	R	FO		040.8 (035.8T)	004.0	AA 01900	
	GEF	GEF	010	IAF	IF		FB					
	GEF	AZAHE	020		TF		FB	1.0	081.7 (076.7T)	019.8	AA 01900	
	IFM	IFM	010		IF		FB					
	IFM	JOXEL	020		TF		FB	2.0	201.2 (196.2T)	032.7	AA 03000	
	IFM	KUJLI	030	IAF	TF		FB	2.0	151.3 (146.3T)	016.4	AA 01900	
	IFM	AZAHE	040		TF		FB	1.0	130.7 (125.7T)	005.0	AA 01900	
	TAY	TAY	010		IF		FB					
	TAY	JAVBU	020	IAF	TF		FB	2.0	281.4 (276.4T)	040.7	AA 01900	
	TAY	AZAHE	030		TF		FB	1.0	310.8 (305.8T)	005.0	AA 01900	
		AZAHE	010	FACF	IF		FB				AA 01900	
		CIMSA	020	FAF	TF		FB	0.5	040.8 (035.8T)	006.4	AA 01900	
		WOPEL	021	SDF	TF		FB	0.3	040.8 (035.8T)	003.0	AA 00860	
		RW04	030	MAP	TF		FB	0.3	040.8 (035.8T)	001.8	AT 00560	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		040.8 (035.8T)		AA 00560	
	PURVE	050		DF		FB					
	JOGOS	060		TF		FO	1.0	326.8 (321.8T)		AA 03000	
	JOGOS	070		HM	R	FO		169.5 (164.5T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	GEF	N303304.83	W0834659.28	N3033.081	W08346.988
	IFM	N312543.17	W0832919.93	N3125.720	W08329.332
	TAY	N303016.70	W0823310.45	N3030.278	W08233.174
	AZAHE	N303736.94	W0832440.00	N3037.616	W08324.667
	CIMSA	N304247.31	W0832021.29	N3042.789	W08320.355
	JAVBU	N303441.13	W0831957.99	N3034.686	W08319.967
	JOGOS	N305929.39	W0832051.01	N3059.490	W08320.850
	JOXEL	N305413.45	W0833956.25	N3054.224	W08339.938
	KUJLI	N304032.58	W0832922.30	N3040.543	W08329.372
	PURVE	N305132.90	W0831301.84	N3051.548	W08313.031
	WOPEL	N304512.61	W0831819.97	N3045.210	W08318.333
	RW04	N304640.39	W0831706.62	N3046.673	W08317.110

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW04	00199	00

QUALITY
A
CHECKED

CITY AND STATE VALDOSTA, GA	ELEVATION: 203	THRE: 199	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 4, AMDT 1A 24 JULY 2014	SUP:
	AIRPORT NAME: VALDOSTA RGNL				AMDT: 1
					DATED: 10/17/2013