

<b>RNAV - STANDARD</b> <b>US DEPARTMENT OF TRANSPORTATION</b> <b>FEDERAL AVIATION ADMINISTRATION</b>				<b>INSTRUMENT APPROACH PROCEDURE</b> <b>TITLE 14 CFR PART 97.33</b>				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.								
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO			COURSE AND DISTANCE			ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW04R  CLIMB TO 2900 DIRECT RIRIW AND ON TRACK 046.81 TO BRAUM AND HOLD.  ADDITIONAL FLIGHT DATA: HOLD NE, RT, 212.69 INBOUND. CHART FAS OBST: 499 TREE 344200N/0921513W, 437 TREE 344242N/0921431W. CHART: ASR. DISTANCE TO THLD FROM 314 HAT: 0.83 NM. CHART VDP AT 1.42 NM TO RW04R* *LNAV ONLY. WAAS CHANNEL # 70611 REFERENCE PATH ID: W04B CHART CIRCLING ICON. CHART 512 TREE 344156N/0921520W. LTP HAE: 52.6 M						
EJYIB (IAF)		BARBO (NOPT) (TF) (FB) (RNP 1.00)			316.46 / 5.00			2900								
NAZXO (IAF)		BARBO (NOPT) (TF) (FB) (RNP 1.00)			136.38 / 5.71			2900								
BARBO (IF/IAF)		MYNIE (TF) (FB) (RNP 1.00)			046.42 / 6.16			2200								
MYNIE (FAF)		ZULAD/2.10 NM TO RW04R (TF) (FB) (RNP 0.30)			046.47 / 3.74											
ZULAD/2.10 NM TO RW04R		RW04R (MAP) (TF) (FO) (RNP 0.30)			046.47 / 2.10											
(SEE FORM 8260-10)																
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD SW BARBO, RT, 046.42 INBOUND, 2900 FT. IN LIEU OF PT (IAF) 3. FAC: 046.47 FAF: MYNIE DIST FAF TO MAP: 5.84 THLD: 5.84 4. MIN. ALT: BARBO 2900, MYNIE 2200, ZULAD/2.10 NM TO RW04R 960* 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: 2200 GS ALT AT: MYNIE 2200 OM: _____ MM: _____ IM: _____ 7. GS ANGLE: 3.00 TCH: 49.1 34:1 IS NOT CLEAR 8. MSA FROM: _____																
										MAG VAR: 0E		EPOCH YEAR: 2020				
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT								ALTERNATE: N A		STANDARD @						
CATEGORY =====>		A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LPV DA	574	4000	314	574	4000	314	574	4000	314	574	4000	314				
LNAV/VNAV DA	728	6000	468	728	6000	468	728	6000	468	728	6000	468				
LNAV MDA	760	4000	500	760	4000	500	760	5000	500	760	5000	500				
CIRCLING	820	1	554	1000	1	734	1180	2 3/4	914	1180	3	914				
NOTES: CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 48C (118F). @ CAT C 1000-2 3/4, CAT D 1000-3 CHART NOTE: RWY 4R HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: SIMULTANEOUS APPROACH AUTHORIZED (CONTINUED ON PAGE 2)																
CITY AND STATE		ELEVATION: 266 TDZE: 260			FACILITY IDENTIFIER: RNAV			PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:				
LITTLE ROCK, AR		AIRPORT NAME:						RNAV (GPS) RWY 4R, AMDT 1D				AMDT: 1C				
		BILL AND HILLARY CLINTON NATIONAL/ADAMS FIELD						19 JULY 2018				DATED 05/29/2014				

QUALITY  
 20  
 CHECKED

**US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES, (CONT.):**

<u>FROM</u>	<u>TO</u>	<u>COURSE AND DISTANCE</u>	<u>ALTITUDE</u>
RW04R (MAP)	574 MSL (CA)	046.47	
574 MSL	RIRIW (DF) (FB) (RNP 1.00)		
RIRIW	BRAUM (TF) (FO) (RNP 1.00)	046.81 / 8.24	2900

**NOTES, (CONT.):**

CHART NOTE: LNAV PROCEDURE NA DURING SIMULTANEOUS OPERATIONS.

CHART NOTE: USE OF FD OR AP REQUIRED DURING SIMULTANEOUS OPERATIONS.

CHART NOTE: FOR INOPERATIVE ALS, INCREASE LNAV CAT A AND B VISIBILITY TO RVR 5000.

**TAA**

	<u>FROM</u>	<u>TO</u>	<u>ALT</u>
1.	316/30 CW 136/30 (NOPT)	316/8 CW 136/8	3300
2.	316/8 CW 136/8	BARBO (IF/IAF)	2900
3.	136/30 CW 226/30	NAZXO (IAF)	3300
4.	226/30 CW 316/30	EJYIB (IAF)	3300

QUALITY  
20  
CHECKED

CITY AND STATE  LITTLE ROCK, AR	ELEVATION: 266 AIRPORT NAME:  BILL AND HILLARY CLINTON NATIONAL/ADAMS FIELD	TDZE: 260	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:  RNAV (GPS) RWY 4R, AMDT 1D  19 JULY 2018	SUP:
					AMDT: 1C
					DATED: 05/29/2014

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION**

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KLIT
RUNWAY	RW04R
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W04B
LTP/FTP LATITUDE	344316.9370N
LTP/FTP LONGITUDE	0921307.2660W
LTP/FTP ELLIPSOIDAL HEIGHT	+00526
FPAP LATITUDE	344418.3600N
FPAP LONGITUDE	0921148.8300W
THRESHOLD CROSSING HEIGHT (TCH)	00049.1
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	0552
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
 <u>CRC REMAINDER</u>	 72CED131

**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+00792
FPAP ORTHOMETRIC HEIGHT	+00792

QUALITY  
20  
CHECKED

CITY AND STATE  LITTLE ROCK, AR	ELEVATION: 266 AIRPORT NAME:  BILL AND HILLARY CLINTON NATIONAL/ADAMS FIELD	TDZE: 260    FIELD	FACILITY IDENTIFIER:  RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  RNAV (GPS) RWY 4R, AMDT 1D 19 JULY 2018	SUP:
					AMDT: 1C
					DATED: 05/29/2014