

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.												
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW17						
BILAC (IF/IAF)		HIVDA (TF) (FB) (RNP 1.00)		179.46 / 6.03				1900		CLIMB TO 1900 DIRECT DACED AND HOLD.						
HIVDA (FAF)		RW17 (MAP) (TF) (FO) (RNP 0.30)		179.46 / 5.07												
RW17 (MAP)		538 MSL (CA)		179.46				1900								
538 MSL		DACED (DF) (FO) (RNP 1.00)								ADDITIONAL FLIGHT DATA: HOLD S, RT, 359.46 INBOUND. CHART FAS OBST: 473 TREE 343829N/0904046W. DISTANCE TO THLD FROM 297 HAT: 0.79 NM. WAAS CHANNEL # 86941 REFERENCE PATH ID: W17A CHART CIRCLING ICON. CHART TUNICA, MS AWOS-3 FREQUENCY. LTP HAE: 46.4 M						
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																
2. HOLD N BILAC, RT, 179.46 INBOUND, 1900 FT. IN LIEU OF PT (IAF)																
3. FAC: 179.46 FAF: HIVDA DIST FAF TO MAP: 5.07 THLD: 5.07																
4. MIN. ALT: BILAC 1900, HIVDA 1900																
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____																
6. MIN GS INCPT: 1900 GS ALT AT: HIVDA 1900 OM: _____ MM: _____ IM: _____																
7. GS ANGLE: 3.00 TCH: 45.0 34:1 IS NOT CLEAR																
8. MSA FROM: _____																
MAG VAR: 1E EPOCH YEAR: 2000																
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A X						
CATEGORY =====>		A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LPV DA	538	1	297	538	1	297	538	1	297	538	1	297				
LNAV/VNAV DA	577	1	336	577	1	336	577	1	336	577	1	336				
LNAV MDA	780	1	539	780	1	539	780	1 1/2	539	780	1 1/2	539				
CIRCLING																
	820	1	578	820	1	578	980	2	738	980	2 1/4	738				
NOTES: CHART NOTE: CIRCLING TO RWY 8-26 NA AT NIGHT. CHART NOTE: BARO-VNAV NA. CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: USE TUNICA, MS ALTIMETER SETTING. CHART NOTE: RWY 17 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED.																
CITY AND STATE HELENA/WEST HELENA, AR		ELEVATION: 242 TDZE: 241 AIRPORT NAME: THOMPSON-ROBBINS				FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 17, AMDT 1 1 FEBRUARY 2018				SUP: AMDT: ORIG DATED 08/05/2004				



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TAA**

	FROM	TO	ALT
1.	089/30 CW 269/30 (NOPT)	089/20 CW 269/20	2100
2.	089/20 CW 269/20	BILAC (IF/IAF) (FB)	1900
3.	269/30 CW 089/30	269/20 CW 089/20	2100
4.	269/20 CW 089/20	BILAC (IF/IAF) (FO)	1900

QUALITY  
18  
CHECKED

CITY AND STATE HELENA/WEST HELENA, AR	ELEVATION: 242 TDZE: 241 AIRPORT NAME: THOMPSON-ROBBINS	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 17, AMDT 1 1 FEBRUARY 2018	SUP:
				AMDT: ORIG
				DATED: 08/05/2004

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**FAS DATA BLOCK INFORMATION****DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KHEE
RUNWAY	RW17
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W17A
LTP/FTP LATITUDE	343509.1540N
LTP/FTP LONGITUDE	0904039.4200W
LTP/FTP ELLIPSOIDAL HEIGHT	+00464
FPAP LATITUDE	343339.9100N
FPAP LONGITUDE	0904040.2900W
THRESHOLD CROSSING HEIGHT (TCH)	00045.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1232
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

**CRC REMAINDER**

3A526556

**ADDITIONAL PATH POINT RECORD INFORMATION**

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+00734
FPAP ORTHOMETRIC HEIGHT	+00734

QUALITY  
18  
CHECKED

CITY AND STATE HELENA/WEST HELENA, AR	ELEVATION: 242 AIRPORT NAME: THOMPSON-ROBBINS	TDZE: 241 FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 17, AMDT 1 1 FEBRUARY 2018	SUP:
				AMDT: ORIG
				DATED: 08/05/2004