

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

SETTING AND INCREASE ALL MDA 80 FEET; INCREASE LP CATS C AND D VISIBILITY 1/4 MILE, INCREASE LNAV CAT B VISIBILITY 1/4 MILE, LNAV CATS C AND D VISIBILITY 1/8 MILE, AND INCREASE CIRCLING CATS B AND C VISIBILITY 1/4 MILE.

CHART PROFILE NOTE: DESCENT ANGLE NA.

TAA

	FROM	TO	ALT
1.	009/30 CW 189/30 (NOPT)	ZOLAK (IF/IAF) (FB)	3700
2.	189/30 CW 009/30	ZOLAK (IF/IAF) (FO)	3700

CITY AND STATE

MOUNTAIN VIEW, MO

ELEVATION: 1182

THRE: 1179

AIRPORT NAME:

MOUNTAIN VIEW

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 10, ORIG-A

14 NOVEMBER 2013

SUP:

AMDT: ORIG

DATED: 06/27/2013

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KMNF
RUNWAY	RW10
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W10A
LTP/FTP LATITUDE	365937.6285N
LTP/FTP LONGITUDE	0914318.6285W
LTP/FTP ELLIPSOIDAL HEIGHT	+03298
FPAP LATITUDE	365923.3200N
FPAP LONGITUDE	0914128.8500W
THRESHOLD CROSSING HEIGHT (TCH)	00000.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	00.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1320
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	0.0

CRC REMAINDER

73A488B8

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+03594
FPAP ORTHOMETRIC HEIGHT	+03594

CITY AND STATE MOUNTAIN VIEW, MO	ELEVATION: 1182 THRE: 1179	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 10, ORIG-A 14 NOVEMBER 2013	SUP:
	AIRPORT NAME: MOUNTAIN VIEW			AMDT: ORIG
				DATED: 06/27/2013

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KMNFK3FR10	AZOLAK	010ZOLAKK3EA0EE	AR	HF			09910040	+	03700	18000		A	JS
SUSAP KMNFK3FR10	R	010ZOLAKK3EA0E	I	IF				+	03700	18000		A	JS
SUSAP KMNFK3FR10	R	020YIGPUK3EA1E	F	051TF			09910060	+	02800			A	JS
SUSAP KMNFK3FR10	R	020YIGPUK3EA2WALP			N	ALNAV							JS
SUSAP KMNFK3FR10	R	021CUNIMK3EA0E	S	031TF			09920019	+	02200			A	JS
SUSAP KMNFK3FR10	R	030RW10 K3PGOGY	M	031TF			09920031		01820	000		A	JS
SUSAP KMNFK3FR10	R	040	0	M	CA		0992	+	01582			A	JS
SUSAP KMNFK3FR10	R	050TIYURK3EA0EY		DF				+	03700			A	JS
SUSAP KMNFK3FR10	R	060TIYURK3EA0EE	R	HM			27940040	+	03700			A	JS

[illegible][illegible]

QUALITY
CHECKED

CITY AND STATE MOUNTAIN VIEW, MO	ELEVATION: 1182 THRE: 1179	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: MOUNTAIN VIEW		RNAV (GPS) RWY 10, ORIG-A	AMDT: ORIG
		RNAV	14 NOVEMBER 2013	DATED: 06/27/2013

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	ZOLAK	ZOLAK	010	IAF	HF	R	FO		099.1 (099.1T)	004.0	AA 03700	
		ZOLAK	010	FACF	IF		FB				AA 03700	
		YIGPU	020	FAF	TF		FB	0.5	099.1 (099.1T)	006.0	AA 02800	
		CUNIM	021	SDF	TF		FB	0.3	099.2 (099.2T)	001.9	AA 02200	
		RW10	030	MAP	TF		FO	0.3	099.2 (099.2T)	003.1	AT 01820	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		099.2 (099.2T)		AA 01582	
	TIYUR	050		DF		FO				AA 03700	
	TIYUR	060		HM	R	FO		279.4 (279.4T)	004.0	AA 03700	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	CUNIM	N370007.41	W0914707.83	N3700.124	W09147.131
	TIYUR	N365742.75	W0912844.37	N3657.713	W09128.740
	YIGPU	N370025.11	W0914924.55	N3700.419	W09149.409
	ZOLAK	N370122.29	W0915648.64	N3701.372	W09156.811
	RW10	N365937.63	W0914318.63	N3659.627	W09143.311

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW10	01179	00



CITY AND STATE MOUNTAIN VIEW, MO	ELEVATION: 1182 THRE: 1179	FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 10, ORIG-A 14 NOVEMBER 2013	SUP:
	AIRPORT NAME: MOUNTAIN VIEW			AMDT: ORIG
				DATED: 06/27/2013