

4

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

FIELD ALTIMETER SETTING AND INCREASE ALL MDA 40 FEET.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED

CHART PROFILE NOTE: DESCENT ANGLE NA.

TAA

	FROM	TO	ALT
1.	279/30 CW 009/30 (NOPT)	279/20 CW 009/20	2700
2.	279/20 CW 009/20	TENUY (IF/IAF) (FB)	2000
	009/30 CW 099/30 (NOPT)	TENUY (IF/IAF) (FB)	2000
3.	099/30 CW 189/30	ZIKAD (IAF) (FB)	2000
4.	189/30 CW 279/30	189/10 CW 279/10	3000
5.	189/10 CW 279/10	WROB (IAF) (FB)	2000

CITY AND STATE

UMATILLA, FL

ELEVATION: 107

THRE: 101

AIRPORT NAME:

UMATILLA MUNI

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 1, ORIG

12 DECEMBER 2013

SUP:

AMDT: NONE

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP X23 K7FR01	ATENUY	010TENUYK7EA0EE	AR	HF			00920040	+	02000	18000		B	JS
SUSAP X23 K7FR01	AWOROB	010WOROBK7EA0E	A	IF						18000		B	JS
SUSAP X23 K7FR01	AWOROB	020TENUYK7EA0EE	B	010TF			27920050	+	02000			B	JS
SUSAP X23 K7FR01	AZIKAD	010ZIKADK7EA0E	A	IF						18000		B	JS
SUSAP X23 K7FR01	AZIKAD	020TENUYK7EA0EE	B	010TF			09910050	+	02000			B	JS
SUSAP X23 K7FR01	R	010TENUYK7EA0E	I	IF				+	02000	18000		B	JS
SUSAP X23 K7FR01	R	020POKHUK7EA1E	F	051TF			00920050	+	01800			B	JS
SUSAP X23 K7FR01	R	020POKHUK7EA2WN			N	ALNAV							JS
SUSAP X23 K7FR01	R	030RW01 K7PG0GY	M	031TF			00920052		00660	000		B	JS
SUSAP X23 K7FR01	R	040	0	M	CA		0092	+	00507			B	JS
SUSAP X23 K7FR01	R	050TENUYK7EA0EY	L	DF				+	02000			B	JS
SUSAP X23 K7FR01	R	060TENUYK7EA0EE	R	HM			00920040	+	02000			B	JS

[illegible]

CITY AND STATE UMATILLA, FL	ELEVATION: 107 AIRPORT NAME: UMATILLA MUNI	THRE: 101 FACILITY IDENTIFIER: RNAV	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: RNAV (GPS) RWY 1, ORIG 12 DECEMBER 2013	SUP:
				AMDT: NONE
				DATED:

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICES - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
	TENUY	TENUY	010	IAF	HF	R	FO		009.2 (003.2T)	004.0	AA 02000	
	WOROB	WOROB	010	IAF	IF		FB					
	WOROB	TENUY	020		TF		FB	1.0	279.2 (273.2T)	005.0	AA 02000	
	ZIKAD	ZIKAD	010	IAF	IF		FB					
	ZIKAD	TENUY	020		TF		FB	1.0	099.1 (093.1T)	005.0	AA 02000	
		TENUY	010	FACF	IF		FB				AA 02000	
		POKHU	020	FAF	TF		FB	0.5	009.2 (003.2T)	005.0	AA 01800	
		RW01	030	MAP	TF		FO	0.3	009.2 (003.2T)	005.2	AT 00660	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		009.2 (003.2T)		AA 00507	
	TENUY	050		DF	L	FO				AA 02000	
	TENUY	060		HM	R	FO		009.2 (003.2T)	004.0	AA 02000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	POKHU	N285004.00	W0813926.98	N2850.067	W08139.450
	TENUY	N284503.68	W0813945.96	N2845.061	W08139.766
	WOROB	N284446.84	W0813405.19	N2844.781	W08134.087
	ZIKAD	N284520.28	W0814526.75	N2845.338	W08145.446
	RW01	N285516.82	W0813907.18	N2855.280	W08139.120

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW01	00101	00

CITY AND STATE UMATILLA, FL	ELEVATION: 107	THRE: 101	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: UMATILLA MUNI		RNAV	RNAV (GPS) RWY 1, ORIG	AMDT: NONE
				12 DECEMBER 2013	DATED: