

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION															
RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33															
Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.															
TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE												
DROPN (IAF)	AFLAT (FB)	117.81 / 5.00	3000	LNAV: RW05											
TURCO (IAF)	AFLAT (FB)	016.47 / 7.33	3000	CLIMBING RIGHT TURN TO 3300 DIRECT TURCO AND HOLD.											
AFLAT (IF)	OSABE (FB)	047.87 / 5.00	2000												
OSABE (FAF)	RW05 (MAP) (FO)	047.91 / 4.73													
RW05 (MAP)	854 MSL	047.91													
854 MSL	TURCO (FO)		3300	ADDITIONAL FLIGHT DATA: HOLD S, RT, 016.47 INBOUND. FAS OBST: 779 AAO 380600N/0781506W CHART CIRCLING ICON.											
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. PROFILE STARTS AT AFLAT _____ 3. FAC: 047.91 FAF: OSABE _____ DIST FAF TO MAP: 4.73 THLD: 4.73 4. MIN. ALT: AFLAT 3000, OSABE 2000 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____ 7. GS ANGLE: _____ TCH: _____ 8. MSA FROM: RW05 5300															
MAG VAR: 10W EPOCH YEAR: 2010															
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A X											
CATEGORY =====>	A		B		C		D		E						
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
CIRCLING	1520	3	1066	1520	3	1066		NA			NA				
NOTES:															
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ORANGE COUNTY ALTIMETER SETTING AND INCREASE ALL MDA 20 FT.															
CHART NOTE: DME/DME RNP-0.3 NA.															
CHART NOTE: PROCEDURE NA AT NIGHT.															
(SEE FORM 8260-10)															
CITY AND STATE		ELEVATION: 454 TDZE:		AIRPORT NAME:		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP:			
GORDONSVILLE, VA				GORDONSVILLE MUNI		RNAV		RNAV (GPS)-A, ORIG 11 DECEMBER 2014				NONE			
DATED															

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT TURCO ON V476 SOUTHWEST BOUND.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

CHART PLANVIEW NOTE: RADAR REQUIRED FOR ARRIVALS AT DROPN.

CHART PROFILE NOTE: DESCENT ANGLE NA.



CITY AND STATE GORDONSVILLE, VA	ELEVATION: 454 AIRPORT NAME: GORDONSVILLE MUNI	TDZE:	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS)-A, ORIG 11 DECEMBER 2014	SUP:
					AMDT: NONE
					DATED:

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC PACKET - 424-18 - RNAV (GPS)

	1	2	3	4	5	6	7	8	9	0	1	2	3
WP	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
	SUSAEAENRT	AFLAT K60	W	N38013149W078174002				W0099	NAR	AFLAT			
	SUSAEAENRT	DROPN K60	W	N38030345W078234134				W0098	NAR	DROPN			
	SUSAEAENRT	OSABE K60	W	N38052839W078134683				W0099	NAR	OSABE			
	SUSAEAENRT	TURCO K60	C	L N37541418W078184268				W0098	NAR	TURCO			

	1	2	3	4	5	6	7	8	9	0	1	2	3
AIRPORT	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
	SUSAP	KGVEK6AGVE	0	023YHN38092159W078095681W010000454				1800018000C	MNAR	GORDONSVILLE MUNI			

	1	2	3	4	5	6	7	8	9	0	1	2	3
SEGMENT	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
	SUSAP	KGVEK6FRNV-A	ADROPN	010DROPNK6EA0E	A	IF				18000		B	JC
	SUSAP	KGVEK6FRNV-A	ADROPN	020AFLATK6EA0EE	B	010TF	11780050	+	03000			B	JC
	SUSAP	KGVEK6FRNV-A	ATURCO	010TURCOK6EA0E	A	IF				18000		B	JC
	SUSAP	KGVEK6FRNV-A	ATURCO	020AFLATK6EA0EE	B	010TF	01650073	+	03000			B	JC
	SUSAP	KGVEK6FRNV-A	R	010AFLATK6EA0E	I	IF				18000		B	JC
	SUSAP	KGVEK6FRNV-A	R	020OSABEK6EA0E	F	051TF	04790050	+	02000		RW05	K6PG	JC
	SUSAP	KGVEK6FRNV-A	R	030RW05	K6PGOGY	M	031TF	04790047	01520	000		B	JC
	SUSAP	KGVEK6FRNV-A	R	040	0	M	CA	0479	+	00854		B	JC
	SUSAP	KGVEK6FRNV-A	R	050TURCOK6EA0EY	R	DF				03300		B	JC
	SUSAP	KGVEK6FRNV-A	R	060TURCOK6EA0EE	R	HM	01650040	+	03300			B	JC

	1	2	3	4	5	6	7	8	9	0	1	2	3
RUNWAY	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
	SUSAP	KGVEK6GRW05	0023000480	N38091259W078100565-0500				+0105400453000040040R					

	1	2	3	4	5	6	7	8	9	0	1	2	3
MSA	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
	SUSAP	KGVEK6SRW05	K6PG	0	18018005325							M	

QUALITY  
4  
CHECKED

CITY AND STATE <b>GORDONSVILLE, VA</b>	ELEVATION: <b>454</b>	TDZE:	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS)-A, ORIG</b> <b>11 DECEMBER 2014</b>	SUP:
	AIRPORT NAME: <b>GORDONSVILLE MUNI</b>				AMDT: <b>NONE</b>
					DATED:

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	DROPN	DROPN	010	IAF	IF		FB					
	DROPN	AFLAT	020		TF		FB	1.0	117.8 (107.8T)	005.0	AA 03000	
	TURCO	TURCO	010	IAF	IF		FB					
	TURCO	AFLAT	020		TF		FB	1.0	016.5 (006.5T)	007.3	AA 03000	
		AFLAT	010	FACF	IF		FB				AA 03000	
		OSABE	020	FAF	TF		FB	0.5	047.9 (037.9T)	005.0	AA 02000	
		RW05	030	MAP	TF		FO	0.3	047.9 (037.9T)	004.7	AT 01520	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		047.9 (037.9T)		AA 00854	
	TURCO	050		DF	R	FO				AA 03300	
	TURCO	060		HM	R	FO		016.5 (006.5T)	004.0	AA 03300	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	AFLAT	N380131.49	W0781740.02	N3801.525	W07817.667
	DROPN	N380303.45	W0782341.34	N3803.058	W07823.689
	OSABE	N380528.39	W0781346.83	N3805.473	W07813.781
	TURCO	N375414.18	W0781842.68	N3754.236	W07818.711
	RW05	N380912.59	W0781005.65	N3809.210	W07810.094

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW05	00453	40



CITY AND STATE <b>GORDONSVILLE, VA</b>	ELEVATION: <b>454</b>	TDZE:	FACILITY IDENTIFIER:	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:	SUP:
	AIRPORT NAME: <b>GORDONSVILLE MUNI</b>		<b>RNAV</b>	<b>RNAV (GPS)-A, ORIG</b> 11 DECEMBER 2014	AMDT: <b>NONE</b>
					DATED: