

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> BELEN RGNL	<u>AIRPORT ID</u> KBRG	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 21	<u>ORIGINAL/AMENDMENT</u> ORIG-A	<u>CITY</u> BELEN	<u>STATE</u> NM
<u>AIRPORT ELEVATION</u> 5200	<u>TDZE</u> 5180	<u>SUPERSEDED</u> RNAV (GPS) RWY 21	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>DATED</u> 08/03/2006	<u>MAG VAR</u> 11E
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 13 SEPTEMBER 2018	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>	<u>EPOCH YEAR</u> 1985

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
FOSED		CESDA		TF	FO	2.00	343.75	9.46	8500
WUBBY		CESDA		TF	FO	2.00	008.53	11.45	8500
BUPNY	IAF	CESDA	NOPT	TF	FB	1.00	134.36	9.45	8500
CESDA	IF/IAF	AYUNI		TF	FB	1.00	214.11	6.39	7000
AYUNI	FAF	RW21	MAP	TF	FO	0.30	214.06	5.61	
RW21	MAP	5600 MSL		CA			214.06		
5600 MSL		FOSED		DF	FO	1.00			10000

MISSED APPROACH

MAP:

LNAV: RW21

MISSED APPROACH INSTRUCTIONS:

CLIMBING LEFT TURN TO 10000 DIRECT FOSED AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

QUALITY
13
CHECKED

PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF (IAF)

2. HOLD NE CESDA, RT, 214.11 INBOUND, 8500 FT. IN LIEU OF PT (IAF), MAX 12000.

3. FAC: 214.06

FAF: AYUNI

DIST FAF TO MAP: 5.61

DIST FAF TO THLD: 5.61

4. MIN ALT: CESDA 8500, AYUNI 7000

5. DIST TO THLD FROM OM:

MM:

IM:

150 HAT:

GS ANT:

6. MIN GP INCPT:

GP ALT AT FAF :

OM:

MM:

IM:

7. GP ANGLE:

34:1: IS CLEAR

20:1: IS CLEAR

TCH:

8. MSA FROM: RW21 11300

PBN REQUIREMENTS NOTE:

RNP APCH.

NOTES:

ADDITIONAL FLIGHT DATA:

AYUNI TO RW21: 3.00/40.
CHART VDP AT 1.2 NM TO RW21
CHART FAS OBST: 5247 TREES 343956N/1064850W.
HOLD SE, LT, 329.10 INBOUND

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☐ STANDARD

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LNAV MDA	5600	1	420	5600	1	420	5600	1 1/4	420		NA				
CIRCLING	5660	1	460	5660	1	460	5660	1 1/2	460		NA				

CHANGES - REASONS

1. CHANGED NAME OF AIRPORT FROM BELEN/ALEXANDER MUNI TO BELEN RGNL AIRPORT.

2. CHANGED AIRPORT ID FROM KE80 TO KBRG.

3. REMOVED CHART NOTE: DME/DME - 0.3 NA - PBN REQUIREMENT NOTES.

4. ADD PBN REQUIREMENT NOTE: RNP APCH - PBN REQUIREMENT NOTES.

5. ADDED VDP - AIRPORT HAS LOCAL WEATHER.
6. CHANGED ALTERNATE MINS FROM NA TO STANDARD - AIRPORT HAS LOCAL WEATHER.
- 8/7/2018: THIS IS A CORRECTED COPY OF THE FORM APPROVED ON 08/6/2018.
1. CHANGED BELEN RGNL ARPT TO BELEN RGNL ON ALL PAGES 1. (LRE)



COORDINATED WITH:

A4A ☐ ALPA ☐ AOPA ☒ APA ☐ HAI ☐ NBAA ☒ OTHER: ZMA, ABQ ATCT, AMGR, ST AV DIR

FLIGHT CHECKED BY

FLIGHT INSPECTION REVIEW NOT REQUIRED - PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJW-33) MEMO, DEC 22, 2017.

DEVELOPED BY

LONNIE EVERHART (TYLER MITCHELL)

APPROVED BY

LONNIE EVERHART

OFFICE

OFFICE

OFFICE

AJV-5400

AJV-5400

DATE

DATE

DATE

Digitally signed by
ROBERT G HAMILTON
Aug 06, 2018

Digitally signed by
ROBERT G HAMILTON
Aug 06, 2018

Digitally signed by
ROBERT G HAMILTON
Aug 06, 2018

TITLE

MANAGER

