

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.													
TERMINAL ROUTES										MISSED APPROACH							
FROM		TO			COURSE AND DISTANCE			ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW16 CLIMB TO 2800 DIRECT ODUJY AND HOLD. ADDITIONAL FLIGHT DATA: HOLD S, RT, 338.51 INBOUND. CHART FAS OBST: 921 TOWER 384631N/0903048W. DISTANCE TO THLD FROM 461 HAT: 1.32 NM. WAAS CHANNEL # 50403 REFERENCE PATH ID: W16A CHART APT ELEV 463 LTP HAE: 106.1 M							
GUDRY (IAF)		AJUBA (NOPT) (TF) (FB) (RNP 1.00)			068.32 / 5.00			2700									
AJUBA (IF/IAF)		YIGGO (TF) (FB) (RNP 1.00)			158.38 / 6.05			2200									
YIGGO (FAF)		RW16 (MAP) (TF) (FO) (RNP 0.30)			158.41 / 5.29												
RW16 (MAP)		863 MSL (CA)			158.41												
863 MSL		ODUJY (DF) (FO) (RNP 1.00)						2800									
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD N AJUBA, RT, 158.38 INBOUND, 2700 FT. IN LIEU OF PT (IAF) 3. FAC: 158.41 FAF: YIGGO DIST FAF TO MAP: 5.29 THLD: 5.29 4. MIN. ALT: AJUBA 2700, YIGGO 2200 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: 2200 GS ALT AT: YIGGO 2200 OM: _____ MM: _____ IM: _____ 7. GS ANGLE: 3.00 TCH: 40.0 34:1 IS NOT CLEAR 8. MSA FROM: _____										MAG VAR: 0E		EPOCH YEAR: 2000					
MINIMUMS																	
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A <input checked="" type="checkbox"/> X										
CATEGORY >=====	A			B			C			D			E				
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA		
LPV DA	912	1 3/4	461	912	1 3/4	461		NA			NA						
LNAV/VNAV DA	1130	2	679	1130	2	679		NA			NA						
LNAV MDA	1160	1	709	1160	1	709		NA			NA						
CIRCLING	1160	1	697	1160	1	697		NA			NA						
NOTES: CHART NOTE: BARO-VNAV NA. CHART NOTE: RWY 16 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: DME/DME RNP-0.3 NA. CHART NOTE: USE LAMBERT-ST. LOUIS INTL ALTIMETER SETTING. CHART PLANVIEW AND PROFILE NOTES: LNAV/VNAV - FLY VISUAL TO AIRPORT, 158-2.0 MILES.																	
CITY AND STATE		ELEVATION: 463 TDZE: 451			FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:					SUP:					
ST LOUIS, MO		AIRPORT NAME: CREVE COEUR					RNAV (GPS) RWY 16, AMDT 1A					AMDT: 1					
							1 FEBRUARY 2018					DATED 12/20/2007					



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	<u>FROM</u>	<u>TO</u>	<u>ALT</u>
1.	068/30 CW 248/30 (NOPT)	AJUBA (IF/IAF) (FB)	2700
2.	248/30 CW 338/30	AJUBA (IF/IAF) (FO)	2700
3.	338/30 CW 068/30	GUDRY (IAF) (FB)	3000



CITY AND STATE
ST LOUIS, MO

ELEVATION: 463 **TDZE: 451**
AIRPORT NAME:
CREVE COEUR

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 16, AMDT 1A
1 FEBRUARY 2018

SUP:
AMDT: **1**
DATED: **12/20/2007**

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	1H0
RUNWAY	RW16
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W16A
LTP/FTP LATITUDE	384353.8210N
LTP/FTP LONGITUDE	0903048.3040W
LTP/FTP ELLIPSOIDAL HEIGHT	+01061
FPAP LATITUDE	384230.8700N
FPAP LONGITUDE	0903006.4700W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1376
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

76D3E51B

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+01374
FPAP ORTHOMETRIC HEIGHT	+01374

QUALITY
19
CHECKED

CITY AND STATE ST LOUIS, MO	ELEVATION: 463 AIRPORT NAME: CREVE COEUR	TDZE: 451 RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 16, AMDT 1A 1 FEBRUARY 2018	SUP:
				AMDT: 1
				DATED: 12/20/2007