

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33						Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.										
TERMINAL ROUTES											MISSED APPROACH					
FROM		TO			COURSE AND DISTANCE			ALTITUDE		LPV: DA LNAV/VNAV: DA LNAV: RW21 CLIMB TO 2000 DIRECT JOSAS AND HOLD. ADDITIONAL FLIGHT DATA: HOLD SW, RT, 030.64 INBOUND. CHART FAS OBST: 350 TREE 333837N/0914517W DISTANCE TO THLD FROM 259 HAT: 0.72 NM. CHART VDP AT 0.98 NM TO RW21* *LNAV ONLY. WAAS CHANNEL # 82540 REFERENCE PATH ID: W21A CHART CIRCLING ICON. LTP HAE: 45.5 M						
YASUK (IF/IAF)		TONYY (TF) (FB) (RNP 1.00)			210.66 / 6.10			2000								
TONYY (FAF)		JUGAG/3.00 NM TO RW21 (TF) (FB) (RNP 0.30)			210.87 / 2.38											
JUGAG/3.00 NM TO RW21		RW21 (MAP) (TF) (FO) (RNP 0.30)			210.87 / 3.00											
RW21 (MAP)		514 MSL (CA)			210.87			2000								
514 MSL		JOSAS (DF) (FO) (RNP 1.00)														
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD NE YASUK, RT, 210.79 INBOUND, 2000 FT. IN LIEU OF PT (IAF) 3. FAC: 210.87 FAF: TONYY DIST FAF TO MAP: 5.38 THLD: 5.38 4. MIN. ALT: YASUK 2000, TONYY 2000, JUGAG/3.00 NM TO RW21 1240* 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: 2000 GS ALT AT: TONYY 2000 OM: _____ MM: _____ IM: _____ 7. GS ANGLE: 3.00 TCH: 52.0 34:1 IS NOT CLEAR 8. MSA FROM: _____											MAG VAR: 1E		EPOCH YEAR: 2010			
MINIMUMS																
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A		STANDARD @							
CATEGORY >>>>>	A			B			C			D			E			
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	
LPV DA	514	7/8	259	514	7/8	259	514	7/8	259	514	7/8	259				
LNAV/VNAV DA	532	1	277	532	1	277	532	1	277	532	1	277				
LNAV MDA	600	1	345	600	1	345	600	1	345	600	1	345				
CIRCLING	780	1	512	780	1	512	980	2	712	980	2 1/4	712				
NOTES: CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -7C (+20F) OR ABOVE 54C (130F). @ CAT D 800-2 1/4 CHART NOTE: RWY 21 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: DME/DME RNP-0.3 NA.																
CITY AND STATE		ELEVATION: 268 TDZE: 255			FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:					SUP:				
MONTICELLO, AR		AIRPORT NAME: MONTICELLO MUNI/ELLIS FIELD					RNAV (GPS) RWY 21, AMDT 2					AMDT: 1				
							7 DECEMBER 2017					DATED 09/14/2017				



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA

	FROM	TO	ALT
1.	121/30 CW 301/30 (NOPT)	YASUK (IF/IAF) (FB)	2000
2.	301/30 CW 121/30	YASUK (IF/IAF) (FO)	2000

QUALITY
5
CHECKED

CITY AND STATE MONTICELLO, AR	ELEVATION: 268 AIRPORT NAME: MONTICELLO MUNI/ELLIS FIELD	TDZE: 255 RNAV	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 21, AMDT 2 7 DECEMBER 2017	SUP:
					AMDT: 1
					DATED: 09/14/2017

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KLLQ
RUNWAY	RW21
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W21A
LTP/FTP LATITUDE	333839.8810N
LTP/FTP LONGITUDE	0914447.9410W
LTP/FTP ELLIPSOIDAL HEIGHT	+00455
FPAP LATITUDE	333724.0460N
FPAP LONGITUDE	0914544.2305W
THRESHOLD CROSSING HEIGHT (TCH)	00052.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1224
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

5F3DDA23

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K4
LTP ORTHOMETRIC HEIGHT	+00713
FPAP ORTHOMETRIC HEIGHT	+00713

QUALITY
5
CHECKED

CITY AND STATE MONTICELLO, AR	ELEVATION: 268 AIRPORT NAME: MONTICELLO MUNI/ELLIS FIELD	TDZE: 255 RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 21, AMDT 2 7 DECEMBER 2017	SUP:
				AMDT: 1
				DATED: 09/14/2017