

US DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION		RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33		Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
TERMINAL ROUTES										MISSED APPROACH					
FROM		TO		COURSE AND DISTANCE				ALTITUDE		LNAV: OVOWY					
CEZ VOR/DME		TAHIB (TF) (FO) (RNP 2.00)		197.19 / 23.03				11200		CLIMB TO 9800 DIRECT CEZ VOR/DME AND ON TRACK 313.05 TO YURVE AND HOLD.					
RSK VORTAC (IAF)		TAHIB (NOPT) (TF) (FB) (RNP 1.00)		286.87 / 38.20				9000							
ZENFO (IAF)		TAHIB (NOPT) (TF) (FB) (RNP 1.00)		356.15 / 27.29				9000							
TAHIB (IF/IAF)		ROLQE (TF) (FB) (RNP 1.00)		009.93 / 10.00				8000							
ROLQE (FAF)		FAPOP/3.00 NM TO OVOWY (TF) (FB) (RNP 0.30)		024.47 / 3.00						ADDITIONAL FLIGHT DATA: HOLD SE, LT, 312.94 INBOUND. CHART FAS OBST: 6163 TREE 371509N/1084148W. CHART VDP AT 1.02 NM TO OVOWY. ROLQE TO RW03: 2.96/46. CHART PLANVIEW NOTE: FINAL APPROACH COURSE OFFSET 5.02 DEGREES. FAC CROSSES RWY C/L EXTENDED 3000 FT FROM THLD.					
(SEE FORM 8260-10)															
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)										MAG VAR: 12E EPOCH YEAR: 2000					
2. HOLD S TAHIB, RT, 009.93 INBOUND, 9000 FT. IN LIEU OF PT (IAF)															
3. FAC: 024.47 FAF: ROLQE DIST FAF TO MAP: 6.00 THLD: 6.49															
4. MIN. ALT: TAHIB 9000, ROLQE 8000, FAPOP/3.00 NM TO OVOWY 7040															
5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____															
6. MIN GS INCPT: _____ GS ALT AT: _____ OM: _____ MM: _____ IM: _____															
7. GS ANGLE: _____ TCH: 34:1 IS NOT CLEAR															
8. MSA FROM: OVOWY 14500															
MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT				ALTERNATE: N A		STANDARD @									
CATEGORY ==>		A		B		C		D		E					
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	6440	1	522	6440	1	522	6440	1 1/2	522	6440	1 1/2	522			
CIRCLING	6560	1	642	6560	1	642	6600	2	682	6800	3	882			
NOTES: CHART NOTE: RWY 3 HELICOPTER VISIBILITY REDUCTION BELOW 3/4 SM NOT AUTHORIZED. CHART NOTE: DME/DME RNP-0.3 NA. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL ON RSK VORTAC AIRWAY RADIALS 219 CW 351.															
CITY AND STATE CORTEZ, CO		ELEVATION: 5918 TDZE: 5918 AIRPORT NAME: CORTEZ MUNI		FACILITY IDENTIFIER: RNAV		PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 3, ORIG-A 29 MARCH 2018				SUP: AMDT: ORIG DATED 03/20/2003					

**US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV - STANDARD**  
**INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

**TERMINAL ROUTES, (CONT.):**

<u>FROM</u>	<u>TO</u>	<u>COURSE AND DISTANCE</u>	<u>ALTITUDE</u>
FAPOP/3.00 NM TO OVOWY	OVOWY (MAP) (TF) (FO) (RNP 0.30)	024.47 / 3.00	
OVOWY (MAP)	6318 MSL (CA)	024.47	
6318 MSL	CEZ VOR/DME (DF) (FB) (RNP 1.00)		
CEZ VOR/DME	YURVE (TF) (FO) (RNP 1.00)	313.05 / 15.00	9800

CITY AND STATE  
CORTEZ, CO

ELEVATION: 5918 TDZE: 5918  
 AIRPORT NAME:  
 CORTEZ MUNI

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
 RNAV (GPS) RWY 3, ORIG-A  
 29 MARCH 2018

SUP: **10**  
 AMDT: **ORIG**  
 DATED: **03/20/2003**

QUALITY  
10  
CHECKED