

**FLIGHT STANDARDS SERVICE
VOR STANDARD INSTRUMENT APPROACH PROCEDURE**

TITLE 14 CFR PART 97.23

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

If an instrument approach procedure of the above type is conducted at the below named airport, it shall be conducted in accordance with a charted instrument approach procedure predicted on the specifications contained herein, unless an approach is conducted in accordance with a different procedure for such airport authorized by the Administrator. Minimum altitudes shall correspond with those established for enroute operations in the particular area or as set forth below.

<u>AIRPORT</u> MACON DOWNTOWN	<u>AIRPORT ID</u> KMAC	<u>PROCEDURE NAME</u> VOR-A	<u>ORIGINAL/AMENDMENT</u> 6A	<u>CITY</u> MACON	<u>STATE</u> GA
<u>AIRPORT ELEVATION</u> 437	<u>TDZE</u>	<u>SUPERSEDED</u> VOR-A	<u>ORIGINAL/AMENDMENT</u> 6	<u>DATED</u> 12/20/2007	<u>MAG VAR</u> 1E
<u>FACILITY</u> MCN	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 19 JULY 2018	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL SUSPEND</u>	<u>EPOCH YEAR</u> 1965

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
METER INT/MCN 10.05 DME	IF/IAF	MCN VORTAC	NOPT				027.11	10.05	2000

MISSED APPROACH

MAP:

8.77 NM AFTER MCN VORTAC OR AT MCN 8.77 DME

MISSED APPROACH INSTRUCTIONS:

CLIMB TO 2200 VIA MCN VORTAC R-028 TO MURVE INT/MCN 17.00 DME AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:

PROFILE:

- 1. PT** **SIDE OF COURSE** **OUTBOUND** **FT WITHIN** **MILES OF (IAF)**
- 2.** HOLD SW MACON VORTAC/MCN, LT, 027.95 INBOUND, 2000. IN LIEU OF PT (IAF), MAX 6000.
- 3. FAC:** 027.95 **FAF:** MCN VORTAC **DIST FAF TO MAP:** 8.77 **DIST FAF TO THLD:**
- 4. MIN ALT:** MCN VORTAC 2000, BUYAB/MCN 6.00 DME 1280*
- 8. MSA FROM:** MCN VORTAC 2600

EQUIPMENT REQUIREMENTS NOTES:

NOTES:

*1300 WHEN USING ROBINS AFB ALTIMETER SETTING.

ADDITIONAL FLIGHT DATA:



