

RNAV - STANDARD INSTRUMENT APPROACH PROCEDURE TITLE 14 CFR PART 97.33				Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.			
TERMINAL ROUTES				MISSED APPROACH			
FROM	TO	COURSE AND DISTANCE	ALTITUDE	LNAV: RW07 CLIMBING RIGHT TURN TO 2000 DIRECT ADIUM AND HOLD. ADDITIONAL FLIGHT DATA: CHART FAS OBST: 209 TREE 403110N/0743607W CHART 350 PWR LINE 403004N/0743826W. 719 AAO 402858N/0744215W. CHART TRENTON ASOS. BOXZE TO RW07: 3.00/30.			
BIGGY (IAF)	ADIUM (NOPT) (FB)	101.56 / 8.11	2000				
ADIUM (IF/IAF)	BOXZE (FB)	068.97 / 5.72	1700				
BOXZE	ZIPTU/2.00 NM TO RW07 (FB)	069.04 / 2.99					
ZIPTU/2.00 NM TO RW07	RW07 (MAP) (FO)	069.08 / 2.00					
RW07 (MAP)	486 MSL	069.08					
486 MSL	ADIUM (FO)		2000				

1. PT <u> </u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF)			
2. HOLD W ADIUM, RT, 068.97 INBOUND, 2000 FT. IN LIEU OF PT (IAF)			
3. FAC: 069.04 FAF: BOXZE		DIST FAF TO MAP: 4.99 THLD: 4.99	
4. MIN. ALT: ADIUM 2000, BOXZE 1700, ZIPTU/2.00 NM TO RW07 740			
5. DIST TO THLD FROM OM: <u> </u> MM: <u> </u> IM: <u> </u> 150 HAT: <u> </u> 100 HAT: <u> </u> GS ANT: <u> </u>			
6. MIN GS INCPT: <u> </u> GS ALT AT: <u> </u> OM: <u> </u> MM: <u> </u> IM: <u> </u>			
7. GS ANGLE: <u> </u> TCH: 34:1 IS NOT CLEAR			
8. MSA FROM: RW07 2600			

MINIMUMS															
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A X					
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LNAV MDA	520	1	438	520	1	438	520	1 1/4	438		NA				
CIRCLING	580	1	494	580	1	494	700	1 3/4	614		NA				

NOTES:
 CHART NOTE: PROCEDURE NA AT NIGHT.
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT BIGGY ON V3-419 SOUTHWEST BOUND.
 (SEE FORM 8260-10)

CITY AND STATE	ELEVATION: 86 THRE: 82	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE:	SUP:
MANVILLE, NJ	AIRPORT NAME:		RNAV (GPS) RWY 7, AMDT 1	AMDT: ORIG
	CENTRAL JERSEY RGNL		05 MAY 2011	DATED 10/25/2007

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.

CHART NOTE: USE TRENTON ALTIMETER SETTING; WHEN NOT RECEIVED, USE NEWARK ALTIMETER SETTING, AND INCREASE ALL MDA 20 FT, INCREASE LNAV CAT C VISIBILITY 1/8 MILE.

CITY AND STATE
MANVILLE, NJ

ELEVATION: 86 THRE: 82
AIRPORT NAME:
CENTRAL JERSEY RGNL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 7, AMDT 1
05 MAY 2011

SUP:	
AMDT:	ORIG
DATED:	10/25/2007

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP 47N K6FR07	AADIUM	010ADIUMK6EA0EE	AR	HF			06900040		+ 02000	18000		B JS	
SUSAP 47N K6FR07	ABIGGY	010BIGGYK6EA0E	A	IF						18000		B JS	
SUSAP 47N K6FR07	ABIGGY	020ADIUMK6EA0EE	B	010TF			10160081		+ 02000			B JS	
SUSAP 47N K6FR07	R	010ADIUMK6EA0E	I	IF					+ 02000	18000		B JS	
SUSAP 47N K6FR07	R	020BOXZEK6EA1E	F	051TF			06900057		+ 01700		RW07	K6PGB	JS
SUSAP 47N K6FR07	R	020BOXZEK6EA2WN			N	ALNAV						JS	
SUSAP 47N K6FR07	R	021ZIPTUK6EA0E	S	031TF			06900030		V 0074000752		-300	B JS	
SUSAP 47N K6FR07	R	030RW07 K6PGOGY	M	031TF			06910020		00112		-300	B JS	
SUSAP 47N K6FR07	R	040	0	M	CA		0691		+ 00486			B JS	
SUSAP 47N K6FR07	R	050ADIUMK6EA0EY	R	DF					+ 02000			B JS	
SUSAP 47N K6FR07	R	060ADIUMK6EA0EE	R	HM			06900040		+ 02000			B JS	

[illegible][illegible]

CITY AND STATE
MANVILLE, NJ

ELEVATION: 86	THRE: 82
AIRPORT NAME:	
CENTRAL JERSEY RGNL	

**FACILITY
IDENTIFIER:**
RNAV

PROCEDURE NO./ AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 7, AMDT 1
05 MAY 2011

SUP:	
AMDT:	ORIG
DATED:	10/25/2007