



US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION  
RNAV - STANDARD  
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART NOTE: NIGHT LANDING: RWY 18, 23, 36 NA.

CHART NOTE: HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.

TAA

	FROM	TO	ALT
1.	094/30 CW 274/30 (NOPT)	WELUP (IF/IAF) (FB)	3000
2.	274/30 CW 004/30	TOCOB (IAF) (FB)	3000
3.	004/30 CW 094/30	SAKGO (IAF) (FB)	3000

CITY AND STATE  
TAMPA, FL

ELEVATION: 21 TDZE: 19  
AIRPORT NAME:  
TAMPA EXECUTIVE

FACILITY  
IDENTIFIER:  
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
RNAV (GPS) RWY 18, AMDT 1A  
24 JULY 2014

SUP:  
AMDT: 1  
DATED: 05/05/2011

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KVDFK7FR18	ASAKGO	010SAKGOK7EA0E	A	IF					18000		B	JS
SUSAP	KVDFK7FR18	ASAKGO	020WELUPK7EA0EE	B	010TF		09410060	+	03000			B	JS
SUSAP	KVDFK7FR18	ATOCOB	010TTOCOBK7EA0E	A	IF					18000		B	JS
SUSAP	KVDFK7FR18	ATOCOB	020WELUPK7EA0EE	B	010TF		27420060	+	03000			B	JS
SUSAP	KVDFK7FR18	AWELUP	010WELUPK7EA0EE	AL	HF		18420040	+	03000	18000		B	JS
SUSAP	KVDFK7FR18	R	010WELUPK7EA0E	I	IF			+	03000	18000		B	JS
SUSAP	KVDFK7FR18	R	020IGDUFK7EA1E	F	051TF		18420062	+	01900			B	JS
SUSAP	KVDFK7FR18	R	020IGDUFK7EA2WN			N	ALNAV						JS
SUSAP	KVDFK7FR18	R	030RW18 K7PGOGY	M	031TF		18420049		00063	-350		B	JS
SUSAP	KVDFK7FR18	R	040	0	M	CA	1842	+	00421			B	JS
SUSAP	KVDFK7FR18	R	050COLUDK7EA0EY		DF			+	03000			B	JS
SUSAP	KVDFK7FR18	R	060COLUDK7EA0EE	R	HM		08100040	+	03000			B	JS

[illegible]

CITY AND STATE <b>TAMPA, FL</b>	ELEVATION: <b>21</b> AIRPORT NAME: <b>TAMPA EXECUTIVE</b>	TDZE: <b>19</b>  <b>RNAV</b>	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS) RWY 18, AMDT 1A</b>  24 JULY 2014	SUP:
					AMDT: <b>1</b>
					DATED: <b>05/05/2011</b>

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICES - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC SUMMARY - 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
	SAKGO	SAKGO	010	IAF	IF		FB					
	SAKGO	WELUP	020		TF		FB	1.0	094.1 (090.1T)	006.0	AA 03000	
	TOCOB	TOCOB	010	IAF	IF		FB					
	TOCOB	WELUP	020		TF		FB	1.0	274.2 (270.2T)	006.0	AA 03000	
	WELUP	WELUP	010	IAF	HF	L	FO		184.2 (180.2T)	004.0	AA 03000	
		WELUP	010	FACF	IF		FB				AA 03000	
		IGDUF	020	FAF	TF		FB	0.5	184.2 (180.2T)	006.2	AA 01900	
		RW18	030	MAP	TF		FO	0.3	184.2 (180.2T)	004.9	AT 00063	

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE	SPEED
		040		CA		FB		184.2 (180.2T)		AA 00421	
	COLUD	050		DF		FO				AA 03000	
	COLUD	060		HM	R	FO		081.0 (077.0T)	004.0	AA 03000	

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	COLUD	N275650.31	W0822059.32	N2756.839	W08220.989
	IGDUF	N280545.70	W0822057.32	N2805.762	W08220.955
	SAKGO	N281157.55	W0822743.37	N2811.959	W08227.723
	TOCOB	N281155.15	W0821408.49	N2811.919	W08214.142
	WELUP	N281156.52	W0822055.93	N2811.942	W08220.932
	RW18	N280048.34	W0822058.43	N2800.806	W08220.974

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW18	00018	45

CITY AND STATE <b>TAMPA, FL</b>	ELEVATION: 21	TDZE: 19	FACILITY IDENTIFIER:  <b>RNAV</b>	PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE: <b>RNAV (GPS) RWY 18, AMDT 1A</b>  24 JULY 2014	SUP:
	AIRPORT NAME: <b>TAMPA EXECUTIVE</b>				AMDT: <b>1</b>
					DATED: <b>05/05/2011</b>