

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - TITLE 14 CFR PART 97.23										Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES										MISSED APPROACH									
FROM			TO			COURSE AND DISTANCE			ALTITUDE		MAP: JAGNO/CCV 20.79 DME								
CCV VORTAC (IAF)			ZUXIG/CCV 5.00 DME			042.31 / 5.00			1900		CLIMB TO 460 THEN CLIMBING RIGHT TURN TO 1900 ON HEADING 240 AND CCV VORTAC R-042 TO EXMOR/CCV 15.00 DME AND HOLD.								
ZUXIG/5.00 DME (IF)			EXMOR/CCV 15.00 DME (NOPT)			042.31 / 10.00 (CCV R-042)			1900										
										ADDITIONAL FLIGHT DATA: CHART FAS OBST: 156 TREE 373736N/0754634W CHART 435 TOWER 373327N/0754945W. CHART R-4006, R-6604A, R-6604E, R-6609. CHART W-386. CHART CIRCLING ICON. EXMOR TO RW03: 2.95/40.									
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF)																			
2. HOLD SW EXMOR, RT, 042.31 INBOUND, 1900 FT. IN LIEU OF PT (IAF)																			
3. FAC 042.31 FAF EXMOR/CCV 15.00 DME										DIST FAF TO MAP _____ THLD 5.79									
4. MIN. ALT EXMOR 1900, CAGXY/CCV 18.00 DME 960																			
8. MSA FROM: CCV VORTAC 1800										MAG VAR: 10W EPOCH YEAR:1985									
MINIMUMS																			
TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT										ALTERNATE: N A		STANDARD							
CATEGORY =====>		A			B			C			D			E					
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA				
S-03	440	1	393	440	1	393	440	1 1/8	393	440	1 1/8	393							
CIRCLING	500	1	452	560	1	512	700	1 3/4	652	700	2	652							
NOTES:																			
CHART NOTE: DME REQUIRED.																			
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON CCV VORTAC AIRWAY RADIALS 016 CW 041.																			
CHART NOTE: CIRCLING RWY 21 NA AT NIGHT.																			
CITY AND STATE		ELEVATION: 48		TDZE: 47		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP VOR/DME RWY 3							
MELFA, VA		AIRPORT NAME:				CCV		VOR RWY 3, AMDT 2				AMDT 1							
		ACCOMACK COUNTY						12 OCTOBER 2017				DATE 01/18/2007							



**VOR STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - - TITLE 14 CFR PART 97.23**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.



CITY AND STATE

MELFA, VA

ELEVATION: 48

TDZE: 47

AIRPORT NAME:

ACCOMACK COUNTY

FACILITY  
IDENTIFIER:

CCV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

VOR RWY 3, AMDT 2

12 OCTOBER 2017

SUP: VOR/DME RWY 3

AMDT: 1

DATED: 01/18/2007