

QA  
A  
APPROVED

## US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD  
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

## TAA

	FROM	TO	ALT
1.	069/30 CW 250/30 (NOPT)	CIDNU (IF/IAF) (FB)	3000
2.	250/30 CW 340/30	YOPUL (IAF) (FB)	3000
3.	340/30 CW 069/30	ZINOL (IAF) (FB)	3000

CITY AND STATE

SEMINOLE, OK

ELEVATION: 1024 TDZE: 1024

AIRPORT NAME:

SEMINOLE MUNI

FACILITY  
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 16, AMDT 1

MAR 15 2007

SUP:

AMDT: ORIG-A

DATED: 02/19/2004



**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE  
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated except visibilities which are in statute miles or in feet RVR.

**ARINC PACKET - 424-15**[illegible]

SUSAEENRT	AGRAS K40	W	L	N35211486W096415840	E0045	NAW	AGRAS
SUSAEENRT	CIDNU K40	W	L	N35270763W096434968	E0045	NAW	CIDNU
SUSAEENRT	FANAD K40	W	L	N35062686W096371940	E0045	NAW	FANAD
SUSAEENRT	YOPUL K40	W	L	N35282266W096375407	E0045	NAW	YOPUL
SUSAEENRT	ZINOL K40	W	L	N35255231W096494512	E0046	NAW	ZINOL

[illegible]

SUSAP KSREK4ASRE	0	050YHN35162884W096403058E006001024	1800018000C	MNAW	SEMINOLE MUNI
------------------	---	------------------------------------	-------------	------	---------------

[illegible]

SUSAP	KSREK4FP16	AYOPUL	010YOPULK4EA0E	A	IF			18000	G	S
SUSAP	KSREK4FP16	AYOPUL	020CIDNUK4EA0EE		010TF	24960050	+ 03000		G	S
SUSAP	KSREK4FP16	AZINOL	010ZINOLK4EA0E	A	IF			18000	G	S
SUSAP	KSREK4FP16	AZINOL	020CIDNUK4EA0EE		010TF	06950050	+ 03000		G	S
SUSAP	KSREK4FP16	ACIDNU	010CIDNUK4EA0EE	CR	HF	15950050	+ 03000	18000	G	S
SUSAP	KSREK4FP16	P	010CIDNUK4EA0E	I	IF		+ 03000	18000	G	S
SUSAP	KSREK4FP16	P	020AGRASK4EA0E	F	010TF	15950061	+ 02500		G	S
SUSAP	KSREK4FP16	P	030RW16	K4PG0GY	M 031TF	15950044	01069	-304	G	S
SUSAP	KSREK4FP16	P	040		0 M 010CA	1595	+ 01424		G	S
SUSAP	KSREK4FP16	P	050FANADK4EA0E		010DF		+ 03000		G	S
SUSAP	KSREK4FP16	P	060FANADK4EA0EY	HR020HM		33960050	+ 03000		G	S

[illegible]

SUSAP KSREK4GRW16 0050001595 N35165668W096403713-0500 01024000045075

CITY AND STATE  
SEMINOLE, OK

ELEVATION: 1024 TDZE: 1024  
AIRPORT NAME:

SEMINOLE MUNI

FACILITY  
IDENTIFIER:  
**BNAV**

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
RNAV (GPS) RWY 16, AMDT 1

MAR 15 2007

|SUP:

AMDT:                   ORIG-A

DATED: 02-19-2004

**U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-15

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
	YOPUL	YOPUL	010	IAF	IF		FB				
	YOPUL	CIDNU	020		TF		FB	1.0	249.6 (256T)	005.0	03000
	ZINOL	ZINOL	010	IAF	IF		FB				
	ZINOL	CIDNU	020		TF		FB	1.0	069.5 (076T)	005.0	03000
	CIDNU	CIDNU	010		HF	R	FB		159.5 (166T)	005.0	03000
		CIDNU	010	FACF	IF		FB				03000
		AGRAS	020	FAF	TF		FB	1.0	159.5 (166T)	006.1	02500
		RW16	030	MAP	TF		FO	0.3	159.5 (166T)	004.4	01069

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG (TRUE)	DISTANCE	ALTITUDE
		040		CA		FB	1.0	159.5 (166T)		01424
	FANAD	050		DF		FB	1.0			03000
	FANAD	060		HM	R	FO	2.0	339.6 (346T)	005.0	03000

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	AGRAS	N352114.86	W0964158.40	N3521.248	W09641.973
	CIDNU	N352707.63	W0964349.68	N3527.127	W09643.828
	FANAD	N350626.86	W0963719.40	N3506.448	W09637.323
	YOPUL	N352822.66	W0963754.07	N3528.378	W09637.901
	ZINOL	N352552.31	W0964945.12	N3525.872	W09649.752
	RW16	N351656.68	W0964037.13	N3516.945	W09640.619

RUNWAY DATA	THRESHOLD	ELEVATION	TCH
RW16	01024		45

CITY AND STATE  
**SEMINOLE, OK**

**ELEVATION: 1024 TDZE: 1024**  
 AIRPORT NAME:  
**SEMINOLE MUNI**

FACILITY  
 IDENTIFIER:  
**RNAV**

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:  
**RNAV (GPS) RWY 16, AMDT 1**  
**MAR 15 2007**

SUP:  
 AMDT: **ORIG-A**  
 DATED: **02-19-2004**

