

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION					Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.											
VOR/DME STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97. 23																
TERMINAL ROUTES										MISSED APPROACH						
FROM		TO		COURSE AND DISTANCE				ALTITUDE		MAP: UIN 28.59 DME						
UIN VORTAC (IAF) IBOSE/R-082 UIN VORTAC CW (IAF) JARDI/R-217 UIN VORTAC CCW (IAF) HITES		HITES/13.00 DME		169.47/13.00				2400		CLIMBING RIGHT TURN TO 2400 VIA UIN R-169 TO TRESS/23 DME AND HOLD ADDITIONAL FLIGHT DATA: HOLD N, RT 169 INBOUND FAS OBST: 1019 TREE 392340/911240						
		HITES		13.00 DME ARC				2400								
		HITES		13.00 DME ARC				2400								
		TRESS/23.00 DME		169.47/10.00				2400								
1. PT <u>NA</u> SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. PROFILE STARTS AT HITES 3. FAC <u>169.47</u> FAF <u>TRESS</u> _____ DIST FAF TO MAP <u>5.59</u> THLD _____ 4. MIN. ALT <u>HITES 2400, TRESS 2400, R-169.47/26.80 1620</u> 5. MSA FROM: <u>UIN VORTAC 2700</u>										MAG VAR: 5E EPOCH YEAR: 65						
MINIMUMS																
TAKEOFF:		STANDARD		X		SEE FAA FORM 8260-15 FOR THIS AIRPORT				ALTERNATE: N A		X				
CATEGORY		A			B			C			D			E		
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/ HAA	MDA	VIS	HAT/ HAA	MDA	VIS	HAT/ HAA	MDA	VIS	HAT/ HAA
CIRCLING		1520	1	634	1520	1 1/4	634		NA			NA				
NOTES: USE QUINCY ALTIMETER SETTING																
CITY AND STATE				ELEVATION: 886 TDZE:				FACILITY IDENTIFIER:		PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:				SUP		
BOWLING GREEN, MO				BOWLING GREEN MUNI				UIN		APR 18 2002 VOR/DME-A, AMDT 2				AMDT 1B		
														DATED 4/21/99		