

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION VOR STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97.23										Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.									
TERMINAL ROUTES										MISSED APPROACH									
FROM		TO		COURSE AND DISTANCE				ALTITUDE		4.90 MILES AFTER UCAFO INT/17.00 DME OR AT GNV 21.90 DME FIX CLIMBING RIGHT TURN TO 3000 VIA HEADING 270 AND OCF VORTAC R-301 TO WILON INT/OCF 28.41 DME AND HOLD; OR WHEN DIRECTED BY ATC, CLIMBING RIGHT TURN TO 3000 VIA HEADING 270 AND CTY VORTAC R-122 TO WILON INT/CTY 21.54 DME AND HOLD SE, RT, 302.14 INBOUND. ADDITIONAL FLIGHT DATA: HOLD SE, RT, 300.54 INBOUND. CHART 471 TOWER 292412N/0822701W. UCAFO TO RW23: 3.05/45 DO NOT CHART ALT MISSED APPROACH HOLDING AT WILON CHART IN PLANVIEW: CTY R-122 AT WILON									
GNV VORTAC (IAF)		NOJSY INT/10.90 DME		210.87 / 10.90				2000											
NOJSY INT/10.90 DME (IF)		UCAFO INT/17.00 DME		210.87 / 6.10 (GNV R-211)				1700											
1. PT <u>NA</u> SIDE OF COURSE <u> </u> OUTBOUND <u> </u> FT WITHIN <u> </u> MILES OF <u> </u> (IAF) 2. PROFILE STARTS AT NOJSY 3. FAC <u>210.87</u> FAF <u>UCAFO INT/17.00 DME</u> DIST FAF TO MAP <u>4.90</u> THLD <u>4.90</u> 4. MIN. ALT <u>NOJSY 2000, UCAFO 1700</u> 8. MSA FROM: <u>GNV VORTAC 2500</u>										MAG VAR: 4W EPOCH YEAR: 2000									
MINIMUMS																			
TAKEOFF:		STANDARD		<input checked="" type="checkbox"/> X		SEE FAA FORM 8260-15A FOR THIS AIRPORT						ALTERNATE: N A		<input checked="" type="checkbox"/> X					
CATEGORY		A			B			C			D			E					
		MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA			
S-23		780	1	709	780	1 1/4	709	780	2	709									
CIRCLING		780	1	704	780	1 1/4	704	780	2	704									
NOTES: CHART NOTE: IF LOCAL ALTIMETER SETTING NOT RECEIVED, USE OCALA ALTIMETER SETTING AND INCREASE ALL MDAS 60 FEET. CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT. CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT GNV VORTAC ON AIRWAY RADIALS 179 CW 266.																			
CITY AND STATE				ELEVATION: 76 TDZE: 71				FACILITY IDENTIFIER:				PROCEDURE NO./AMDT NO./EFFECTIVE DATE:				SUP VOR/DME RWY 23			
WILLISTON, FL				AIRPORT NAME:				GNV				VOR RWY 23, AMDT 1				AMDT ORIG			
				WILLISTON MUNI								MAR 15 2007				DATE 11/01/2001			

