

U.S. Department of Transportation
Federal Aviation Administration

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH											
FROM	TO	COURSE AND DISTANCE	ALTITUDE												
VEBAW (IAF) (40E) (43A)	GIYIT (NOPT) (TF) (FB) (40E) (41E) (43B)	227.61/5.00	5000	LPV: DA LNAV/VNAV: DA LNAV: RW32 CLIMB TO 5000 DIRECT AHOFU AND HOLD.											
ILHOV (IAF) (40E) (43A)	GIYIT (NOPT) (TF) (FB) (40E) (41E) (43B)	047.49/5.00	5000												
GIYIT (IF/IAF) (40E) (43I)	EBUWI (TF) (FB) (40E) (43F)	317.55/5.01	4400	ADDITIONAL FLIGHT DATA: HOLD NW, RT, 137.36 INBOUND FAS OBST: 2919 TREE 424727N/1002903W 2593 FENCE 425059N/1003232W CHART: 2926 TREE 424632N/1002900W DISTANCE TO THLD FROM 252 HAT: 0.68 NM *CHART VDP AT 1.75 MILES TO RW32 *LNAV ONLY ROUTE TYPE DESCRIPTION: A, R APPROACH ROUTE QUALIFIER 1: W, J APPROACH ROUTE QUALIFIER 2: S WAAS CHANNEL # 40010 REFERENCE PATH ID: W32A MAG VAR: 8E EPOCH YEAR: 00											
RW32 (MAP) (40G) (41Y) (43M)	2840 MSL (CA) (42M)	317.51													
2840 MSL	AHOFU (DF) (FO) (40E) (41E) (43H)		5000												
1. PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)															
2. HOLD SE GIYIT, RT, 317.55 INBOUND, 5000FT. IN LIEU OF PT (IAF) (40) (41E) (43C)															
3. FAC: 317.51 FAF: EBUWI DIST FAF TO MAP: 5.49 THLD: 5.49															
4. MIN. ALT: GIYIT 5000, EBUWI 4400															
5. DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:															
6. MIN GS INCPT: 4400 GS ALT AT: OM: MM: IM:															
7. GS ANGLE: 3.00 TCH: 40.0 34:1 IS CLEAR															
8. MSA FROM:															
MINIMUMS															
TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N A	STANDARD										
CATEGORY ==>	A			B			C			D			E		
	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA	DH/ MDA	VIS	HAT/HAA
LPV DA	2840	1	252	2840	1	252		NA			NA				
LNAV/VNAV DA	2960	1 1/4	372	2960	1 1/4	372		NA			NA				
LNAV MDA	3180	1	592	3180	1	592		NA			NA				
CIRCLING	3180	1 1/4	589	3180	1 1/4	589		NA			NA				
NOTES: CHART NOTES: DME/DME RNP-0.3 NA. BARO-VNAV NA BELOW -20C (-4F).															
CITY AND STATE		ELEVATION: 2591 TDZE: 2588		FACILITY IDENTIFIER:		PROCEDURE NO./AMDT NO./ EFFECTIVE DATE:				SUP:					
VALENTINE, NE		AIRPORT NAME: MILLER FIELD		RNAV		MAY 12 2005 RNAV (GPS) RWY 32, AMDT 1				AMDT: ORIG					
										DATED 10/05/00					

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV

STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TAA:

FROM	TO	ALTITUDE
1. 228/30 CW 047/30	GIYIT (IF/IAF) (NOPT)	5000
2. 047/30 CW 138/30	ILHOV (IAF)	5000
3. 138/30 CW 228/30	VEBAW (IAF)	5000

CITY AND STATE

VALENTINE, NE

ELEVATION:

2591 TDZE:

2588

AIRPORT NAME:

MILLER FIELD

FACILITY

IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:

MAY 12 2005

RNAV (GPS) RWY 32 AMDT 1

SUP:

AMDT:

ORIG

DATED:

10/05/00

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV

STANDARD INSTRUMENT APPROACH PROCEDURE

FLIGHT STANDARDS SERVICES TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

<u>DATA FIELD</u>	<u>DATA</u>
OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KVTN
RUNWAY NUMBER	RW32
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W32A
LTP/FTP LATITUDE	425104.4000N
LTP/FTP LONGITUDE	1003231.6800W
LTP/FTP ELLIPSOIDAL HEIGHT	+07654
FPAP LATITUDE	425217.8100N
FPAP LONGITUDE	1003340.3800W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1320
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0
CRC REMAINDER	C83A2712

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+07872
FPAP ORTHOMETRIC HEIGHT	+07872

CITY AND STATE

VALENTINE, NE

ELEVATION:

2591 TDZE:

2588

AIRPORT NAME:

MILLER FIELD

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO. / AMDT NO. / EFFECTIVE DATE:

MAY 12 2005
RNAV (GPS) RWY 32 AMDT 1

SUP:

AMDT: ORIG

DATED: 10/05/00