

FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> KALAUPAPA	<u>AIRPORT ID</u> PHLU	<u>PROCEDURE NAME</u> RNAV (GPS)-B	<u>ORIGINAL/AMENDMENT</u> ORIG	<u>CITY</u> KALAUPAPA	<u>STATE</u> HI	
<u>AIRPORT ELEVATION</u> 24	<u>TDZE</u>	<u>SUPERSEDED</u>	<u>ORIGINAL/AMENDMENT</u> NONE	<u>DATED</u>	<u>MAG VAR</u> 11E	<u>EPOCH YEAR</u> 1985
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 20 JUNE 2019	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

TERMINAL ROUTES

<u>FROM</u>	<u>FIX TYPE</u>	<u>TO</u>	<u>FIX TYPE</u>	<u>LEG TYPE</u>	<u>FO/FB</u>	<u>RNP</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>ALTITUDE</u>
BLUSH		WEKLO		TF	FO	1.00	257.76	32.81	2900
PLUMB		WEKLO		TF	FO	1.00	269.15	37.44	2900
JOELE		OVLIE		TF	FB	1.00	170.27	11.53	4000
OVLIE	IAF	WEKLO	NOPT	TF	FB	1.00	191.22	10.00	2900
BAMBO	IAF	WEKLO	NOPT	TF	FB	1.00	101.14	15.16	2900
LOKIE	IAF	WEKLO	NOPT	TF	FB	1.00	011.20	12.71	2900
WEKLO	IF/IAF	WUVRI		TF	FB	1.00	101.23	12.37	1900
WUVRI	FAF	ZOKLO	MAP	TF	FO	0.30	101.30	4.79	
ZOKLO	MAP	424 MSL		CA			101.30		
424 MSL		WEKLO		DF	FO	1.00			2900

MISSED APPROACH

MAP:
ZOKLO

MISSED APPROACH INSTRUCTIONS:

CLIMBING LEFT TURN TO 2900 DIRECT WEKLO AND HOLD.

ALTERNATE MISSED APPROACH INSTRUCTIONS:



PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF (IAF)

2. HOLD W WEKLO, RT, 101.23 INBOUND, 2900 FT. IN LIEU OF PT (IAF), MAX 6000.

3. FAC: 101.30

FAF: WUVRI

DIST FAF TO MAP: 4.79

DIST FAF TO THLD:

4. MIN ALT: WEKLO 2900, WUVRI 1900

5. DIST TO THLD FROM OM:

MM:

IM:

150 HAT:

GS ANT:

6. MIN GP INCPT:

GP ALT AT FAF :

OM:

MM:

IM:

7. GP ANGLE:

34:1:

20:1:

TCH:

8. MSA FROM: ZOKLO 7000

PBN REQUIREMENTS NOTE:

RNP APCH.

NOTES:

CHART NOTE: CIRCLING NA SE OF RWY 5-23.
CHART NOTE: PROCEDURE NA AT NIGHT.
CHART NOTE: USE KAUNAKAKAI ALTIMETER SETTING.

ADDITIONAL FLIGHT DATA:

FAC CROSSES MIDPOINT OF RWY 5-23.
CHART CIRCLING ICON.
FAS OBST: 250 SHIP 211351N/1570130W.

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☒

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
CIRCLING	680	1	656	680	1	656		NA			NA				

CHANGES - REASONS



COORDINATED WITH:

A4A ☒ ALPA ☒ AOPA ☒ APA ☐ HAI ☐ NBAA ☒ OTHER: ZHN, AIRPORT MANAGER, HONOLULU CONTROL FACILITY

FLIGHT CHECKED BY

KENNETH E JACK

DEVELOPED BY

RICHARD K. CLARK JR.

APPROVED BY

PATRICK MULQUEEN

Digitally signed by
RICHARD K CLARK-JR
Jan 23, 2019

Digitally signed by
WARDELL HENNING
May 03, 2019

Digitally signed by OFFICE DATE
WARDELL HENNING FICO 4/26/19
May 03, 2019

OFFICE DATE
AJV-A432 01/18/2019

OFFICE DATE TITLE
AJV-A43 MANAGER

