

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
WYLSN	SEVEN	WYLSN7.WYLSN	SIX	07/19/2018	25 APR 2019
<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

GEORGE BUSH INTERCONTINENTAL/HOUSTON (KIAH)

TAKEOFF RWY 8L/8R: CLIMB HEADING 086.94 TO 600 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 9: CLIMB HEADING 086.95 TO 600 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 15L: CLIMB HEADING 148.96 TO 600 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 15R: CLIMB HEADING 148.95 TO 600 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 26L/26R: CLIMB HEADING 266.96 TO 600 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 27: CLIMB HEADING 266.97 TO 600 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 33L/33R: CLIMB HEADING 328.96 TO 600 FOR RADAR VECTORS TO WYLSN, THENCE...
 ...ON TRACK 360.00 TO MONNT, THEN ON (TRANSITION). MAINTAIN 16000 OR AS ASSIGNED BY ATC. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

WILLIAM P HOBBY (KHOU)

TAKEOFF RWY 4: CLIMB HEADING 040.95 TO 560 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 13L: CLIMB ON HEADING 130.93 TO 560 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 13R: CLIMB ON HEADING 130.95 TO 560 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 17: CLIMB ON HEADING 175.94 TO 560 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 22: CLIMB ON HEADING 220.96 TO 700 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 31L: CLIMB ON HEADING 310.96 TO 560 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 31R: CLIMB ON HEADING 310.94 TO 560 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 35: CLIMB ON HEADING 355.94 TO 560 FOR RADAR VECTORS TO WYLSN, THENCE...
 ...ON TRACK 360.00 TO MONNT, THEN ON (TRANSITION). MAINTAIN 16000 OR AS ASSIGNED BY ATC. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

BAY CITY RGNL (KBYY)

TAKEOFF RWY 13: CLIMB HEADING 130.57 TO 560 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 31: CLIMB HEADING 310.57 TO 560 FOR RADAR VECTORS TO WYLSN, THENCE...

DAVID WAYNE HOOKS MEMORIAL (KDWH)

TAKEOFF RWY 17R: CLIMB ON HEADING 167.76 TO 660 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 35L: CLIMB ON HEADING 347.76 TO 660 FOR RADAR VECTORS TO WYLSN, THENCE...

ELLINGTON (KEFD)

TAKEOFF RWY 4: CLIMB ON HEADING 038.85 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 17L: CLIMB ON HEADING 173.85 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 17R: CLIMB ON HEADING 173.84 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 22: CLIMB ON HEADING 218.86 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 35L: CLIMB ON HEADING 353.84 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 35R: CLIMB ON HEADING 353.85 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...

HOUSTON EXECUTIVE (KTME)

TAKEOFF RWY 18: CLIMB ON HEADING 175.25 TO 680 FOR RADAR VECTORS TO WYLSN, THENCE...
 TAKEOFF RWY 36: CLIMB ON HEADING 355.25 TO 680 FOR RADAR VECTORS TO WYLSN, THENCE...



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
WYLSN	SEVEN	WYLSN7.WYLSN	SIX	07/19/2018	25 APR 2019

HOUSTON-SOUTHWEST (KAXH)

TAKEOFF RWY 9: CLIMB ON HEADING 089.24 TO 2000 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 27: CLIMB ON HEADING 269.24 TO 2200 FOR RADAR VECTORS TO WYLSN, THENCE...

CONROE-NORTH HOUSTON RGNL (KCXO)

TAKEOFF RWY 1: CLIMB ON HEADING 012.17 TO 760 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 14: CLIMB ON HEADING 140.48 TO 760 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 19: CLIMB ON HEADING 192.17 TO 760 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 32: CLIMB ON HEADING 320.49 TO 760 FOR RADAR VECTORS TO WYLSN, THENCE...

PEARLAND RGNL (KLVJ)

TAKEOFF RWY 14: CLIMB ON HEADING 141.67 TO 1600 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 32: CLIMB ON HEADING 321.67 TO 700 FOR RADAR VECTORS TO WYLSN, THENCE...

SUGAR LAND RGNL (KSGR)

TAKEOFF RWY 17: CLIMB ON HEADING 170.28 TO 1500 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 35: CLIMB ON HEADING 350.28 TO 1100 FOR RADAR VECTORS TO WYLSN, THENCE...

WEST HOUSTON (KIWS)

TAKEOFF RWY 15: CLIMB ON HEADING 149.68 TO 620 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 33: CLIMB ON HEADING 329.68 TO 620 FOR RADAR VECTORS TO WYLSN, THENCE...

CHAMBERS COUNTY (KT00)

TAKEOFF RWY 12: CLIMB ON HEADING 123.74 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 30: CLIMB ON HEADING 303.74 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...

TEXAS GULF COAST RGNL (KLBX)

TAKEOFF RWY 17: CLIMB ON HEADING 174.93 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 35: CLIMB ON HEADING 354.93 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...

BAYTOWN (KHPY)

TAKEOFF RWY 14: CLIMB ON HEADING 139.75 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 32: CLIMB ON HEADING 319.75 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...

RWJ AIRPARK (K54T)

TAKEOFF RWY 8: CLIMB ON HEADING 084.03 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 26: CLIMB ON HEADING 264.03 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...

CLEVELAND MUNI (K6R3)

TAKEOFF RWY 16: CLIMB ON HEADING 156.75 TO 1400 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 34: CLIMB ON HEADING 311.75 TO 2000 FOR RADAR VECTORS TO WYLSN, THENCE...

SCHOLES INTL AT GALVESTON (KGLS)

TAKEOFF RWY 14: CLIMB ON HEADING 138.11 TO 520 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 18: CLIMB ON HEADING 178.86 TO 520 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 32: CLIMB ON HEADING 318.12 TO 520 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 36: CLIMB ON HEADING 358.86 TO 520 FOR RADAR VECTORS TO WYLSN, THENCE...



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
WYLSN	SEVEN	WYLSN7.WYLSN	SIX	07/19/2018	25 APR 2019

LA PORTE MUNI (KT41)

TAKEOFF RWY 5: CLIMB ON HEADING 046.34 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 12: CLIMB ON HEADING 121.17 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 23: CLIMB ON HEADING 226.35 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 30: CLIMB ON HEADING 301.18 TO 540 FOR RADAR VECTORS TO WYLSN, THENCE...

LIBERTY MUNI (KT78)

TAKEOFF RWY 16: CLIMB ON HEADING 160.77 TO 1700 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 34: CLIMB ON HEADING 340.78 TO 1000 FOR RADAR VECTORS TO WYLSN, THENCE...

WHARTON RGNL (KARM)

TAKEOFF RWY 14: CLIMB HEADING 147.80 TO 600 FOR RADAR VECTORS TO WYLSN, THENCE...
TAKEOFF RWY 32: CLIMB HEADING 327.81 TO 600 FOR RADAR VECTORS TO WYLSN, THENCE...

...ON TRACK 360.00 TO MONNT, THEN ON (TRANSITION). MAINTAIN ATC ASSIGNED ALTITUDE. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
GIFFA	WYLSN7.GIFFA	MONNT	BUMCO	TRACK 000.26	10.25	7000	1700	
			GIFFA	TRACK 000.26	43.95	12000	1900	
MAJKK	WYLSN7.MAJKK	MONNT	KLJOY	TRACK 346.13	10.20	7000	2000	
			MAJKK	TRACK 345.22	53.40	12000	2000	

PROCEDURAL DATA NOTES:

NOTE: RADAR REQUIRED.
NOTE: DME/DME/IRU OR GPS REQUIRED.
NOTE: RNAV 1.

TAKEOFF MINIMUMS:**GEORGE BUSH INTERCONTINENTAL/HOUSTON (KIAH)**

RWY 8L, 8R, 9, 15L, 15R, 26L, 26R, 27, 33L, 33R STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 600.

WILLIAM P HOBBY (KHOU)

RWY 4, 13L, 13R, 17, 31L, 31R, 35 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 560.
RWY 22 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 700.

BAY CITY RGNL (KBYY)

RWY 13, 31 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 560.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
WYLSN	SEVEN	WYLSN7.WYLSN	SIX	07/19/2018	25 APR 2019
DAVID WAYNE HOOKS MEMORIAL (KDWH)					
RWY 17L, 35R NA-ENVIRONMENTAL. WATERWAY 17, 35 NA-AIR TRAFFIC. RWY 17R, 35L STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 660.					
ELLINGTON (KEFD)					
RWY 4, 17L, 17R, 22, 35L, 35R STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.					
HOUSTON EXECUTIVE (KTME)					
RWY 18, 36 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 680.					
HOUSTON-SOUTHWEST (KAXH)					
RWY 9, 27 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 580.					
CONROE-NORTH HOUSTON RGNL (KCXO)					
RWY 1, 14, 19, 32 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 760.					
PEARLAND RGNL (KLVJ)					
RWY 14, 32 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 560.					
SUGAR LAND RGNL (KSGR)					
RWY 17, 35 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 600.					
WEST HOUSTON (KIWS)					
RWY 15, 33 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 620.					
CHAMBERS COUNTY (KT00)					
RWY 17, 35 NA-ENVIRONMENTAL. RWY 12, 30 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.					
TEXAS GULF COAST RGNL (KLBX)					
RWY 17, 35 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.					
BAYTOWN (KHPY)					
RWY 14, 32 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.					
RWJ AIRPARK (K54T)					
RWY 14, 32 NA - ENVIROMENTAL RWY 08, 26 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.					
CLEVELAND MUNI (K6R3)					
RWY 16, 34 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 660.					
SCHOLES INTL AT GALVESTON (KGLS)					
RWY 14, 18, 32, 36 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 520.					
LA PORTE MUNI (KT41)					
RWY 05, 12, 23, 30 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 540.					

QUALITY
3
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
WYLSN	SEVEN	WYLSN7.WYLSN	SIX	07/19/2018	25 APR 2019

LIBERTY MUNI (KT78)

RWY 16, 34 STANDARD WITH MINIMUM CLIMB OF 500 FT PER NM TO 580.

WHARTON RGNL (KARM)

RWY 14, 32 STANDARD WITH A MINIMUM CLIMB OF 500 FT PER NM TO 600.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:**WILLIAM P HOBBY (KHOU)**

RWY 4: 174 FT MSL BUILDING 293935.00N/0951526.00W.

RWY 17: 150 FT MSL CRANE 293751.23N/0951710.97W, 2049 FT MSL TOWER 293430.00N/0952938.00W.

RWY 22, 31L, 31R: 2049 FT MSL TOWER 293430.00N/0952938.00W.

ELLINGTON (KEFD)

RWY 22: 192 FT MSL WATER TOWER 293521.00N/0951048.09W.

HOUSTON EXECUTIVE (KTME)

RWY 36: 546 MSL TOWER 295050.00N/0955259.00W.

HOUSTON-SOUTHWEST (KAXH)

RWY 9, 27: 2049 FT MSL TOWERS 293341.00N/0953005.00W.

PEARLAND RGNL (KLJV)

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 14, 32: 1200 FT MSL TOWER 292757.00N/0951324.00W.

SUGAR LAND RGNL (KSGR)

RWY 17: 2049 FT MSL TOWER 293415.70N/0953038.30W.

RWY 35: 2049 FT MSL TOWER 293435.00N/0953037.00W.

BAYTOWN (KHPY)

RWY 14: 180 FT MSL TOWER 294613.50N/0945637.80W.

CLEVELAND MUNI (K6R3)

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 16: 2049 FT MSL TOWER 301351.00N/0950726.00W. RWY 34: 2049 FT MSL TOWER 303207.00N/0950105.00W.

SCHOLES INTL AT GALVESTON (KGLS)

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 32: 2013 FT MSL TOWER 291800.65N/0950640.27W.

LA PORTE MUNI (KT41)

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 05: 334 FT MSL STACK 294201.00N/0950211.00W. RWY 12: 499 FT MSL STACK 293747.00N/0950316.00W. RWY 30: 584 FT MSL TOWER 294253.26N/0950540.31W.

LIBERTY MUNI (KT78)

OBSTACLES MANDATING ODP ROUTE DEVELOPMENT: RWY 16: 2049 FT MSL TOWER 300102.20N/0943247.89W, 2042 FT MSL TOWER 300306.00N/0943138.00W, 2040 FT MSL TOWER 295609.78N/0943039.38W. RWY 34: 2049 FT MSL TOWER 300102.20N/0943247.89W, 2042 FT MSL TOWER 300306.00N/0943138.00W.



**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
WYLSN	SEVEN	WYLSN7.WYLSN	SIX	07/19/2018	25 APR 2019

LOST COMMUNICATIONS PROCEDURES:

ADDITIONAL FLIGHT DATA:

REFERENCE MAG VAR: KIAH 3E EPOCH YR: 2015. DME/DME ASSESSMENT: SAT (RNP 2.0).

GEORGE BUSH INTERCONTINENTAL (KIAH) – CHART: TOP ALTITUDE: 16000
 WILLIAM P HOBBY (KHOU) – CHART: TOP ALTITUDE: 16000
 RWJ AIRPARK (K54T) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 CLEVELAND MUNI (K6R3) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 WHARTON RGNL (KARM) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 HOUSTON-SOUTHWEST (KAXH) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 BAY CITY RGNL (KBYY) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 CONROE-NORTH HOUSTON RGNL (KCXO) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 DAVID WAYNE HOOKS MEMORIAL (KDWH) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 ELLINGTON (KEFD) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 SCHOLES INTL AT GALVESTON (KGLS) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 BAYTOWN (KHPY) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 WEST HOUSTON (KIWS) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 TEXAS GULF COAST RGNL (KLBX) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 PEARLAND RGNL (KLVJ) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 SUGAR LAND RGNL (KSGR) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 CHAMBERS COUNTY (KT00) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 LA PORTE MUNI (KT41) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 LIBERTY MUNI (KT78) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.
 HOUSTON EXECUTIVE (KTME) – CHART: TOP ALTITUDE: ASSIGNED BY ATC.

CHART: MEA/MOCA FROM WYLSN TO MONNT, 5000/2400.

PILOT NAVIGATION AREA:

10 NM ARC CENTERED ON WYLSN (IF), CW
 FROM: POINT A (BEARING 315 DEGREES TO WYLSN)
 TO: POINT B (BEARING 045 DEGREES TO WYLSN)
 MINIMUM ALTITUDE- 3000
 MAXIMUM ATC ALTITUDE- 16000

AIRPORTS SERVED:

<u>AIRPORT NAME</u>	<u>CITY</u>	<u>STATE</u>
GEORGE BUSH INTERCONTINENTAL/HOUSTON (KIAH)	HOUSTON	TX
WILLIAM P HOBBY (KHOU)	HOUSTON	TX
BAY CITY RGNL (KBYY)	BAY CITY	TX
DAVID WAYNE HOOKS MEMORIAL (KDWH)	HOUSTON	TX

QUALITY
3
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

DP NAME	NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
WYLSN	SEVEN	WYLSN7.WYLSN	SIX	07/19/2018	25 APR 2019
ELLINGTON (KEFD)			HOUSTON		TX
HOUSTON EXECUTIVE (KTME)			HOUSTON		TX
HOUSTON-SOUTHWEST (KAXH)			HOUSTON		TX
CONROE-NORTH HOUSTON RGNL (KCXO)			HOUSTON		TX
PEARLAND RGNL (KLVJ)			HOUSTON		TX
SUGAR LAND RGNL (KSGR)			HOUSTON		TX
WEST HOUSTON (KIWS)			HOUSTON		TX
CHAMBERS COUNTY (KT00)			ANAHUAC		TX
TEXAS GULF COAST RGNL (KLBX)			ANGLETON/LAKE JACKSON		TX
BAYTOWN (KHPY)			BAYTOWN		TX
RWJ AIRPARK (K54T)			BAYTOWN		TX
CLEVELAND MUNI (K6R3)			CLEVELAND		TX
SCHOLES INTL AT GALVESTON (KGLS)			GALVESTON		TX
LA PORTE MUNI (KT41)			LA PORTE		TX
LIBERTY MUNI (KT78)			LIBERTY		TX
WHARTON RGNL (KARM)			WHARTON		TX

COMMUNICATIONS:**ATIS:** IAH, HOU, EFD, CXO, DWH.**AWOS/ASOS:** IAH, HOU, EFD, DWH, SGR, AXH, CXO, TME, GLS, LBX, 6R3, LVJ.**CTAF:** CXO, DWH, SGR, AXH, TME, IWS, GLS, LBX, T41, 54T, 6R3, HPY, LVJ, T00, T78.**CLNC DEL:** IAH, HOU, CXO, DWH, SGR, AXH, TME, IWS, GLS, LBX, T41, LVJ.**GND CON:** IAH, HOU, EFD, CXO, DWH, SGR, GLS.**TWR:** IAH, HOU, EFD, CXO, DWH, SGR, GLS.**DEP CON:** CXO/DWH/6R3/T78 - 119.7/281.4**DEP CON:** AXH/IWS/SGR/TME - 123.8/257.7**DEP CON:** EFD/GLS/HPY/LBX/LVJ/54T/T00/T41 - 134.45/284.0**DEP CON:** IAH/HOU - 132.25/285.425

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
WYLSN	SEVEN	WYLSN7.WYLSN	SIX	07/19/2018	25 APR 2019

DEP CON: ARM/BYY - HOUSTON CENTER 128.6/360.8

CPDLC: IAH, HOU.

FIXES AND/OR NAVAIDS:

QUALITY
3
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>EFFECTIVE DATE</u>
WYLSN	SEVEN	WYLSN7.WYLSN	SIX	07/19/2018	25 APR 2019

REMARKS:

FOR CONTINUITY ON RUNWAYS WHERE 500 FT PER NM TO 500 FT ABOVE APT ELEV WAS NOT SUFFICIENT TO CLEAR DIVERSE A/B OBSTACLES, THE ALTITUDE OF THE TEXTUAL DEPARTURE PROCEDURE ODP WAS UTILIZED.

ABBREVIATED AMENDMENT; DOES NOT QUALIFY AS PERIODIC REVIEW.

FLIGHT INSPECTED BY:

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJW-33) MEMO,
OCTOBER 3, 2018, SUBJECT: FLIGHT INSPECTION REVIEW NOT REQUIRED.

Digitally signed by
DONALD H LANIER
Dec 10, 2018

OFFICE SYMBOL:**DATE:****DEVELOPED BY:**

CHRISTINE BAYSE

Digitally signed by
CHRISTINE BAYSE
Nov 28, 2018

OFFICE SYMBOL:**DATE:**

AJV-5432

11/07/2018

APPROVED BY:

PATRICK MULQUEEN

Digitally signed by
DONALD H LANIER
Dec 10, 2018

OFFICE SYMBOL:**DATE:**

AJV-5430

REQUIRED EFFECTIVE DATE:

ROUTINE

COORDINATED WITH:

A4A	ALPA	AOPA	APA	HAI	NBAA
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

OTHER:

ZHU ARTCC, HOU APP CON, IAH ATCT, HOU ATCT, DWH ATCT, EFD ATCT, SGR ATCT, AMGR: IAH, HOU, 54T, 6R3, AXH, CXO, DWH, GLS, HPY, IWS, LBX, LVJ, SGR, T00, T41, T78, TME, EFD.

CHANGES - REASONS:

1. REMOVED DP ROUTE DESCRIPTION FOR RWJ AIRPARK (K54T) FOR RWY 14 AND 32. - RUNWAYS ARE NA FOR ENVIRONMENTAL.
2. REPLACED THE TAKEOFF MINIMUMS FOR RWJ AIRPARK (K54T) FOR RWY 14 AND 32 WITH NA - ENVIRONMENTAL. - TURF RUNWAYS.
3. ADDED CPDLC: IAH, HOU TO COMMUNICATIONS BLOCK. - RECENT UPDATE TO HOU AND IAH COMMUNICATIONS.

QUALITY
3
CHECKED

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME							NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	EFFECTIVE DATE
WYLSN							SEVEN	WYLSN7.WYLSN	SIX	07/19/2018	25 APR 2019
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS		
WYLSN	301828.03N/0951919.07W	Y	-	IF	-	-					
MONNT	302838.94N/0951842.06W	Y	FB	TF	003.00	10.17					
MONNT	302838.94N/0951842.06W	Y	-	IF	-	-			WYLSN7.GIFFA		
BUMCO	303854.38N/0951801.51W	Y	FB	TF	003.26	10.25					
GIFFA	312253.23N/0951506.11W	Y	FB	TF	003.26	43.95					
MONNT	302838.94N/0951842.06W	Y	-	IF	-	-			WYLSN7.MAJKK		
KLJOY	303841.12N/0952055.79W	Y	FB	TF	349.13	10.20					
MAJKK	313103.90N/0953341.25W	Y	FB	TF	348.22	53.40					

