

**Federal Aviation
Administration**

Transmittal Letter 19-18

July 12, 2019

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
8/15/2019	NC	Charlotte	Charlotte/Douglas Intl	9/1540	7/1/2019	RNAV (GPS) Y RWY 36C, Amdt 3D

AIRAC Date: 15 AUGUST 2019

FDC 9/1540 CLT IAP CHARLOTTE/DOUGLAS INTL, Charlotte, NC. RNAV (GPS) Y RWY 36C, AMDT 3D... LNAV HAT 613 ALL CATS. CHART VDP AT 1.74 NM TO RW36C*. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -10C (14F) OR ABOVE 54C (130F). CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -11C OR ABOVE 54C. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE PLANVIEW NOTE: RADAR REQUIRED. PBN REQUIREMENTS NOTE: RNP APCH. THIS IS RNAV (GPS) Y RWY 36C, AMDT 3E. 1905221455-PERM