

<b>U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION</b> <b>VOR/DME STANDARD INSTRUMENT APPROACH PROCEDURE</b> <b>FLIGHT STANDARDS SERVICE - FAR PART 97.23</b>					Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.										
<b>TERMINAL ROUTES</b>					<b>MISSED APPROACH</b>										
FROM	TO	COURSE AND DISTANCE	ALTITUDE	<b>MAP: MAJYO/EUF 0.80 DME</b>  <b>CLIMB TO 1500 THEN CLIMBING RIGHT TURN TO 2000 DIRECT EUF VORTAC AND HOLD.</b>  <b>ADDITIONAL FLIGHT DATA:</b> HOLD W, RT, 075.42 INBOUND. CHART FAS OBST: 465 TOWER 315325N/0850854W CHART EUF R-256 AT IVUWE. CHART EUF R-110 AT AXOSE. ADZUY TO RW36: 3.05/40 CHART EUFAULA NATIONAL WILDLIFE REFUGE CHART CLAYTON AWOS-3, 118.775. FAC CROSSES RWY C/L EXTENDED 2761 FROM THLD.											
IVUWE/EUF 10.00 DME CCW (IAF)	CEDLO/EUF 10.00 DME (NOPT)	10.00 DME ARC	2100												
AXOSE/EUF 10.00 DME CW (IAF)	CEDLO/EUF 10.00 DME (NOPT)	10.00 DME ARC	2000												
CEDLO/EUF 10.00 DME (IF)	ADZUY/EUF 4.00 DME	356.00 / 6.00 (EUF R-176)	1500												
1. PT <u>L</u> SIDE OF COURSE <u>176.00</u> OUTBOUND <u>2000</u> FT WITHIN <u>10</u> MILES OF <u>EUF VORTAC</u> (IAF) 2. _____ 3. FAC <u>356.00</u> FAF <u>ADZUY/EUF 4.00 DME</u> DIST FAF TO MAP <u>-</u> THLD <u>3.65</u> 4. MIN. ALT <u>ADZUY 1500</u> 8. MSA FROM: <u>EUF VORTAC 330-150 3300, 150-330 2500</u>					MAG VAR: 2E      EPOCH YEAR: 1965										
<b>MINIMUMS</b>															
TAKEOFF:	<input type="checkbox"/> STANDARD	<input checked="" type="checkbox"/> X	SEE FAA FORM 8260-15A FOR THIS AIRPORT			ALTERNATE: N	<input type="checkbox"/> A	<input checked="" type="checkbox"/> X							
CATEGORY ==>	<b>A</b>			<b>B</b>			<b>C</b>			<b>D</b>			<b>E</b>		
	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA	MDA	VIS	HAT/HAA
S-36	780	1	495	780	1	495	780	1 1/4	495	780	1 1/2	495			
CIRCLING	920	1	635	920	1	635	920	1 3/4	635	920	2	635			
NOTES:  CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT.  CHART NOTE: USE CLAYTON ALTIMETER SETTING; WHEN NOT RECEIVED, USE COLUMBUS, GA ALTIMETER SETTING AND INCREASE ALL MDAS 40 FEET AND S-36 CAT C AND D VISIBILITY 1/4 MILE.															
CITY AND STATE EUFULA, AL		ELEVATION: 285    TDZE: 285 AIRPORT NAME:  WEEDON FIELD		FACILITY IDENTIFIER: EUF		PROCEDURE NO./AMDT NO.: VOR/DME RWY 36, AMDT 3  DEC 20 2007				SUP VOR/DME OR GPS RWY 36 AMDT 2 DATE 05/10/2007					

