

**FEDERAL AVIATION ADMINISTRATION**  
**FLIGHT STANDARDS SERVICE**  
**RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE**  
**TITLE 14 CFR PART 97.33**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated.  
 Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or feet RVR.

<u>AIRPORT</u> CHETEK MUNI-SOUTHWORTH	<u>AIRPORT ID</u> Y23	<u>PROCEDURE NAME</u> RNAV (GPS) RWY 35	<u>ORIGINAL/AMENDMENT</u> ORIG-D	<u>CITY</u> CHETEK	<u>STATE</u> WI	
<u>AIRPORT ELEVATION</u> 1056	<u>TDZE</u> 1056	<u>SUPERSEDED</u> RNAV (GPS) RWY 35	<u>ORIGINAL/AMENDMENT</u> ORIG-C	<u>DATED</u> 05/28/2015	<u>MAG VAR</u> 0E	<u>EPOCH YEAR</u> 2000
<u>FACILITY</u> RNAV	<u>COORDINATES OF FACILITIES</u>	<u>ACTUAL EFFECTIVE DATE</u> 15 AUGUST 2019	<u>REQUIRED EFFECTIVE DATE</u> ROUTINE	<u>CANCEL/SUSPEND</u>		

**TERMINAL ROUTES**

<b><u>FROM</u></b>	<b><u>FIX TYPE</u></b>	<b><u>TO</u></b>	<b><u>FIX TYPE</u></b>	<b><u>LEG TYPE</u></b>	<b><u>FO/FB</u></b>	<b><u>RNP</u></b>	<b><u>COURSE</u></b>	<b><u>DISTANCE</u></b>	<b><u>ALTITUDE</u></b>
BOSEN		KEMGE		TF	FB	1.00	083.24	17.78	3200
EAU VORTAC	IAF	IJPUD	NOPT	TF	FB	1.00	336.38	13.83	3200
KEMGE	IAF	IJPUD	NOPT	TF	FB	1.00	084.51	5.00	3200
IJPUD	IF/IAF	AGHOD		TF	FB	1.00	354.59	6.00	2900
AGHOD	FAF	EBUVE/2.10 NM TO RW35		TF	FB	0.30	354.58	3.50	
EBUVE/2.10 NM TO RW35		RW35	MAP	TF	FO	0.30	354.58	2.10	
RW35	MAP	1456 MSL		CA			354.58		
1456 MSL		NOMKE		DF	FO	1.00			3200

**MISSED APPROACH**

**MAP:**

LNAV: RW35

**MISSED APPROACH INSTRUCTIONS:**

CLIMB TO 3200 DIRECT NOMKE WP AND HOLD.

**ALTERNATE MISSED APPROACH INSTRUCTIONS:**

QUALITY  
41  
CHECKED

PROFILE:

1. PT

SIDE OF COURSE

OUTBOUND

FT WITHIN

MILES OF (IAF)

2. HOLD S IJPUD, RT, 354.59 INBOUND, 3200 FT. IN LIEU OF PT (IAF), MAX 6000.

3. FAC: 354.58

FAF: AGHOD

DIST FAF TO MAP: 5.58

DIST FAF TO THLD: 5.58

4. MIN ALT: IJPUD 3200, AGHOD 2900, EBUVE/2.10 NM TO RW35 1740

5. DIST TO THLD FROM OM:

MM:

IM:

150 HAT:

GS ANT:

6. MIN GP INCPT:

GP ALT AT FAF :

OM:

MM:

IM:

7. GP ANGLE:

34:1: IS NOT CLEAR

20:1: IS NOT CLEAR

TCH:

8. MSA FROM: RW35 3200

PBN REQUIREMENTS NOTE:

RNP APCH.

NOTES:

CHART NOTE: CIRCLING RWY 7, 17, 25 NA AT NIGHT.  
CHART NOTE: RWY 35 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NOT AUTHORIZED.  
CHART PROFILE NOTE: VGSI AND DESCENT ANGLES NOT COINCIDENT (VGSI ANGLE (ANGLE)/TCH (FEET)).  
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVAL AT BOSEN ON V78 WESTBOUND.  
CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON EAU VORTAC AIRWAY RADIALS 276 CW 036.  
CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE RICE LAKE ALTIMETER SETTING.

ADDITIONAL FLIGHT DATA:

AGHOD TO RW35: 3.05/40.  
CHART FAS OBST: 1279 TREE 451606N/0913833W.  
HOLD N, RT, 174.55 INBOUND

MINIMUMS:

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT

ALTERNATE: NA ☒

CATEGORY:	A			B			C			D			E		
FINAL TYPE	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA	DA/MDA	VIS	HAT/HAA
LNAV MDA	1580	1	524	1580	1	524	1580	1 1/2	524		NA				
CIRCLING	1640	1	584	1640	1	584	1640	1 1/2	584		NA				

CHANGES - REASONS

1. ADDED DIST FAF TO MAP 5.58 - 8260.19H PARA 8-6-7 C.
2. INCORPORATED P-NOTAM 5/3769 AND 3/7752 - 8260-19H PARA 8-3-4 C.(2).
3. ADDED 20:1 IS NOT CLEAR - VISUAL SURFACE IS NOT CLEAR.
4. REPLACED CHART NOTE: DME/DME RNP-0.3 NA WITH PBN EQUIPMENT REQUIREMENTS NOTE: RNP APCH - 8260.19H PARA 8-6-8 B(1).
5. ADDED RWY 35 TO HELICOPTER VISIBILITY NOTE - ONLY APPLIES TO STRAIGHT-IN RUNWAY.
6. REMOVED PROCEDURE NA AT NIGHT NOTE - 20:1 STRAIGHT-IN VISUAL OBSTACLES ARE LIGHTED.
7. ADDED CHART NOTE: CIRCLING RWY 7, 17, 25 NA AT NIGHT - UNLIT VISUAL SURFACES PENETRATIONS.
8. CHANGED CHART NOTE: "USE RICE LAKE..." TO "WHEN LOCAL ALTIMETER SETTING..." AND REMOVED RICE LAKE ASOS NOTE - LOCAL WEATHER IS AVAILABLE.
9. REMOVED 1439 TREE FROM ADDITIONAL FLIGHT DATA - NOT A 7:1 OR FAS OBSTACLE.



**COORDINATED WITH:**

**A4A** ☐    **ALPA** ☒    **AOPA** ☒    **APA** ☐    **HAI** ☐    **NBAA** ☒    **OTHER:** ZMP ARTCC, GREEN BAY FSS, AMGR

**FLIGHT CHECKED BY**

PROCESSED IAW AIRCRAFT OPERATIONS GROUP (AJW-33) MEMO, OCTOBER 3, 2018, SUBJECT:  
FLIGHT INSPECTION REVIEW NOT REQUIRED

**OFFICE**

**DATE**

**DEVELOPED BY**

DONALD H. LANIER (EBONY HAMILTON)

*Digitally signed by*

***DONALD H LANIER***

*Digitally signed by*

***DONALD H LANIER***

Apr 30, 2019

**OFFICE**

AJV-A431

**DATE**

03/13/2019

**APPROVED BY**

LONNIE EVERHART

*Digitally signed by*

***DONALD H LANIER***

Apr 30, 2019

**OFFICE**

AJV-A430

**DATE**

**TITLE**

MANAGER

