

**Federal Aviation
Administration**

Transmittal Letter 19-16

June 14, 2019

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

| AIRAC DATE | STATE | CITY | AIRPORT | FDC NUMBER | FDC DATE | SUBJECT |
|---------------|-------|--------|----------------|---------------|-------------|------------------------------|
| 7/18/2019 | MI | Adrian | Lenawee County | 9/5051 | 6/5/2019 | RNAV (GPS) RWY 5, Amdt 1A |

AIRAC Date: 18 July 2019

FDC 9/5051 ADG IAP LENAWEЕ COUNTY, Adrian, MI. RNAV (GPS) RWY 5, AMDT 1A... DELETE CIRCLING MINIMUMS. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C OR ABOVE 54C. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C (4F) OR ABOVE 54C (130F). CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ANN ARBOR MUNI ALTIMETER SETTING; INCREASE LPV ALL CATS DA TO 1114 FEET AND ALL VISIBILITIES 1/8 SM; INCREASE LNAV/VNAV ALL CATS DA TO 1185 FEET; INCREASE ALL MDA 80 FEET AND VISIBILITY LNAV CATS C/D 1/4 SM. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ANN ARBOR MUNI ALTIMETER SETTING; INCREASE ALL LPV DAS TO 1114 FEET AND ALL VISIBILITIES 1/8 SM; INCREASE ALL LNAV/VNAV DAS TO 1185 FEET; INCREASE ALL MDA 80 FEET AND VISIBILITY LNAV CATS C/D AND CIRCLING CAT C 1/4 SM. THIS IS RNAV (GPS) RWY 5, AMDT 1B.
1905291221-PERM