

**Federal Aviation  
Administration**

**Transmittal Letter 19-16**

**June 14, 2019**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
7/18/2019	KY	Danville	Stuart Powell Field	9/5139	6/3/2019	RNAV (GPS) RWY 12, Orig-A

**AIRAC Date: 18 July 2019**

FDC 9/5139 DVK IAP STUART POWELL FIELD, Danville, KY. RNAV (GPS) RWY 12, ORIG-A... DELETE CIRCLING MINIMUMS. DELETE NOTE: CIRCLING RWY 1, 19 NA AT NIGHT. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE NOTE: RWY 1, 19 HELICOPTER VISIBILITY REDUCTION BELOW 1 SM NA. CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LEXINGTON ALTIMETER SETTING: INCREASE ALL DA/MDA 80 FEET; INCREASE LPV ALL CATS AND LNAV/VNAV ALL CATS AND LNAV ALL CATS VISIBILITY 1/4 SM. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE LEXINGTON ALTIMETER SETTING AND INCREASE ALL DAS/MDAS 80 FEET, LPV ALL VISIBILITIES 1/4 MILE, LNAV/VNAV ALL VISIBILITIES 1/4 MILE, LNAV CATS C/D AND CIRCLING CATS C/D 1/4 MILE. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C OR ABOVE 47C. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 47C (116F). THIS IS RNAV (GPS) RWY 12, ORIG-B. 1905291301-PERM