

**Federal Aviation
Administration**

Transmittal Letter 19-24

October 4, 2019

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
11/7/2019	TX	Big Spring	Big Spring Mc Mahon-Wrinkle	9/5040	9/26/2019	RNAV (GPS) RWY 35, Amdt 1

AIRAC Date: 7 NOVEMBER 2019

FDC 9/5040 BPG IAP BIG SPRING MC MAHON-WRINKLE, Big Spring, TX. RNAV (GPS) RWY 35, AMDT 1... DELETE CIRCLING MINIMUMS. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. DELETE NOTE: CIRCLING NA EAST OF RWY 17-35. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -20C OR ABOVE 43C. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -20C (-4F)OR ABOVE 43C (109F). CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MIDLAND INTL AIR AND SPACE PORT ALTIMETER SETTING: INCREASE ALL DA 130 FEET AND ALL MDA 140 FEET; INCREASE LPV ALL CATS VISIBILITY 1/4 SM, LNAV/VNAV ALL CATS VISIBILITY 1/2 SM AND LNAV CAT C AND D VISIBILITY 1/2 SM. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE MIDLAND INTL AIR AND SPACE PORT ALTIMETER SETTING AND INCREASE ALL DA 130 FEET AND ALL MDA 140 FEET AND LPV ALL CATS VISIBILITY 1/4 MILE, LNAV/VNAV ALL CATS VISIBILITY 1/2 MILE, LNAV CAT C AND D VISIBILITY 1/2 MILE AND CIRCLING CAT C AND D VISIBILITY 1/4 MILE. THIS IS RNAV (GPS) RWY 35, AMDT 1A. 1909251720-PERM