

**Federal Aviation
Administration**

Transmittal Letter 20-01

November 15, 2019

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
1/2/2020	FL	Naples	Naples Muni	9/0654	10/29/2019	RNAV (GPS) RWY 5, Amdt 2A

AIRAC Date: 2 JANUARY 2020

FDC 9/0654 APF IAP NAPLES MUNI, Naples, FL. RNAV (GPS) RWY 5, AMDT 2A...
CHART CIRCLING ICON. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV
SYSTEMS, LNAV/VNAV NA BELOW -15C (5F) OR ABOVE 49C (120F). CHART
NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -
15C OR ABOVE 54C. CIRCLING CAT A/B MDA 500/HAA 492 VISIBILITY 1 SM, CAT
C MDA 680/HAA 672 VISIBILITY 2 SM, CAT D MDA 820/HAA 812 VISIBILITY 2 3/4
SM. CHART VDP AT 1.13 NM TO RW05* *LNAV ONLY. 34:1 IS CLEAR. THIS IS
RNAV (GPS) RWY 5, AMDT 2B. 1909161958-PERM