

**Federal Aviation  
Administration**

**Transmittal Letter 19-23**

**September 20, 2019**

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53  
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure  
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA,  
LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME,  
MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:  
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
11/7/2019	OK	Durant	Durant Rgnl - Eaker Field	9/5760	9/17/2019	RNAV (GPS) RWY 35, Amdt 1

**AIRAC Date: 7 NOVEMBER 2019**

FDC 9/5760 DUA IAP DURANT RGNL - EAKER FIELD, Durant, OK. RNAV (GPS) RWY 35, AMDT 1... DELETE CIRCLING MINIMUMS. PBN REQUIREMENTS NOTE: RNP APCH. DELETE NOTE: DME/DME RNP-0.3 NA. CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C OR ABOVE 54C. DELETE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -16C (4F) OR ABOVE 54C (130F). CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ARDMORE MUNI ALTIMETER SETTING AND INCREASE ALL DA 96 FEET AND ALL MDA 100 FEET; INCREASE LPV ALL CATS VISIBILITY 1/2 SM, INCREASE LNAV/VNAV ALL CATS VISIBILITY AND LNAV CAT C VISIBILITY 1/4 SM. DELETE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE ARDMORE MUNI ALTIMETER SETTING AND INCREASE ALL DA 96 FEET, ALL MDA 100 FEET; INCREASE LPV CATS A, B, C VISIBILITY 1/2 MILE, INCREASE LNAV/VNAV CATS A, B, C AND LNAV AND CIRCLING CAT C VISIBILITY 1/4 MILE. THIS IS RNAV (GPS) RWY 35, AMDT 1A. 1909091620-PERM