

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE
TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH
FROM	TO	COURSE AND DISTANCE	ALTITUDE	
MACEY	EYUBU (FO)	321.30 / 4.86	4000	LPV: DA LNAV/VNAV: DA LNAV: RW06
AWSON (IAF)	EYUBU (NOPT) (FB)	119.97 / 12.49	4000	
EYUBU (IF/IAF)	CUDEB (FB)	061.85 / 6.11	3200	CLIMB TO 4000 DIRECT LIBIC AND HOLD.
CUDEB (FAF)	RW06 (MAP) (FO)	061.91 / 5.49		
RW06 (MAP)	1702 MSL	061.91		ADDITIONAL FLIGHT DATA: HOLD NE, RT, 242.09 INBOUND. CHART FAS OBST: 1579 TREE 342929N/0833308W DISTANCE TO THLD FROM 294 HATH: 0.78 NM. CHART VDP AT 1.12 MILES TO RW06* *LNAV ONLY. WAAS CHANNEL # 50321 REFERENCE PATH ID: W06A LTP HAE: 399.4 M
1702 MSL	LIBIC (FO)		4000	

- PT SIDE OF COURSE OUTBOUND FT WITHIN MILES OF (IAF)
- HOLD SW EYUBU, RT, 061.85 INBOUND, 4000 FT. IN LIEU OF PT (IAF)
- FAC: 061.91 FAF: CUDEB DIST FAF TO MAP: 5.49 THLD: 5.49
- MIN. ALT: EYUBU 4000, CUDEB 3200
- DIST TO THLD FROM OM: MM: IM: 150 HAT: 100 HAT: GS ANT:
- MIN GS INCPT: 3200 GS ALT AT: CUDEB 3200 OM: MM: IM:
- GS ANGLE: 3.00 TCH: 45.0 34:1 IS NOT CLEAR
- MSA FROM: RW06 6000

MAG VAR: 5W EPOCH YEAR: 2010

MINIMUMS

TAKEOFF: SEE FAA FORM 8260-15A FOR THIS AIRPORT							ALTERNATE: N A X								
CATEGORY =====>	A			B			C			D			E		
	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA	1702	1	294	1702	1	294	1702	1	294	1702	1	294			
LNAV/VNAV DA	1760	1 1/8	352	1760	1 1/8	352	1760	1 1/8	352	1760	1 1/8	352			
LNAV MDA	1840	1	432	1840	1	432	1840	1 1/4	432	1840	1 1/4	432			
CIRCLING	2060	1	612	2100	1	652	2100	1 3/4	652	2240	2 1/2	792			

NOTES:
CHART NOTE: DME/DME RNP-0.3 NA.
CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.
CHART PROFILE NOTE: VGSI AND RNAV GLIDEPATH NOT COINCIDENT.
CHART NOTE: VDP NA WITH GAINESVILLE ALTIMETER SETTING.
(SEE FORM 8260-10)

QUALITY
2
CHECKED

CITY AND STATE CORNELIA, GA	ELEVATION: 1448 THRE: 1408 AIRPORT NAME: HABERSHAM COUNTY	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 6, AMDT 1 30 JUN 2011	SUP: AMDT: ORIG DATED 06/08/2006
--------------------------------	---	---------------------------------	---	--

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT MACEY ON V222 SOUTHWEST BOUND.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS AT AWSON ON V5-311-417 WESTBOUND.

CHART NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED USE GAINESVILLE ALTIMETER SETTING AND INCREASE ALL DA 69 FEET AND MDA 80 FEET; INCREASE VISIBILITY LPV AND LNAV/VNAV 1/4 MILE ALL CATS, LNAV C AND D 1/8 MILE, AND CIRCLING CAT C AND D 1/4 MILE.

CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -17C (2F) OR ABOVE 35C (95F).

CHART NOTE: BARO-VNAV NA WITH GAINESVILLE ALTIMETER SETTING.

QUALITY
2
CHECKED

CITY AND STATE
CORNELIA, GA

ELEVATION: 1448 THRE: 1408
AIRPORT NAME:
HABERSHAM COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 6, AMDT 1
30 JUN 2011

SUP:
AMDT: ORIG
DATED: 06/08/2006

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATIONDATA FIELDDATA

OPERATION TYPE 0
SBAS SERVICE PROVIDER IDENTIFIER 0
AIRPORT IDENTIFIER KAJR
RUNWAY RW06
APPROACH PERFORMANCE DESIGNATOR 0
ROUTE INDICATOR 0
REFERENCE PATH DATA SELECTOR W06A
REFERENCE PATH IDENTIFIER (APPROACH ID) 342952.1285N
LTP/FTP LATITUDE 0833337.6105W
LTP/FTP LONGITUDE +03994
LTP/FTP ELLIPSOIDAL HEIGHT 343040.7800N
FPAP LATITUDE 0833207.2300W
FPAP LONGITUDE 00045.0
THRESHOLD CROSSING HEIGHT (TCH) F
TCH UNITS SELECTOR (METERS OR FEET USED) 03.00
GLIDEPATH ANGLE (GPA) 106.75
COURSE WIDTH AT THRESHOLD 1496
LENGTH OFFSET 40.0
HORIZONTAL ALERT LIMIT (HAL) 50.0
VERTICAL ALERT LIMIT (VAL)

CRC REMAINDER

54290E83

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE K7
LTP ORTHOMETRIC HEIGHT +04292
FPAP ORTHOMETRIC HEIGHT +04292

QUALITY
2
CHECKED

CITY AND STATE
CORNELIA, GA

ELEVATION: 1448 THRE: 1408
AIRPORT NAME:
HABERSHAM COUNTY

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 6, AMDT 1
30 JUN 2011

SUP:
AMDT: ORIG
DATED: 06/08/2006

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP	KAJRK7FR06	AAWSON	010AWSONK7EA0E	A	IF					18000		A	JS
SUSAP	KAJRK7FR06	AAWSON	020EYUBUK7EA0EE	B	010TF		12000125	+	04000			A	JS
SUSAP	KAJRK7FR06	AMACEY	010MACEYK7EA0E		IF					18000		A	JS
SUSAP	KAJRK7FR06	AMACEY	020EYUBUK7EA0EY		020TF		32130049	+	04000			A	JS
SUSAP	KAJRK7FR06	AMACEY	030EYUBUK7EA0EE	AR	HF		06190040	+	04000			A	JS
SUSAP	KAJRK7FR06	R	010EYUBUK7EA0E	I	IF			+	04000	18000		A	JS
SUSAP	KAJRK7FR06	R	020CUDEBK7EA1E	F	051TF		06190061	+	03200		RW06	K7PGA	JS
SUSAP	KAJRK7FR06	R	020CUDEBK7EA2WALPV			ALNAV/VNAV	ALNAV						JS
SUSAP	KAJRK7FR06	R	030RW06	K7PG0GY	M	031TF		06190055		01453	-300	A	JS
SUSAP	KAJRK7FR06	R	040		M	CA		0619	+	01702		A	JS
SUSAP	KAJRK7FR06	R	050LIBICK7EA0EY		DF				+	04000		A	JS
SUSAP	KAJRK7FR06	R	060LIBICK7EA0EE	R	HM		24210040	+	04000			A	JS

[illegible][illegible]

CITY AND STATE CORNELIA, GA	ELEVATION: 1448	THRE: 1408	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 6, AMDT 1 30 JUN 2011	SUP:	
	AIRPORT NAME:				AMDT:	ORIG
	HABERSHAM COUNTY				DATED:	06/08/2006

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

SUP:	
AMDT:	ORIG
DATED:	06/08/2006