

US DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE
FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

TERMINAL ROUTES				MISSED APPROACH	
FROM	TO	COURSE AND DISTANCE	ALTITUDE		
DDY VORTAC	EDIDY (FB)	136.68 / 6.69	8400	LPV: DA LNAV/VNAV: DA LNAV: RW26	
EDIDY (IAF)	AKICE (NOPT) (FB)	167.07 / 5.00	7800	CLIMB TO 8400 DIRECT DIBKE AND RIGHT TURN VIA TRACK 346.88 TO COKRO AND VIA TRACK 064.64 TO DDY VORTAC AND HOLD.	
DEALT (IAF)	AKICE (NOPT) (FB)	302.75 / 10.31	7800		
AKICE (IF/IAF)	BOZTE (FB)	257.07 / 6.10	7000		
				ADDITIONAL FLIGHT DATA: HOLD NE, RT, 204.66 INBOUND. CHART FAS OBST: 5479 TREE 425531N/1062116W CHART FAS OBST: 5359 TREE 425441N/1062610W DISTANCE TO THLD FROM 250 HAT: 0.70 NM. CHART VDP AT 1.18 MILES TO RW26* *LNAV ONLY. WAAS CHANNEL # 78112 REFERENCE PATH ID: W26A CHART APT ELEV 5350 CHART TDZE 5335	
1. PT _____ SIDE OF COURSE _____ OUTBOUND _____ FT WITHIN _____ MILES OF _____ (IAF) 2. HOLD E AKICE, RT, 257.07 INBOUND, 7800 FT. IN LIEU OF PT (IAF) 3. FAC: 256.98 FAF: BOZTE DIST FAF TO MAP: 5.07 THLD: 5.07 4. MIN. ALT: AKICE 7800, BOZTE 7000 5. DIST TO THLD FROM OM: _____ MM: _____ IM: _____ 150 HAT: _____ 100 HAT: _____ GS ANT: _____ 6. MIN GS INCPT: 7000 GS ALT AT: BOZTE OM: _____ MM: _____ IM: _____ 7. GS ANGLE: 3.00 TCH: 39.8 34:1 IS CLEAR 8. MSA FROM: RW26 10000					
				MAG VAR: 12E EPOCH YEAR: 1990	

MINIMUMS

TAKEOFF:	STANDARD	X	SEE FAA FORM 8260-15A FOR THIS AIRPORT	ALTERNATE: N/A	STANDARD											
CATEGORY	=====	A	B	C	D	E										
		DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA	DH/MDA	VIS	HAT/HAA
LPV DA		5585	1	250	5585	1	250	5585	1	250	5585	1	250			
LNAV/VNAV DA		5629	1	294	5629	1	294	5629	1	294	5629	1	294			
LNAV MDA		5740	1	405	5740	1	405	5740	1 1/4	405	5740	1 1/4	405			
CIRCLING		5780	1	430	5800	1	450	5800	1 1/2	450	5900	2	550			

NOTES:
 CHART NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -25C (-13F) OR ABOVE 38C (100F).
 CHART NOTE: DME/DME RNP-0.3 NA.
 CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON DDY VORTAC AIRWAY RADIALS 106 CW 159.

CITY AND STATE CASPER, WY	ELEVATION: 5350 TDZE: 5335 AIRPORT NAME: CASPER/NATRONA COUNTY INTL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 26, AMDT 1 02 JUL 2009	SUP: AMDT: ORIG DATED 07/05/2009
------------------------------	---------------------------------------------------------------------------	------------------------------	------------------------------------------------------------------------------------	----------------------------------------

QUALITY
CHECKED

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION

DATA FIELD

DATA

OPERATION TYPE 0
SBAS SERVICE PROVIDER IDENTIFIER 0
AIRPORT IDENTIFIER KCPR
RUNWAY RW26
APPROACH PERFORMANCE DESIGNATOR 0
ROUTE INDICATOR
REFERENCE PATH DATA SELECTOR 0
REFERENCE PATH IDENTIFIER (APPROACH ID) W26A
LTP/FTP LATITUDE 425432.1965N
LTP/FTP LONGITUDE 1062658.2935W
LTP/FTP ELLIPSOIDAL HEIGHT +16094
FPAP LATITUDE 425430.4700N
FPAP LONGITUDE 1062859.5100W
THRESHOLD CROSSING HEIGHT (TCH) 00039.8
TCH UNITS SELECTOR (METERS OR FEET USED) F
GLIDEPATH ANGLE (GPA) 03.00
COURSE WIDTH AT THRESHOLD 106.75
LENGTH OFFSET 0104
HORIZONTAL ALERT LIMIT (HAL) 40.0
VERTICAL ALERT LIMIT (VAL) 50.0

CRC REMAINDER

328CFF02

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE K1
LTP ORTHOMETRIC HEIGHT +16226
FPAP ORTHOMETRIC HEIGHT +16226

QUALITY
4
CHECKED

CITY AND STATE CASPER, WY	ELEVATION: 5350 TDZE: 5335 AIRPORT NAME: CASPER/NATRONA COUNTY INTL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 26, AMDT 1 02 JUL 2009	SUP: AMDT: ORIG DATED: 07/05/2007
------------------------------	---------------------------------------------------------------------------	---------------------------------	-------------------------------------------------------------------------------------	-----------------------------------------

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible][illegible][illegible]

SEGMENT	1	2	3	4	5	6	7	8	9	0	1	2	3
SUSAP KCPRK1FR26	AAKICE	010AKICEK1EA0EE	CR	HF		25710070	+	07800	18000		A JS	G	
SUSAP KCPRK1FR26	ADDY	010DDY	K1D	0V	IF				18000		A JS	G	
SUSAP KCPRK1FR26	ADDY	020EDIDYK1EA0E	A	020TF		13670067	+	08400			A JS	G	
SUSAP KCPRK1FR26	ADDY	030AKICEK1EA0EE		010TF		16710050	+	07800			A JS	G	
SUSAP KCPRK1FR26	ADEALT	010DEALTK1EA0E	A	IF					18000		A JS	G	
SUSAP KCPRK1FR26	ADEALT	020AKICEK1EA0EE		010TF		30280103	+	07800			A JS	G	
SUSAP KCPRK1FR26	R	010AKICEK1EA0E	I	IF			+	07800	18000		A JS	G	
SUSAP KCPRK1FR26	R	020BOZTEK1EA1E	F	051TF		25710061	+	07000		RW26	K1PGA	JS	G
SUSAP KCPRK1FR26	R	020BOZTEK1EA2WALPV			ALNAV/VNAV	ALNAV						JS	G
SUSAP KCPRK1FR26	R	030RW26	K1PGOGY	M	031TF	25700051		05364		-300	A JS	G	
SUSAP KCPRK1FR26	R	040DIBKEK1EA0E	M	010DF							A JS	G	
SUSAP KCPRK1FR26	R	050COKROK1EA0E		R010TFY		3469					A JS	G	
SUSAP KCPRK1FR26	R	060DDY	K1D	0VY	010TF	0646	+	08400			A JS	G	
SUSAP KCPRK1FR26	R	070DDY	K1D	0VE	HR020HM	20470070	+	08400			A JS	G	

CITY AND STATE CASPER, WY	ELEVATION: 5350 TDZE: 5335 AIRPORT NAME: CASPER/NATRONA COUNTY INTL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 26, AMDT 1 02 JUL 2009	SUP:
				AMDT: ORIG
				DATED: 07/05/2007

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

	1	2	3	4	5	6	7	8	9	0	1	2	3
RUNWAY	1234567890123456789012345678901234567890123456789012345678901234567890123456789012												
	SUSAP KCPRK1GRW26	0086792569	N42543220W	106265829+0200									G
PP	1234567890123456789012345678901234567890123456789012345678901234567890123456789012												
	SUSAP KCPRK1PR26	RW26 001	0000W26A0N	4254321965W	10626582935+160940300N	4254304700W	10628595100106750104000398F	400500					G
	SUSAP KCPRK1PR26	RW26 002E		+16226+16226LPV		78112							G
MSA	1234567890123456789012345678901234567890123456789012345678901234567890123456789012												
	SUSAP KCPRK1SRW26	K1PG		0	18018010025								M G

CITY AND STATE
CASPER, WY

ELEVATION: 5350 TDZE: 5335
AIRPORT NAME:
CASPER/NATRONA COUNTY INTL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 26, AMDT 1
02 JUL 2009

SUP:
AMDT: ORIG
DATED: 07/05/2007

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

ARINC FLIGHT INSPECTION SUMMARY - VERSION 424-18 - RNAV (GPS)

ROUTES	TRANSITION	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE
	AKICE	AKICE	010		HF	R	FB		257.1 (269T)	007.0	07800
	DDY	DDY	010		IF		FB				
	DDY	EDIDY	020	IAF	TF		FB	2.0	136.7 (149T)	006.7	08400
	DDY	AKICE	030		TF		FB	1.0	167.1 (179T)	005.0	07800
	DEALT	DEALT	010	IAF	IF		FB				
	DEALT	AKICE	020		TF		FB	1.0	302.8 (315T)	010.3	07800
		AKICE	010	FACF	IF		FB				07800
		BOZTE	020	FAF	TF		FB	0.5	257.1 (269T)	006.1	07000
		RW26	030	MAP	TF		FO	0.3	257.0 (269T)	005.1	05364

MISSED APPROACH	FIX	SEQ	USE	PATH	TURN	FO/FB	RNP	MAG(TRUE)	DISTANCE	ALTITUDE
	DIBKE	040		DF		FB	1.0			
	COKRO	050		TF	R	FB	1.0	346.9 (359T)		
	DDY	060		TF		FO	1.0	064.6 (077T)		08400
	DDY	070		HM	R	FO	2.0	204.7 (217T)	007.0	08400

POINT DATA	WAYPOINT	LAT IN SECS	LONG IN SECS	LAT IN MINS	LONG IN MINS
	DDY	N430527.08	W1061637.29	N4305.451	W10616.622
	AKICE	N425444.06	W1061146.44	N4254.734	W10611.774
	BOZTE	N425437.83	W1062004.57	N4254.631	W10620.076
	COKRO	N430232.66	W1063326.73	N4302.544	W10633.446
	DEALT	N424728.97	W1060148.83	N4247.483	W10601.814
	DIBKE	N425426.73	W1063313.78	N4254.446	W10633.230
	EDIDY	N425944.10	W1061153.08	N4259.735	W10611.885
	RW26	N425432.20	W1062658.29	N4254.537	W10626.972

RUNWAY DATA	RWY	THRESHOLD ELEVATION	TCH
	RW26	05324	40

CITY AND STATE
CASPER, WY

ELEVATION: 5350 TDZE: 5335
 AIRPORT NAME:
 CASPER/NATRONA COUNTY INTL

FACILITY IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
 RNAV (GPS) RWY 26, AMDT 1
 02 JUL 2009

SUP:
 AMDT: ORIG
 DATED: 07/05/2007