

**Federal Aviation
Administration**

Transmittal Letter 24-11

March 29, 2024

**PREPARED BY THE AERONAUTICAL INFORMATION GROUP, AJV-53
(AVAILABLE ON THE WEB AT [HTTP://NFDC.FAA.GOV](http://NFDC.FAA.GOV))**

**The enclosed Standard Instrument Approach Procedures, Departure
Procedures/Takeoff Minimums and Fix Actions are effective as indicated.**

By amending: §97.23 VOR, VOR/DME, VOR or TACAN, and VOR/DME or TACAN; §97.25 LOC, LOC/DME, LDA, LDA/DME, SDF, SDF/DME; §97.27 NDB, NDB/DME; §97.29 ILS, ILS/DME, MLS, MLS/DME, MLS/RNAV; §97.31 RADAR SIAPs; §97.33 RNAV SIAPs; and §97.35 COPTER SIAPs, Identified as follows:
.....EFFECTIVE UPON PUBLICATION

AIRAC DATE	STATE	CITY	AIRPORT	FDC NUMBER	FDC DATE	SUBJECT
5/16/2024	TX	Longview	East Texas Rgnl	4/3833	3/8/2024	RNAV (GPS) RWY 31, Amdt 1A

AIRAC Date: 16 MAY 2024

FDC 4/3833 GGG IAP EAST TEXAS RGNL, LONGVIEW, TX. RNAV (GPS) RWY 31, AMDT 1A... LNAV VISIBILITY CAT C 1 3/8 SM. AIRPORT ELEVATION 366. CIRCLING HAA CAT A/B 494, CAT E 714. CHART NOTE: BARO-VNAV AND VDP NA WHEN USING GILMER ALTIMETER SETTING. CHANGE NOTE: FOR UNCOMPENSATED BARO-VNAV SYSTEMS, LNAV/VNAV NA BELOW -15C OR ABOVE 54C. CHANGE NOTE: WHEN LOCAL ALTIMETER SETTING NOT RECEIVED, USE GILMER ALTIMETER SETTING AND INCREASE ALL DA 59 FEET, ALL MDA 60 FT. INCREASE LPV VISIBILITY ALL CATS 1/8 SM AND CIRCLING VISIBILITY CATS C/D/E 1/4 SM. DELETE PROFILE NOTE: *LNAV ONLY. DELETE ASTERISK IN PROFILE FROM MINIMUM ALTITUDE AT JUPAT/2.5 NM TO RW31 1200 AND VDP/1.2 NM TO RW31. DELETE NOTE: BARO-VNAV NA WHEN USING GILMER ALTIMETER SETTING. DELETE NOTE: VDP NA WHEN USING GILMER ALTIMETER SETTING. THIS IS RNAV (GPS) RWY 31, AMDT 1B. 2403061910-PERM