

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
GRAPHIC DEPARTURE PROCEDURES (DP)**

Bearings, headings, courses, tracks and radials are magnetic. Elevations and altitudes are in feet, MSL. Altitudes are minimum altitudes unless otherwise indicated.
Ceilings are in feet above airport elevation. Distances are in nautical miles. Visibilities are in statute miles or feet RVR unless otherwise indicated.

<u>DP NAME</u>	<u>NUMBER</u>	<u>DP COMPUTER CODE</u>	<u>SUPERSEDED NUMBER</u>	<u>DATED</u>	<u>ACTUAL EFFECTIVE DATE</u>
GLAZY	ONE	GLAZY1.GLAZY	NONE		23FEB2023

<u>TYPE:</u>	<u>OBSTACLE</u>	<u>COPTER</u>	<u>SID</u>	<u>SPECIAL</u>	<u>RNAV</u>
	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

DP ROUTE DESCRIPTION:

TAKEOFF RWY 12: CLIMB ON HEADING 121.14 TO INTERCEPT COURSE 192.49 TO CROSS GLAZY AT OR ABOVE 8000, THEN ON DEPICTED ROUTE. EXPECT FILED ALTITUDE 10 MINUTES AFTER DEPARTURE.

TRANSITION ROUTES (GRAPHIC DEPICTION ONLY):

<u>TRANSITION NAME</u>	<u>TRANSITION COMPUTER CODE</u>	<u>FROM FIX/NAVAID</u>	<u>TO FIX/NAVAID</u>	<u>COURSE</u>	<u>DISTANCE</u>	<u>MEA</u>	<u>MOCA</u>	<u>CROSSING ALTITUDE/FIXES</u>
JERID	GLAZY1.JERID	GLAZY	JERID	TRACK 265.25	8.11	5600	5600	JERID AT/ABOVE 8500
PALMDALE	GLAZY1.PMD	GLAZY	PMD VORTAC	TRACK 136.15	15.17	5000	4800	

PBN REQUIREMENT NOTES:

RNAV 1-GPS

EQUIPMENT REQUIREMENT NOTES:

RADAR REQUIRED

PROCEDURAL DATA NOTES:**TAKEOFF MINIMUMS:**

RWY 12: STANDARD WITH MINIMUM CLIMB OF 415 FT PER NM TO 4800.
ALL OTHER RWYS – NA ATC.

TAKEOFF OBSTACLES NOTES:

SEE FORM 8260-15A, TAKEOFF MINIMUMS AND OBSTACLE DEPARTURE PROCEDURES (ODP).

CONTROLLING OBSTACLES:

4383 AAO 345856.98N/1181119.73W (CLIMB GRADIENT) (CLIMB-TO ALTITUDE)
JERID CROSSING ALTITUDE: 7999 AAO 350230N/1183417W

MSA:

MSA FROM KMHV 9700

LOST COMMUNICATIONS PROCEDURES:**ADDITIONAL FLIGHT DATA:**

CHART NOTE: DO NOT FILE – TO BE ASSIGNED BY ATC.
CHART R-2515, ISABELLA MOA
CHART TOP ALTITUDE: 10000
CHART V197 BEGINNING AT JERID
REFERENCE MAG VAR: KMHV E14 EPOCH YEAR 2000
DME/DME ASSESSMENT NOT CONDUCTED.
NON-FAA PROCEDURE

DP NAME

GLAZY

NUMBER

ONE

DP COMPUTER CODE

GLAZY1.GLAZY

SUPERSEDED NUMBER

NONE

DATEDACTUAL EFFECTIVE DATE

23FEB2023

AIRPORTS SERVED:AIRPORT ID

KMHV

CITY

MOJAVE

STATE

CA

COMMUNICATIONS:

GND CON, TWR, JOSHUA DEP CON

FIXES AND/OR NAVAIDS:REMARKS:

DO NOT PUBLISH MOCAS

4383 AAO 345856.98N/1181119.73W PER NGS EW7059 SURVEY

FLIGHT INSPECTED BY

CHRISTIAN F BAUR

Chris Baur

 Digitally signed by Chris Baur
Date: 2022.10.17 10:21:22 -07'00'OFFICE

HAC

DATE

12/16/2020

DEVELOPED BY

ROBERT ABBOTT

Robert Abbott

 Digitally signed by Robert Abbott
Date: 2022.10.17 10:21:33 -07'00'OFFICE

HAC

DATE

08/10/2020

APPROVED BY

BRIAN BERUBEE

Brian Berubee

 Digitally signed by Brian Berubee
Date: 2022.10.17 10:21:44 -07'00'OFFICE

HAC

DATE

08/11/2022

TITLE

CHIEF DESIGNER

REQUIRED EFFECTIVE DATE

ROUTINE

COORDINATED WITH:A4A ☒ALPA ☒AOPA ☒APA ☐HAI ☐NBAA ☒OTHER: 412TH TW, SPORT MILITARY RADAR UNIT, MHV NFCT, JOSHUA APP CON, R-2508 COMPLEX CONTROL BOARDCHANGES - REASONS:

**FEDERAL AVIATION ADMINISTRATION
FLIGHT STANDARDS SERVICE
DEPARTURE (DATA RECORD)**

DP NAME					NUMBER	DP COMPUTER CODE	SUPERSEDED NUMBER	DATED	ACTUAL EFFECTIVE DATE
GLAZY					ONE	GLAZY1.GLAZY	NONE		23FEB2023
FIX/NAVAID	LAT/LONG	C	FO/FB	LEG TYPE	TC	DIST (NM)	ALTITUDE	SPEED	REMARKS
RW12 (AER)*	350404.72N/1180932.45W	N	-	-	-	-			*DISPL THLD (600 FT)
-	350137.85N/1180634.79W	-	-	VI	135.14	3.45			CG 415 PER NM TO 4800
GLAZY	345104.20N/1181258.79W	Y	FB	CF	206.49	11.78	AT/ABOVE 8000		
TRANSITIONS									
GLAZY	345104.20N/1181258.79W	Y	-	IF	-	-			GLAZY1.JERID
JERID	345222.21N/1182242.68W	Y	FB	TF	279.25	8.11	AT/ABOVE 8500		
TRANSITIONS									
GLAZY	345104.20N/1181258.79W	Y	-	IF	-	-			GLAZY1.PMD
PMD VORTAC	343753.03N/1180349.76W	Y	FB	TF	150.15	15.17			