

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

LE. QUALITY
6
CHECKED

**RNAV (GPS) - STANDARD
INSTRUMENT APPROACH PROCEDURE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES CONT.**CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON BAE VORTAC AIRWAY RADIALS 302 CW 345.****CHART NOTE: VDP NA WITH MILWAUKEE/LAWRENCE J. TIMMERMAN ALTIMETER SETTING.**

CITY AND STATE

WEST BEND, WI

ELEVATION: 887 TDZE: 882

AIRPORT NAME:

WEST BEND MUNI

FACILITY
IDENTIFIER:

RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 13, ORIG

08 APR 2010

SUP:

AMDT: **NONE**

DATED:

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY
6
CHECKED

| | | | | |
|-------------------------------------|--|-------------------------------------|---|-----------------|
| CITY AND STATE WEST BEND, WI | ELEVATION: 887 TDZE: 882 AIRPORT NAME: WEST BEND MUNI | FACILITY IDENTIFIER: RNAV | PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 13, ORIG 08 APR 2010 | SUP: |
| | | | | AMDT: NONE |
| | | | | DATED: |

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV (GPS) STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 |
|------------------------|--|--------------------------|-----------------------|---|---|---|---|---|---|---|---|---|---|
| RUNWAY | 1234567890123456789012345678901234567890123456789012345678901234567890123456789012 | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | |
| SUSAP KETBK5GRW13 | 0044941274 | N43253132W088080491-0300 | +0233800882000037075R | | | | | | | | | | |
| ----- | | | | | | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 0 | 1 | 2 | 3 |
| MSA | 1234567890123456789012345678901234567890123456789012345678901234567890123456789012 | | | | | | | | | | | | |
| ----- | | | | | | | | | | | | | |
| SUSAP KETBK5SRW13 K5PG | 0 | 18018002925 | M | | | | | | | | | | |

QUALITY
6
CHECK

CITY AND STATE
WEST BEND, WI

ELEVATION: 887 TDZE: 882
AIRPORT NAME:
WEST BEND MUNI

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 13, ORIG
08 APR 2010

SUP:
AMDT: NONE
DATED: