

US DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION
RNAV - STANDARD
INSTRUMENT APPROACH PROCEDURE - TITLE 14 CFR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

NOTES, (CONT.):

ALL CATS AND LNAV CAT C VISIBILITY TO 1 3/8.

CHART NOTE: DME/DME RNP-0.3 NA.

CHART NOTE: VISIBILITY REDUCTION BY HELICOPTERS NA.

CHART PLANVIEW NOTE: PROCEDURE NA FOR ARRIVALS ON HLV VORTAC AIRWAY RADIALS 036 CW 203.

CHART NOTE: VDP AND BARO-VNAV NA WHEN USING COLUMBIA RGNL ALTIMETER SETTING.

QUALITY
3
CHECKED

CITY AND STATE
MEXICO, MO

ELEVATION: 823 THRE: 823
AIRPORT NAME:
MEXICO MEMORIAL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:
RNAV (GPS) RWY 6, AMDT 1
25 AUG 2011

SUP:
AMDT: ORIG
DATED: 02/19/2004

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

FAS DATA BLOCK INFORMATION**DATA FIELD****DATA**

OPERATION TYPE	0
SBAS SERVICE PROVIDER IDENTIFIER	0
AIRPORT IDENTIFIER	KMYJ
RUNWAY	RW06
APPROACH PERFORMANCE DESIGNATOR	0
ROUTE INDICATOR	
REFERENCE PATH DATA SELECTOR	0
REFERENCE PATH IDENTIFIER (APPROACH ID)	W06A
LTP/FTP LATITUDE	390915.4480N
LTP/FTP LONGITUDE	0914931.9185W
LTP/FTP ELLIPSOIDAL HEIGHT	+02184
FPAP LATITUDE	390952.1500N
FPAP LONGITUDE	0914747.5200W
THRESHOLD CROSSING HEIGHT (TCH)	00040.0
TCH UNITS SELECTOR (METERS OR FEET USED)	F
GLIDEPATH ANGLE (GPA)	03.00
COURSE WIDTH AT THRESHOLD	106.75
LENGTH OFFSET	1072
HORIZONTAL ALERT LIMIT (HAL)	40.0
VERTICAL ALERT LIMIT (VAL)	50.0

CRC REMAINDER

B5C349A4

ADDITIONAL PATH POINT RECORD INFORMATION

ICAO CODE	K3
LTP ORTHOMETRIC HEIGHT	+02508
FPAP ORTHOMETRIC HEIGHT	+02508

QUALITY
6
CHECKED

CITY AND STATE MEXICO, MO	ELEVATION: 823 THRE: 823 AIRPORT NAME: MEXICO MEMORIAL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 6, AMDT 1 25 AUG 2011	SUP:
				AMDT: ORIG
				DATED: 02/19/2004

**RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33**

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

[illegible]

QUALITY
6
CHECKED

CITY AND STATE MEXICO, MO	ELEVATION: 823 THRE: 823 AIRPORT NAME: MEXICO MEMORIAL	FACILITY IDENTIFIER: RNAV	PROCEDURE NO./ AMDT NO./EFFECTIVE DATE: RNAV (GPS) RWY 6, AMDT 1 25 AUG 2011	SUP:	
				AMDT:	ORIG
				DATED:	02/19/2004

U.S. DEPARTMENT OF TRANSPORTATION - FEDERAL AVIATION ADMINISTRATION

RNAV STANDARD INSTRUMENT APPROACH PROCEDURE
FLIGHT STANDARDS SERVICE - FAR PART 97.33

Bearings, headings, courses, and radials are magnetic. Elevations and altitudes are in feet, MSL, except HAT, HAA, TCH, and RA. Altitudes are minimum altitudes unless otherwise indicated. Ceilings are in feet above airport elevation. Distances are in nautical miles unless otherwise indicated, except visibilities which are in statute miles or in feet RVR.

	1	2	3	4	5	6	7	8	9	0	1	2	3
RUNWAY	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
	SUSAP KMYJK3GRW06	0055010637	N39091545W091493192-0300										
PP	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
	SUSAP KMYJK3PR06	RW06 001 0000W06A0N3909154480W09149319185+021840300N3909521500W09147475200106751072000400F400500B5C349A4											
	SUSAP KMYJK3PR06	RW06 002E	+02508+02508LPV	97423									
MSA	123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012												
	SUSAP KMYJK3SRW06 K3PG	0	18018003125										M

QUALITY
6
CHECKED

CITY AND STATE

MEXICO, MO

ELEVATION: 823

THRE: 823

AIRPORT NAME:

MEXICO MEMORIAL

FACILITY
IDENTIFIER:
RNAV

PROCEDURE NO./AMDT NO./EFFECTIVE DATE:

RNAV (GPS) RWY 6, AMDT 1

25 AUG 2011

SUP:

AMDT: ORIG

DATED: 02/19/2004